

~~EX-1~~ Copy.

EPW-PR

PRECAUTIONARY STATEMENTS
**HAZARDS TO HUMANS
(& DOMESTIC ANIMALS)**

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of food and food stuffs. Keep out of reach of children.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician immediately. Gargle lavage is indicated if material was taken. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN: Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES: Rinse eyes for at least 15 minutes with water and call physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

Exterior of container is not the product as shown on label and not containing.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides. Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill. Consult Federal, State or local disposal authorities for approved alternative procedures.

SURFACE SANITIZERS - The recommendations for the use of this product are based upon tests intended to be quoted. The use of this product being beyond the control of the manufacturer or your other supplier or distributor is subject to the effects it will have on the article to be cleaned. It is your responsibility to determine if the effects of such use are acceptable. The best and most sound of recommendations, including those of packaging, handling and storage of this product.

**NATIONWIDE
CHEMICAL PRODUCTS INC**
P.O. Box 3027
Hamilton, Ohio 45011

PRO KILL

Insecticide 110

EPA Reg. No. 9591-49 EPA Est. No. 9591-0H-1

Effective, Fast Acting PYRENONE® Insecticide. For Use In Homes, Institutions, Restaurants and Food Processing Plants.

Kills on contact exposed or accessible stages of:

Beetles	Caterpillars	Ace Weevils	Mediterranean Flea Moth
Spiders	Worms	Spider Beetles	Brown Dog Ticks
Caterpillars	House Flies	White Flies	Ant Bed Bugs
Spiders	Sand Flies	Cat Fleas	Green Hornets
Ants	Mosquitos	Angoumois Grain Moth	Red Flour Beetles
Fleas	Bedbugs	Confused Flour Beetles	Clothes Moths
Caterpillars	Meal Worms	Strawberry Crown Beetles	
House Flies	Meal Moths		
Slugs	Dust Mites		

ACTIVE INGREDIENTS:

Pyrethrin 0.1%
'Piperonyl Butoxide, Technical 0.3%
Petroleum Distillate	99.4%

100.0%

*Equivalent to 0.4% of (butylcarbitol) (8-propylpyrethrin) ether and 0.1% of related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions.

NET CONTENTS: 1 GALLON
NET CONTENTS: 3.79 LITERS
NET CONTENTS: 8.51 POUNDS
NET CONTENTS: 2.95 KILOS

DIRECTIONS FOR USE

SPACE SPRAY: For rapid control of houseflies, flies, mosquitoes, gnats, flying moths, sand flies, wasps and hornets. Close doors and windows and shut off ventilating systems. Apply using a good machine adjusted to deliver a fine mist. Direct spray toward the upper portions of the room to fill the entire area with mist, using 1 to 2 ounces per 1000 cubic feet of space. Vacate the treated area and ventilate before reoccupying. Keep the area closed for ten minutes after treating. Repeat application when reinestation occurs.

SURFACE APPLICATION: To control roaches, silverfish, crickets and spiders: Apply as a coarse wetting spray directed into locations where these insects may hide, behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, around plumbing, drains and in dark corners and into cracks and crevices, hitting insects with the spray whenever possible. Repeat treatment as necessary.

Against ant infestations, treat shelves, cabinets and storage areas, spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests if necessary. Repeat treatment as necessary.

In controlling fleas and Brown Dog ticks in houses, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed.

To control bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets and bedroom furniture, picture frames, with particular attention to protected bedbug hiding and breeding places.

For most effective control of clothes moths and carpet beetles, remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storages, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpets and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatments monthly unless the articles are stored in moth-tight containers.

To control infestations of granary weevil, rice weevil, soft-bodied grain beetles, confused flour beetles, rusty grain beetles, red flour beetles, cadellia, meal worms, grain mites, Angoumois grain moth, Indian meal moth and Mediterranean flour moth in food storage areas: If possible, clean out and destroy any infested food products, otherwise, fumigation or other effective treatment should be made using an approved product intended for this purpose. Apply the spray thoroughly to all surfaces of shelves, cabinets, bins, pantries, and similar food storage areas with particular attention to cracks, crevices, niches, and other hiding places.

FOG OR VAPOR SPRAY: To kill accessible or exposed stages of insects named on this label (excepting clothes moths, bedbugs, and carpet beetles). Apply using conventional mechanical thermal or compressed air equipment. Fill the entire area with mist using 3 to 6 ounces per 1000 cubic feet of space. Repeat treatment as needed.

ACCEPTED

JAN 9 1987

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under
EPA Reg. No. 9591-49

BATCH

Avoid contamination of feed and food stuffs.

Remove pets, birds, and cover fish aquaria before spraying.

The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed or covered before treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.

ON ANIMALS: To protect animals from horn flies, house flies, mosquitoes and gnats, apply a light mist sufficient to wet the tips of the hair. To control stable flies, horse flies, deer flies, apply 2 ounces per adult animal, sufficient to wet the hair, but not to soak the hide. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

To control blood sucking lice, apply the spray lightly to infested areas, using a stiff brush to get the spray to the base of the hair. Use 2 ounces or less per animal. Repeat every two to three weeks as required.

BARNs, MILK ROOMS, DAIRY PLANTS, SLAUGHTER AND POULTRY HOUSES: To control flies, mosquitoes, and gnats, apply as a fog or fine mist, directing spray toward the ceiling and upper corners of the room until the area is filled with mist, using about 2 ounces per 1000 cubic feet of space. For best results, close windows and doors before spraying and keep closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.