

Not Reviewed. Registrant claims to be in accordance with Reregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change in Status.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
(& DOMESTIC ANIMALS)**

CAUTION

Harmful if swallowed. Contact with skin can cause local symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of food and food-stuffs. Keep out of reach of children.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED Call a physician immediately. Gastric lavage is indicated if material was taken internally. **DO NOT INDUCE VOMITING** unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES Rinse eyes for at least 15 minutes with water and call physician immediately.

ENVIRONMENTAL HAZARDS
This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS
Do not use, pour, spill or store near heat or open flame.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides. Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill. Consult Federal, State or local disposal authorities for approved alternative procedures.

WARRANTY STATEMENT — The manufacturer for the use of this product on the open label is to be advised. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such use or results to be obtained if not used in accordance with directions or established safe practices. The buyer must exercise all responsibility, including injury or damage, resulting from its failure to read or its non-compliance with label directions.

**NATIONWIDE
CHEMICAL PRODUCTS, INC.**
P.O. Box 2027
Hammond, Indiana 46321

PRO KILL Insecticide 110

EPA Reg. No. 9591-49 EPA Est. No. 9591-0H-1

Effective, Fast Acting PYRENONE® Insecticide. For Use in Homes, Institutions, Restaurants and Food Processing Plants.

Kills on contact exposed or accessible stages of:

Roaches	Grubs	Red Wood	Medicinal Flea Moth
Sawtooth	Wasps	Spider Beetles	Brown Dog Ticks
Caterpillars	Hornets	Chow Moths	In Buildings
Spiders	Sand Flies	Carpenter Beets	Grain Weevil
Ants	Houseflies	Angoumois Grain Moth	Red Flour Beetle
Flies	Bedbugs	Confused Flour Beetle	Clothes Moth
Catkins	Head Lice	Sawtoothed Grain	
House Fly	Crash Moth	Beetle	
Shoppers			

ACTIVE INGREDIENTS:

Pyrethrins	0.1%
*Piperonyl Butoxide, Technical	0.5%
INERT INGREDIENTS	99.4%
	100.0%

*Equivalent to 0.4% of (butylcarbyl) (8-propylpiperonyl) ether and 0.1% of related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions.

NET CONTENTS: 1 GALLON
NET CONTENTS: 3.79 LITERS
NET CONTENTS: 8.51 POUNDS
NET CONTENTS: 2.86 KILOS

DIRECTIONS FOR USE:

SPACE SPRAY: For rapid control of HOUSEFLY, full flies, mosquitoes, gnats, 9-12 mos. sand flies, wasps and hornets. Close doors and windows and shut off ventilating systems. Apply using a good machine adjusted to deliver a fine mist. Direct spray toward the upper portions of the room to fill the entire area with mist, using 1 to 2 ounces per 1000 cubic feet of space. Vacate the treated area and ventilate before reoccupying. Keep the area closed for ten minutes after treating. Repeat application when reinfestation occurs.

SURFACE APPLICATION: To control roaches, silverfish, crickets and spiders: Apply as a coarse wetting spray directed into locations where these insects may hide, behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, around plumbing, drains and in dark corners and into cracks and crevices, hitting insects with the spray whenever possible. Repeat treatment as necessary.

Against ant infestations, treat shelves, cabinets and storage areas; spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally. Repeat treatment as necessary.

In controlling fleas and Brown Dog ticks in houses, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed.

To control bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets and bedroom furniture, picture frames, with particular attention to protected bedbug hiding and breeding places.

For most effective control of clothes moths and carpet beetles, remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storage, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpets and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatments monthly unless the articles are stored in moth-tight containers.

To control infestations of granary weevil, rice weevil, saw-toothed grain beetle, confused flour beetle, rusty grain beetle, red flour beetle, cadellie, meal worms, grain mites, Angoumois grain moth, Indian meal moth and Mediterranean flour moth in food storage areas: If possible, clean out and destroy any infested food products; otherwise, fumigation or other effective treatment should be made using an approved product intended for this purpose. Apply this spray thoroughly to all surfaces of shelves, cabinets, bins, pantries, and similar food storage areas with particular attention to cracks, crevices, niches, and other hiding places.

FOG OR VAPOR SPRAY: To kill accessible or exposed stages of insects named on this label (excepting clothes moths, bedbugs, and carpet beetles): Apply using conventional mechanical thermal or compressed air equipment. Fill the entire area with mist using 3 to 6 ounces per 1000 cubic feet of space. Repeat treatment as needed.

BATCH

BEST AVAILABLE COPY