



PM 10 9-4-19
1 of 2

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PESTICIDES AND TOXIC
SUBSTANCES
APR 17 1991

Mr. David M. Valentine
Nationwide Chemical Products, Inc.
P.O. Box 13027
Hamilton, OH 45013

Subject: Revised label
Pro Kill Insecticide 110
EPA Registration No. 9591-49
Your submissions: December 3, 1989; August 27, 1990;
April 3, 1991

Dear Mr. Valentine:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

Add -Contains petroleum distillate- as a substatement to the ingredient statement.

Under DIRECTIONS FOR USE, add -It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Sincerely,

RFM
Richard F. Mountfort
Product Manager 10
Insecticide & Rodenticide Branch
Registration Division (H7505C)



Printed on Recycled Paper

PRO KILL INSECTICIDE 110

Effective, Fast Acting Insecticide. For Use in Homes, Institutions, Restaurants and Food Processing Plants. Kills on contact exposed or accessible stages of: Roaches, Gnats, Rice Weevils, Mediterranean Flour Moth, Silverfish, Wasps, Spider Beetles, Brown Dog Ticks, Crickets, Hornets, Cheese Mites in buildings Spiders, Sand Flies, Carpet Beetles, Granary Weevil, Ants, Mosquitoes, Angoumois Grain Moth, Red Flour Beetle, Fleas, Bedbugs, Confused Flour Beetle, Clothes Moths, Caddises, Meal Worms, Sawtoothed Grain Beetles, House Flies, Meal Moths, Mediterranean Flour Beetle, Skippers, Grain Mites

ACTIVE INGREDIENTS:	Pyrethrins	0.1%
	*Piperonyl Butoxide, Technical	0.5%
INERT INGREDIENTS	99.4%
TOTAL	100.0%

*Equivalent to 0.4% (butylcarbitol) (6-propylpiperonyl) ether related compounds

EPA Reg. No. 9591-49

EPA Est. No. 3910-A-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautions

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (& DOMESTIC ANIMALS)

CAUTION

Harmful if swallowed. Contact with skin can cause toxic symptoms. Avoid breathing spray mist. In case of contact with skin, wash with soap and water. Avoid contamination of feed and foodstuffs. Keep out of reach of children.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED Call a physician immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING unless other treatment is not available. Vomiting may cause aspiration pneumonia. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED Remove victim to fresh air and apply respiration if indicated.

IF ON SKIN Wash promptly with soap and water. Rinse thoroughly.

IF IN EYES Rinse eyes for at least 15 minutes with water and call physician immediately.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide spray mixture or residue that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides. Triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved landfill. Consult Federal, State or local disposal authorities for approved alternative procedures.

NET CONTENTS: _____

Manufactured By:
NATIONWIDE CHEMICAL PRODUCTS, INC.
P. O. BOX 13027
HAMILTON, OHIO 45013

DIRECTIONS FOR USE

SPACE SPRAY: For rapid control of houseflies, fruit flies, moths, wasps and hornets. Close doors and windows and shut off good machine adjusted to deliver a fine mist. Direct spray toward fill the entire area with mist, using 1 to 2 ounces per 1000 cubic feet and ventilate before reoccupying. Keep the area closed for application when reinfestation occurs.

SURFACE APPLICATION: To control roaches, silverfish, crickets and spray directed into locations where these insects may hide. Apply into cracks, cabinets, shelves, sinks, door and window frames, and plumbing into cracks and crevices, hitting insects with the spray where necessary. Against ant infestations, treat shelves, cabinets, runs, trails, baseboards, thresholds and other places of entry, and treat as necessary. In controlling fleas and Brown Dog ticks in house lower wall portions, baseboards, rugs, carpets and floors of infested bedding should also be sprayed. To control bedbugs effectively, bottom of mattresses, spraying thoroughly all tufts, seams and fold the liquid into all cracks and lockjoints. Treat walls, baseboards, furniture, picture frames, with particular attention to protected bed. For most effective control of clothes moths and carpet beetles, remove thoroughly and, if possible, air several hours in direct sunlight. Chests, closets, bureaus and storage, directing the liquid into crack infested articles may be treated by holding the spray nozzle at level applying the liquid lightly to the seams to avoid the possibility of damage. Rugs, carpets and pads, and all exposed and accessible surfaces spray if products are made of rubber or are rubber coated, to prevent treatments monthly unless the articles are stored in moth-tight containers. Granary weevil, rice weevil, sawtoothed grain beetles, confused flour beetle, caddises, meal worms, grain mites, Angoumois grain moth, Mediterranean flour moth in food storage areas: if possible, clean out and otherwise, fumigation or other effective treatment should be made for this purpose. Apply this spray thoroughly to all surfaces of similar food storage areas with particular attention to cracks, crevices.

FOG OR VAPOR SPRAY: To kill accessible or exposed stages of insects (clothes moths, bedbugs, and carpet beetles) Apply using compressed air equipment. Fill the entire area with mist using 3 to 6 ounces per 1000 cubic feet. Repeat treatment as needed. Avoid contamination of feed and food in fish aquaria before spraying.

The use of this product in food processing plants should be controlled. If not in operation. Foods should be removed or covered before treatment. Foods should be covered during treatment or thoroughly cleaned before use.

ON ANIMALS: To protect animals from horn flies, house flies, mosquitoes, and gnats, apply as a fog or fine mist, directing sufficient to wet the tips of the hair. To control stable flies, horse flies, or at intervals necessary to give continued protection. To control house flies, apply lightly to infested areas, using a stiff brush to get the spray to the face. Repeat every two to three weeks as required.

BARN, MILK ROOMS, DAIRY PLANTS, SLAUGHTER AND PROCESSING PLANTS: To control flies, mosquitoes, and gnats, apply as a fog or fine mist, directing corners of the room until the area is filled with mist, using about 2 to 3 ounces per 1000 cubic feet. For best results, close windows and doors before spraying and keep animals out. Vacate the area and ventilate before reoccupying. Repeat application as needed.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests conducted by the manufacturer. The use of this product being beyond the control of the manufacturer, no warranty is made as to the effects of such or the directions or established standards. The manufacturer assumes no responsibility, including injury or damage, resulting from misuse of this product or other material.

BEST AVAILABLE

ACCEPTED
WITH COMMENTS
In EPA Letter Dated
APR 17 1991
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
9591-49