# PRO KILL

## TOTAL RELEASE

For use in Homes, Restaurants, Food Processing Plants, Kitchens, Dairies, Closed Barns, Warenouses, Box Cars and Trucks

#### ACTIVE INGREDIENTS:

Pyrethrins	. 0.5%
*Piperonyl Butoxide, Technical .	4.0%
Petroleum Distillate	10.5%
INERT INGREDIENTS	85.0%
	100.0%

\*Equivalent to 3.2% (butylcarbityl)(6-propylplperonyl) ether and 0.8% related compounds.

# KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED do not induce vomiting.Call a physician immediately. Aspiration is a potential hazard. Vomiting should only be induced on the directions of a physcian. IF INHALED remove victim to fresh air. Apply respiration if indicated. IF IN EYES flush eyes for at least 15 minutes with water. Call a physician if irritation persists.

See side panel for additional precautionary statements

### E.P.A. Registration No. 9591-86 E.P.A. Estblishment No.

5 ozs.

NATIONWIDE CHEMICAL PRODUCTS. INC. P. 0. Box 3027

**NET CONTENTS** 

MAR

hamilton, Ohio 450 hader the Federal Insecticide. Fungicide, and Rodenticide Act. as amended, for the pesticide recisioned under GCG

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Kills exposed or accessible stages of these insects:

Ants	Fleas
Cockroaches	Gnats
Crickets	Mosquitoes
Flies	Silverfish
Fruit Flies	Spiders
Flying Moths	Wasps
(Small Flying Moths)	•

One 5 ounce aerosol can treats up to 5000 cubic feet.

#### HOW TO USE:

Open any cabinet doors and drawers to allow maximum kill in all areas where insects can hide and bread.Close doors and windows and shut off fans and air conditioning to maximize killing power of fog.Remove pets and tightly cover or remove fish bowls or aquariums. Cover exposed food, dishes or food handling equipment.All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Put out all lights including pilot lights.

#### DIRECTIONS:

SHAKE WELL JUST BEFORE USING. Place can on level raised surface such as stand or table, with protective covering underneath to prevent possible marring of surface. With can at arms length, direct spray away from face.Depress tab until it clicks in locked position.Exit immediately.Keep area .cause bursting. closed for 10 minutes. Do not remain in treated area and ventilate before reoccupy-



Storage: Store in a cool dry area away from heat-or-open flame.

Disposal: Do not re-use empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed. do not induce vomiting.Call a physician immediately. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application.Do not apply while food processing is underway. After treatment, the areas are ventilate ed to remove insecticide odors, and the facilities and equipment are thoroughly washed with an acceptable detergent solution and rinsed with potable water to remove all traces of contamination. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure.Do not use or store near heat or open flame. Do not ouncture or incinerate container, Exposure to temperatures above 130<sup>0</sup> may