

**BEST AVAILABLE COPY**

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

**CAUTION**

Harmful if swallowed, inhaled or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes or clothing should be avoided. Do not use as a space spray. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially processed or prepared. Do not use in serving areas while food is exposed.

**PHYSICAL OR CHEMICAL HAZARDS**

Flammable: Combustible under pressure. Keep away from heat, sparks or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Turn off pilot lights in area of spraying.

**STATEMENT OF PRACTICAL TREATMENT**

- IF IN EYES:** Flush with water. See physician if irritation persists.
- IF ON SKIN:** In case of contact, remove contaminated clothing and wash skin with soap and water.
- IF INHALED:** Remove victims to fresh air. Apply artificial respiration if needed.
- IF SWALLOWED:** Do not induce vomiting. Seek medical attention immediately.

**STORAGE & DISPOSAL**

- STORAGE:** Store in a cool dry area away from heat and open flame.
- DISPOSAL:** Replace cap and discard container in trash. Do not incinerate or puncture.

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer or seller, no guarantee, expressed or implied, is made as to the effects of such results to be obtained if not used in accordance with label directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

Nationwide Chemical Products, Inc.  
P. O. Box 13027  
Hamilton, Ohio 45013

**PRO KILL -  
EXPEL ROACH & ANT  
KILLER**

**Kills:** Cockroaches, Waterbugs, Ants, Silverfish, Spiders, Crickets, Earwigs, Sowbugs, Brown Dog Ticks, Fleas, Millipedes, Centipedes, Booklice, Wasps, Hornets, Grain Weevils, Flour Beetles, Chocolate Moths, Drug Store Beetles, Boxelder Bugs, Elmleaf Beetles, Clover Mites, Cluster Flies, Carpenter Ants, Carpenter Bees and Termites.

For use in hospitals, supermarkets, motels, hotels, homes, transportation equipment (buses, boats, ships, trains, trucks, planes), utilities, meat packing and food processing plants, food storage areas, restaurants and other food handling establishments, schools, warehouses and other commercial buildings.

Active Ingredients:  
 O-Isopropylphenyl methylcarbamate 1.00%  
 \*Inert Ingredients: 99.00%  
 Total 100.00%

\* Contains petroleum distillate

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

Harmful if swallowed

See rear panel for additional precautions

EPA Reg. No. 9591-124 EPA Est. No. 9591-OH-2

**ACCEPTED**  
 JUL 29 1982  
 NET CONTENTS 16 OUNCES  
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9591-124

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

To Operate: Hold container upright, nozzle away from you and spray infested surfaces only until wet.

**COCKROACHES, ANTS, WATERBUGS, SPIDERS, TICKS, CRICKETS, SOWBUGS, MILLIPEDES, CENTIPEDES:** Spray into all cracks, around baseboards and other places where these insects hide. Also spray until wet, surfaces behind and beneath cabinets, refrigerators, sinks and stoves. Spray other localized areas infested with these pests. Repeat treatment as required. Do not spray foodstuffs or house plants. Do not allow children to contact treated surfaces until surfaces are completely dry.

**BOOKLOUSE & SILVERFISH:** Spray cracks and crevices in baseboards, door frames, bookcases and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

**GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUG STORE BEETLES (in exposed & full and larval stages) and hibernating stages of BOXELDER BUG, ELMLEAF BEETLES, CLUSTER FLIES and CLUMBERMITES:** Contact as many insects as possible when treating infested areas such as cracks and crevices, in wall voids, around windows and door frames, under siding, in machinery, and in dark secluded areas. Repeat as necessary.

**BROWN DOG TICKS:** Thoroughly spray infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets and localized areas of floors and floor coverings. Applications should be repeated as infestations warrant and as reinfestation occurs. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

**FLEAS, ANTS, BROWN DOG TICKS, CLOVER MITES, EARWIGS, CRICKETS, MILLIPEDES:** For treatment of localized infestations of these insects in areas where these insects may enter the dwelling, spray infested areas thoroughly. Repeat treatment as necessary.

**WASPS & HORNETS (Outdoors):** Apply after dark when all the insects have returned to the nest. Aim valve opening at nest. Hold at arms length and depress button, sealing the entire nest with spray. Repeat as necessary.

Localized treatment of wood destroying insects:  
**CARPENTER ANTS, CARPENTER BEES and TERMITES.** Locate source of infestation, inject 5-10 seconds spray into insect tunnels and exiles with extension tube provided. For Carpenter Bees, seal entrance openings with small pieces of stainless steel wool after spray application.

**APPLICATION WITHIN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS:** Limited to crack and crevice treatment only apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food and food processing surfaces. Any exposed food products, equipment or packaging materials must be removed or covered before spraying. Equipment and storage in federally inspected meat and poultry plants must be washed with an acceptable detergent and rinsed with potable water to remove all traces of contamination.

9591-124

9/1/77