

ACCEPTED

NOV 30 1984

9591-125

PRO KILL Expel Insect Fogger

KILLS: EXPOSED ROACHES, ANTS, TICKS, FLEAS, FLIES,
MOSQUITOES, FLYING MOTHS, SPIDERS, CRICKETS, SILVERFISH

For use in Apartments, Homes, Offices, Motels, Warehouses,
Boats, Ships and Trains not used for transport of food or food products at any time.

ONE 5 OUNCE AEROSOL CAN TREATS UP TO 5,000 CUBIC FEET.

ACTIVE INGREDIENTS:

c-Isopropoxyphenyl methylcarbamate	1.00%
2-Butoxyethanol	8.94%

INERT INGREDIENTS:

90.06%

EPA Reg. No. 9591-125

EPA Est. No. 9591-OH-2

CAUTION: KEEP OUT OF REACH OF CHILDREN

(See side panel for additional precautionary statements)

NET CONTENTS: 5 OZs

NATIONWIDE CHEMICAL PRODUCTS, INC.
P.O. BOX 3027, HAMILTON, OHIO 45013

DIRECTIONS FOR USE

"It is a violation of federal law to use this product in a manner inconsistent with its labeling"
HOW TO USE: Open all cabinet doors and drawers to allow maximum kill in areas where insects can hide or breed. Close doors and windows and shut off fans and air conditioning to maximize killing power of fog. Remove pets and tightly cover fish bowls or aquariums. Cover exposed food dishes or food equipment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. Put out all lights including pilot lights. Use one canister for each 5,000 cu. ft. of unobstructed area. Use additional units for remote rooms or where free flow of the mist is not assured. Do not use in an area less than 3,000 cu. ft.

DIRECTIONS: SHAKE WELL JUST BEFORE USING. Place can on level raised surface such as stand or table, with protective covering underneath to prevent possible marring of surface. With can at arms length, direct spray away from face. Remove continuous spray over cap, invert and snap down over valve on cap to actuate spray. Exit immediately. Do not remain in treated area and ventilate before reoccupying. Do not re-enter building for two hours, then open exterior doors and windows and allow to air for one hour before reoccupying area. If additional units are used for remote rooms or where free flow of mist is not assured, increase airing out time accordingly.

Storage and Disposal: Store in a cool dry place, preferably in a locked storage area. Avoid contamination of feed and foodstuffs. Pesticide Disposal: Securely wrap original container in several layers of newspaper and discard in trash. Container Disposal: Replace cap and discard container in trash.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling. Do not allow children to lie or sleep in treated areas until at least six hours following treatment. Do not use in food handling establishments, restaurants or other areas where food is commercially prepared or processed. In the home, all food should be covered during treatment or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

Statement of Practical Treatment

If Swallowed: Do not induce vomiting. Call a physician immediately. Aspiration is a potential hazard. Vomiting should only be induced on the directions of a physician.
If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated.
If on Skin: Remove contaminated clothing and wash affected areas with soap and water.
If in Eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.
Physical Hazards: Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not incinerate or puncture. Buyer assumes all risks of use, storage or handling of this material not in accordance with directions given herewith.

BEST AVAILABLE COPY