

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (75-767)
WASHINGTON, DC 20460

EPA REGISTRATION NO.
41831-3

DATE OF LABELING
18 AUG 1981

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

Stifle

NAME AND ADDRESS OF REGISTRANT (include ZIP code)

The Park Corporation DBA Mar-Tech Laboratories
511 Lake Zurich
P.O. Box 87
Barrington, IL 60010

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phrase "EPA Registration No. 41831-3."
 - b. Under "Product Information" revise the statement "This product . . . is ideal for glasswater . . ." to read "This product . . . is ideal for precleaned glassware"
 - c. Label should state effective in hard water up to 500 ppm (as CaCO₃).
 - d. It is required to include 781 ppm Phosphoric Acid and 195 ppm Dodecyl Benzene Sulfonic Acid on label.
 - e. Include a statement such as "Fresh Sanitizing solution should be prepared at least daily or more often if the solution becomes diluted or soiled."

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

EPA Form 8706 (Rev. 5-76)

PREVIOUS EDITIONS MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

92184: I: Pesticide: P-41831-3/8/13/87: 8/24/87: EX: VOLT: JG

Phyllis 8/13

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (15-767) WASHINGTON, DC 20460	EPA REGISTRATION NO. 9591-141	DATE OF ISSUANCE 24 JUL 1987
	TERM OF ISSUANCE	
NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i>		
NAME OF PESTICIDE PRODUCT Pro-3411 Pro-superized Insecticide		

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Nationwide Technical Products, Inc.
 P.O. Box 3029
 Hamilton, OH 45013

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A) provided that you:

1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you use the product for shipment:
 - a. Add the phrase "EPA Registration No. 9591-141."
 - b. Add a footnote to the label ingredient statement indicating:

Contains petroleum distillate.
 - c. A storage stability study for this product must be submitted. The product must be analyzed for its active ingredient at time zero and during a year of storage. These data must be submitted within 18 months of the date of this Registration Notice.
 - d. Refer to the enclosure regarding the analysis of your submitted data under PR Notice 86-5. The data were not submitted in the proper format. These data must be resubmitted in compliance with PR Notice 86-5.

BEST AVAILABLE COPY


ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL <i>See page 2</i>	DATE <i>July 27 1987</i>
--	-----------------------------

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Arturo E. Castillo
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767C)

Enclosures

PRO KILL Pressurized Insecticide 550

Professional Strength - Low Dosage Required

For use in Schools, Hospitals, Institutions, Supermarkets, Dairies, Hotels, Restaurants, Drive-ins, Motels, Drug Stores, Food Plants, Milk Rooms and Animal Quarters

Provides Rapid Control of Flies, Mosquitoes, Small Flying Moths (Millers), Gnats, Wasps and accessible stages of Beesches, Ants, Water Bugs, Silverfish, Flour Beetles, Weevils, Grain Mites and Spiders

KILLS AND REPELS Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes and Gnats

Controls Garden Insects on Ornamental and Vegetable Plants

Acceptable for Use to Day of Harvest on Edible Plants

ACTIVE INGREDIENTS:

Pyrethrin	0.5%
*Piperonyl Butoxide, Technical	5.0%
INERT INGREDIENTS:	94.5%
	100.0%

*Equivalent to 4% (butylcarbityl) (8-propylpiperonyl) ether and 1% related compounds

Keep Out Of Reach Of Children
CAUTION
 See Side Panels for Additional Cautions

NET Weight 14 oz.

NATIONWIDE
 CHEMICAL PRODUCTS INC

P.O. BOX 3027
 HAMILTON, OHIO 45013

E.P.A. Registration No. 9591-
 E.P.A. Establishment No. 9591-OH-1

**PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Harmful if swallowed or absorbed through skin. Avoid vapors or spray mist. Avoid contact with skin and eyes.
 Do not apply directly to food. In commercial food facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing equipment, benches, shelving, etc. (where exposed handled) with potable water. All food processing equipment and utensils should be covered during treatment, or the before use.

Remove pets, birds and cover fish aquariums before use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams, rivers, etc. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat and open flame. Do not puncture or incinerate container. Temperatures above 130°F may cause bursting. Turn off lights in area of spraying.

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES:** Flush with water for 15 minutes. See physician if irritation persists.
- IF ON SKIN:** In case of contact, remove contaminated clothing. Wash skin with soap and water.
- IF INHALED:** Remove victim to fresh air. Apply artificial respiration if needed.
- IF SWALLOWED:** Do not induce vomiting. Seek medical attention immediately.

AGREED
 With COMMENTS

JUL 24 1987

9591-141

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

Flies, Mosquitoes, Gnats, Wasps and Small Flying Moths (Millers): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat as necessary.

Beetles, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sow Bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Exposed Stages of Indian Meal Moths and Angoumois Grain Moths: Close doors and windows. Direct spray into all parts of room, especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Exposed Stages of Flour Beetles, Weevils and Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers and other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat applications as necessary. Infested stored food products in the home should be disposed of.

Carpet Beetles: Spray directly on beetles, baseboards, floors, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, molding and floors. Allow treated fabric to dry thoroughly before using. Repeat treatment as necessary.

Flies: Spray sleeping quarters, bedding, floor and floor covering where pets are kept. Repeat as necessary. Use only as recommended pet spray on pets.

To Treat Animals: To protect beef and dairy cattle from attacks of Stable Flies, Horse Flies, Deer Flies, Houseflies, Horn Flies, Mosquitoes and Gnats, spray about 3 seconds on each side being careful to spray back, withers and forelegs thoroughly. To protect from face flies, spray the face and head, but do not spray into the eyes. Repeat treatment as necessary when flies are troublesome.

In Animal Quarters and Milk Rooms: For rapid control of House Flies, Mosquitoes, Gnats, Wasps and Small Flying Moths, close windows and doors and spray at the rate of 1 second per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area and ventilate after treatment is completed.

For Use in Gardens: Spray with slow sweeping motion, not closer than 18 inches from plants. Avoid wetting plants. Spray plants only when air is still. For single plants, spray in short bursts. Repeat as necessary for control. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat application at 7 to 10 day intervals or after heavy rains.

USE ON

Roses	Aphids, Rose Chalcids, Japanese Beetles, Rose Slugs, Tent Caterpillars, Scales
Asters	Leafhoppers, Turnish Plant Bugs, Lace Bugs, Thrips (exposed), Mealy Bugs
Dahlias	Aphids, Red Spider Mites, Plant Bugs
African Violets	Broad Mites, Citrus Mealy Bug
Asiatics	Aralia Lace Bugs, White Flies, Leaf Miners
Euonymus	Euonymus Scales, Aphids, Thrips (exposed)
Hydrangeas	Aphids, Red Spider Mites, Hydrangea Leafhopper
Junipers	Juniper Scales, Red Spider Mites, Bagworms
Lilacs	Leaf Miners, Leaf Rollers, Scales
Tomatoes	Flea Beetles, Nornworms, Stink Bugs, Colorado Potato Beetles, Green Peach Aphids
Peppers, Egg-Plants, Potatoes	Colorado Potato Beetles, Leafhoppers, Blister Beetles, Flea Beetles, Green Peach Aphids
Cucumbers, Squash, Melons	Striped & Spotted Cucumber Beetle
Beans	Mexican Bean Beetle, White Flies, 12-Spotted Beetle
Sweet Corn	Japanese Beetle

STORAGE & DISPOSAL

Storage: Store in a cool dry area away from heat and open flame.

Disposal: Wrap container and dispose of in trash. Do not incinerate.