

21 SEP 1988

BEST AVAILABLE COPY

Mr. David M. Valentine
Nationwide Chemical Products, Inc.
Post Office Box 3027
Hamilton, Ohio 45033

Dear Mr. Valentine:

Subject: Pro Kill Pressurized Insecticide Label for EPA
EPA Registration No. 9591-141
Your letter dated Sept. 27, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is hereby subject to regulation of the following conditions:

- Your data submitted of December 29, 1987 concerning Product Chemistry and Storage Stability was unacceptable due to non-compliance with certain aspects of PP Notice 86-5. Please refer to the enclosed letter for the specific objections. Resubmit this package so it can be accepted and assigned a Master Record Identification Number (MRIN). The one month storage stability data was acceptable. The one year storage stability study should be submitted when it is completed.
- The statement "KEEP OUT OF REACH OF CHILDREN" should be placed before the CAUTION warning word. Please see the enclosed labeling sample for proper formatting.
- Add the following statements to the Precautionary Statements under Hazards to Humans and Domestic Animals: "In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until full ventilation."

CONCURRENCES

SYMBOL	TS-767C						
SURNAME	BAGLEY						
DATE	10-17-88						


UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

-2-

4. Submit five (5) copies of your final printed labeling.

A stamped copy of the draft label is enclosed for your records.

Sincerely,



Phil Hutton
Product Manager (17)
Insecticide Rodenticide Branch
Registration Division (TS-767C)

Enclosures

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

PRO KILL

PRESSURIZED INSECTICIDE 550
PROFESSIONAL STRENGTH - LOW DOSAGE REQUIRED

For use in Schools, Hospitals, Institutions, Supermarkets, Bars, Hotels, Restaurants, Drive-ins, Motels, Drug Stores, Food Plants, Milkrooms and Animal Quarters Provides Rapid Control of Flies, Mosquitoes, Small Flying Moths, (Millers), Gnats, Wasps and accessible stages of Roaches, Ants, Waterbugs, Silverfish, Flour Beetles, Weevils, Grain Mites and Spiders.

KILLS AND REPELS Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes and Gnats. Controls Garden Insects on Ornamental and Vegetable Plants. Acceptable to Use to Day of Harvest on Edible Plants.

ACTIVE INGREDIENTS:

Pyrethrin.....0.5%
Piperonyl Butoxide, Technical.....5.0%
INERT INGREDIENTS:.....94.5%
100.0%*Equivalent to 4% (butylcarbyl) (t-propylperonyl) ether and 1% related compounds.
Contains Petroleum distillate

CAUTION

KEEP OUT OF REACH OF CHILDREN
See Side Panels for Additional Cautions

NATIONWIDE CHEMICAL PRODUCTS INC
P. O. Box 13027
Hamilton, Ohio 45013

E.P.A. Registration No. 9591-141
E.P.A. Establishment No. 9591-0H-1

Net Weight 14 oz.

9591-141

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food. The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed, covered or stored in closed containers. Facilities and equipment must be thoroughly washed with an effective cleaning compound and rinsed with potable water after spraying. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds, and streams. Do not contaminate water by cleaning of equipment or disposal of wastes

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Do not use or store near fire, sparks, or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting. Incineration of container may cause explosion.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with water for 15 minutes. See physician if irritation persists
IF ON SKIN: In case of contact, remove contaminated clothing and wash skin with soap and water.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if needed.
IF SWALLOWED: Do not induce vomiting. Seek medical attention immediately

STORAGE & DISPOSAL

Storage: Store in a cool dry area away from heat and open flame
Disposal: Wrap container and dispose of in trash. Do not incinerate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range
Flies, Mosquitoes, Gnats, Wasps and Small Flying Moths, (Millers): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat as necessary.
Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sow Bugs:

Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.
Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary
Exposed Stages of Indian Meal Moths and Angoumois Grain Moths: Close doors and windows. Direct spray into all parts of room, especially around stored food product containers, pallets and detarred areas. Spray 7

to 10 seconds for each 1000 cubic feet of space following treatment. Repeat application where products should be fumigated or treated by other approved product intended for this purpose.

Exposed Stages of Flour Beetles,

Spray into cracks and crevices, processing areas, bins or containers and other areas where they hide. 30 seconds for each 100 feet of surface. Keep area closed for 10 minutes after treatment. Repeat applications as necessary. Products in the home should be disposed of. **Flies:** Spray sleeping quarters, berthing, and animal quarters. Repeat applications as necessary. **Bedbugs:** Spray mattresses, bed frames, bed bases and bed covers. Repeat applications as necessary. **To Treat Animals:** To protect beef and dairy cattle, spray the face and head, but do not spray the eyes. Repeat as necessary. Use only a few drops of spray on the face and head, but do not spray the eyes. Repeat as necessary when flies are troublesome.

To Treat Animals: To protect beef and dairy cattle, spray the face and head, but do not spray the eyes. Repeat as necessary when flies are troublesome.

In Animal Quarters and Milk Room: Spray the face and head, but do not spray the eyes. Repeat as necessary when flies are troublesome.

Flies, Mosquitoes, Gnats, Wasps and Small Flying Moths: Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat as necessary.

Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sow Bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Exposed Stages of Indian Meal Moths and Angoumois Grain Moths: Close doors and windows. Direct spray into all parts of room, especially around stored food product containers, pallets and detarred areas. Spray 7

to 10 seconds for each 1000 cubic feet of space following treatment. Repeat application where products should be fumigated or treated by other approved product intended for this purpose.

Exposed Stages of Flour Beetles,

Spray into cracks and crevices, processing areas, bins or containers and other areas where they hide. 30 seconds for each 100 feet of surface. Keep area closed for 10 minutes after treatment. Repeat applications as necessary. Products in the home should be disposed of. **Flies:** Spray sleeping quarters, berthing, and animal quarters. Repeat applications as necessary. **Bedbugs:** Spray mattresses, bed frames, bed bases and bed covers. Repeat applications as necessary. **To Treat Animals:** To protect beef and dairy cattle, spray the face and head, but do not spray the eyes. Repeat as necessary. Use only a few drops of spray on the face and head, but do not spray the eyes. Repeat as necessary when flies are troublesome.

In Animal Quarters and Milk Room: Spray the face and head, but do not spray the eyes. Repeat as necessary when flies are troublesome.

Flies, Mosquitoes, Gnats, Wasps and Small Flying Moths: Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat as necessary.

Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sow Bugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Exposed Stages of Indian Meal Moths and Angoumois Grain Moths: Close doors and windows. Direct spray into all parts of room, especially around stored food product containers, pallets and detarred areas. Spray 7