

9591-141

PM 17

1062

JUN 27 1989

Handwritten notes: 245 / 17, 242 / 1, 961

Mr. David M. Valentine
Nationwide Chemical Products, Inc.
P.O. Box 3027
Hamilton, OH 45013

Dear Mr. Valentine:

Subject: PRO Kill Pressurized Insecticide 550
EPA Registration No. 9591-141
Your Submission Dated November 14, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7504C)

Enclosure

57633;I:A-4;Nelson:C;Disk:KENCO:04/13/89;DD:ek:rw

CONCURRENCES

SYMBOL	SURNAME	DATE					

PRO KILL

PRESSURIZED INSECTICIDED 550

PROFESSIONAL STRENGTH - LOW DOSAGE REQUIRED

For use in Schools, Hospitals, Institutions, Supermarkets, Dairies, Hotels, Restaurants, Drive-ins, Motels, Drug Stores, Food Plants, Milkrooms and Animal quarters Provides Rapid Control of Flies, Mosquitoes, Small Flying Moths, (Millers), Gnats, Wasps and accessible stages of Roaches, Ants, Waterbugs, Silverfish, Flour Beetles, Weevils, Grain Mites and Spiders.

KILLS AND REPELS Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes and Gnats. Controls Garden Insects on Ornamental and Vegetable Plants. Acceptable to Use to Day of Harvest on Edible Plants.

ACTIVE INGREDIENTS Pyrethrin	0.5%
*Piperonyl Butoxide, Technical	5.0%
INERT INGREDIENTS	94.5%
	100.0%

*Equivalent to 4% (butylcarbinyl) (6-propylpiperonyl) ether and 1% related compounds
Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panels for Additional Cautions

NATIONWIDE CHEMICAL PRODUCTS INC
P. O. Box 13027
Hamilton, Ohio 45013

EPA Registration No 9591-141
Establishment No 9591-OH-1

NET Weight 14 oz

JUN 29 1989

9591-141

RECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. Do not apply directly to food. The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed, covered or stored in closed containers. Facilities and equipment must be thoroughly washed with an effective cleaning compound and rinsed with potable water after spraying. Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds, and streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Do not use or store near fire, sparks, or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with water for 15 minutes. See physician if irritation persists.
IF ON SKIN: In case of contact, remove contaminated clothing and wash skin with soap and water.
IF INHALED: Remove victim to fresh air. Apply artificial respiration if needed.
IF SWALLOWED: Do not induce vomiting. Seek medical attention immediately.

STORAGE & DISPOSAL

STORAGE: Store in a cool dry area away from heat and open flame.
DISPOSAL: Wrap container and dispose of in trash. Do not incinerate.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

FLIES, MOSQUITOES, GNATS, WASPS, and SMALL FLYING MOTHS, (MILLERS): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat as necessary.

ROACHES, WATERBUGS, SILVERFISH, CRICKETS, SPIDERS, CENTIPEDES and SOWBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

EXPOSED STAGES of INDIAN MEAL MOTHS, MOTHS: Close doors and windows. Direct spray carefully around stored food product containers. Spray 7 to 10 seconds for each 1000 cubic feet for 15 minutes following treatment. Repeat application. Infested stored products should be fumigated by methods using an approved product intended.

EXPOSED STAGES of FLOUR BEETLES, WEEVILS: Spray into cracks and crevices, processing and handling areas or containers and other areas where these insects are present. Spray 30 seconds for each 100 square feet of area. Repeat application 1 hour after treatment. Repeat application on infested stored food products in the home.

CARPET BEETLES: Spray directly on beetles, and carpets. Repeat treatment as necessary.

BEDBUGS: Spray mattresses, particularly around beds apart and spray into all joints. Treat baseboards. Allow treated fabric to dry thoroughly before use.

FLEAS: Spray sleeping quarters, bedding, floors, and pets are kept. Repeat as necessary. Use only on pets.

TO TREAT ANIMALS: To protect BEEF and DAIRY CATTLE, STABLE FLIES, HORSE FLIES, DEER FLIES, MOSQUITOES and GNATS. Spray about 3 seconds to spray back, withers and fore legs thoroughly. spray the face and head, but do not spray mouth as necessary when flies are troublesome.

IN ANIMAL QUARTERS and MILK ROOMS: For roaches, MOSQUITOES, GNATS, WASPS and SMALL FLYING MOTHS, close doors and spray at a rate of 1 second per 1000 cubic feet. Repeat application after 10 minutes after treatment. Repeat application after treatment is completed.

FOR USE IN GARDENS: Spray with slow sweep 18 inches from plants. Avoid wetting plants. Spray in still air. For jungle plants, spray in short bursts. Repeat application. Be cautious about wetting tender foliage. Do not spray plants when temperatures exceed 90°F. Repeat application whenever possible. Repeat application 7 to 10 days.

USE ON ROSES: Aphids, Rose Chafers, Jack-in-the-box Caterpillars, Scales, Leafhoppers, Tawny Plant

ASTERS: (exposed) Mealy Bugs, Aphids, Red Spider Mites,

DAHLIAS: Broad Mites, Citrus Mealy Bug, Azalea Lace Bugs, White

AZALEAS: Euonymus Scales, Aphids, Juniper Scales, Red Spider

EUONYMUS: Aphids, Red Spider Mites, Juniper Scales, Red Spider

JUNIPER: Leaf Miners, Leaf Rollers, Flea Beetles, Hornworms,

LIACIS: Flea Beetles, Green Peach Aphid, Colorado Potato Beetle,

POTATOES: Flea Beetles, Green Peach

PEPPERS: Striped & spotted Cucurbit

EGG PLANTS: Striped & spotted Cucurbit

POTATOES: Mexican Bean Beetles, W

CUCUMBERS: Japanese Beetles

SQUASH, MELONS: Japanese Beetles

BEANS: Japanese Beetles

SWEET CORN: Japanese Beetles

Our recommendations for the use of this product are believed to be reliable. The use of this product by the manufacturer or seller, no guarantee, except to the effects of such results to be obtained if label directions or established safe practice responsibility, including injury or damage, result or in combination with other materials.