



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401 "M" St., S.W.  
Washington, D.C. 20460

EPA Reg.  
Number:

9591-163

Date of Issuance:

18 AUG 1992

NOTICE OF PESTICIDE:  
  X   Registration  
       Reregistration

(under FIFRA, as amended)

Term of Issuance:

Conditional

Name of Pesticide Product:

Pressurized  
Insecticide 550

Name and Address of Registrant (include ZIP Code):

Nationwide Chemical Products, Inc.  
PO Box 3027  
Hamilton, OH 45013

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

- a. Revise the EPA Registration Number to read, "EPA Reg. No. "9591-163".
- b. According to our records, #4816-699 is 90% ai. Adjust the CSF and label so that the nominal value and ingredient declarations reflect that figure.
- c. Delete the term -safe- from the warranty.

Signature of Approving Official:

Date:

18 AUG 1992

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Richard F. Mountfort  
Product Manager 10  
Insecticide & Rodenticide Branch  
Registration Division (H7505C)

3/13

## PRESSURIZED INSECTICIDE 550

LOW DOSAGE REQUIRED

For use in Schools, Hospitals, Institutions, Supermarkets, Dairies, Hotels, Restaurants, Drive-ins, Motels, Drug Stores, Food Plants, Milkrooms and Animal quarters Provides Rapid Control of Flies, Mosquitoes, Small Flying Moths, (Millers), Gnats, Wasps and accessible stages of Roaches, Ants, Waterbugs, Silverfish, Flour Beetles, Weevils, Grain Mites and Spiders.

KILLS AND REPELS Stable Flies, Horse Flies, Face Flies, Deer Flies, House Flies, Horn Flies, Mosquitoes and Gnats. Controls Insects on Ornamentals.

### ACTIVE INGREDIENTS:

Pyrethrins	0.5%
*Piperonyl Butoxide, Technical	5.0%
INERT INGREDIENTS	94.5%
	100.0%

\*Equivalent to 4% (butylcarbityl) (6-propylpiperonyl) ether and 1% related compounds. Contains Petroleum Distillate

KEEP OUT OF REACH OF CHILDREN

### CAUTION

See Side Panels for Additional Cautions

NATIONWIDE CHEMICAL PRODUCTS INC

P. O. Box 17027

Hamilton, Ohio 45013

EPA Registration No. 9541-1  
Establishment No. 9531-O-1-1

NET Weight 14 oz.

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for two hours after spraying. Do not return patients to room until after ventilation. Do not apply directly to food. The use of this product in food processing plants should be confined to time periods when the plant is not in operation. Foods should be removed, covered or stored in closed containers. Facilities and equipment must be thoroughly washed with an effective cleaning compound and rinsed with potable water after spraying. Remove pets, birds and cover fish aquariums before spraying.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, ponds, and streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

### PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Do not use or store near fire, sparks, or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

### STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with water for 15 minutes. See physician if irritation persists.

IF ON SKIN: In case of contact, remove contaminated clothing and wash skin with soap and water.

IF INHALED: Remove victim to fresh air. Apply artificial respiration if needed.

IF SWALLOWED: Do not induce vomiting. Seek medical attention immediately.

### STORAGE & DISPOSAL

STORAGE: Store in a cool dry area away from heat and open flame.

DISPOSAL: Wrap container and dispose of in trash. Do not incinerate.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Hold container upright with nozzle away from you. Press valve down and spray as directed. To avoid possible staining of fabrics or surfaces, do not spray at close range.

FLIES, MOSQUITOES, GNATS, WASPS, and SMALL FLYING MOTHS, (MILLERS): Close all doors and windows and spray room at the rate of 1 second per 1000 cubic feet. Direct spray to all parts of the room especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Keep room closed for 10 to 15 minutes after treatment. Repeat as necessary.

ROACHES, WATERBUGS, SILVERFISH, CRICKETS, SPIDERS, CENTIPEDES and SOUBUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

EXPOSED STAGES of INDIAN MEAL MOTHS and ANTS: Close doors and windows. Direct spray into all parts of stored food product containers, pallets and dunnage for 30 seconds for each 1000 cubic feet of space. Keep area closed following treatment. Repeat application weekly or as necessary. Products should be fumigated or treated by other approved product intended for this purpose.

EXPOSED STAGES of FLOUR BEETLES, WEEVILS and CRACKS and crevices, processing and handling equipment, containers and other areas where these insects tend to hide for 30 seconds for each 100 square feet of surface. Keep area closed for 1 hour after treatment. Repeat applications as necessary. Products in the home should be disposed of.

CARPET BEETLES: Spray directly on beetles, baseboards and carpets. Repeat treatment as necessary.

BEDBUGS: Spray mattresses, particularly around tufts and joints. Treat baseboards, miter joints and other areas. Repeat treatment after treated fabric to dry thoroughly before using. Repeat treatment as necessary.

FLEAS: Spray sleeping quarters, bedding, floor and other areas where fleas are kept. Repeat as necessary. Use only a recommended amount.

TO TREAT ANIMALS: To protect BEEF and DAIRY CATTLE, HORSE FLIES, HORSE FLIES, DEER FLIES, HOUSE FLIES, MOSQUITOES and GNATS. Spray about 3 seconds on the face and head, but do not spray into the eyes. Repeat when flies are troublesome.

IN ANIMAL QUARTERS and MILK ROOMS: For rapid control of MOSQUITOES, GNATS, WASPS and SMALL FLYING MOTHS, spray at a rate of 1 second per 1000 cubic feet. Results, keep area closed for 10 minutes after spraying and ventilation after treatment is completed.

FOR USE IN GARDENS: Spray with slow sweeping motion 6 to 8 inches from plants. Avoid wetting plants. Spray plants in short bursts. Repeat as necessary. Avoid wetting tender foliage, young plants and new growth when temperatures exceed 90°F. Contact insects directly. Repeat application 7 to 10 day intervals or after heavy rain.

USE ON ROSES: Aphids, Rose Chafers, Japanese Beetles, Scales, Tent Caterpillars, Leafhoppers, Tarnish Plant Bug (exposed) Mealy Bugs.

ASTERS: Aphids, Red Spider Mites, Plant Lice, Broad Mites, Citrus Mealy Bug, Azalea Lace Bugs, White Flies.

DAHLIAS: Aphids, Scales, Aphids, Thrips, Euonymus Scales, Aphids, Thrips.

AFRICAN VIOLETS: Aphids, Red Spider Mites, Hydrangea Scales, Red Spider Mites.

EUONYMUS: Aphids, Red Spider Mites, Hydrangea Scales, Red Spider Mites.

HYDRANGEAS: Aphids, Red Spider Mites, Hydrangea Scales, Red Spider Mites.

JUNIPERS: Aphids, Red Spider Mites, Hydrangea Scales, Red Spider Mites.

LIACAS: Leaf Miners, Leaf Rollers, Scales.

Our recommendations for the use of this product are to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made. Such results to be obtained if not used in accordance with established safe practice. The buyer must assume all liability for injury or damage, resulting from its misuse as such, or from materials.

18 A  
Under the Fungicide, so amended registered 959