PM-10		Reg # 959	11-16	6	19
		VIRONMENTAL PROTECTION AGE ice of Pesticide Programs	INCY	EPA Reg. Number:	Date of Issuance:
		stration Division (7505C) 401 MMH St., S.W. Washington, D.C. 20460		9591-166	4 OCT 1995
ATTAL ANOTECTO			ľ	Term of Issuance	e:
NOTICE OF PESTICIDE:			Conditional		
(under FIFRA, as amended)				Name of Pestici	de Product:
-				Insectici	de 110
Name and Address (of Registrant (inc	lude ZIP Code):	I		
Nationwide P.O. Box 13 Hamilton, (3027	roducts, Inc.			•
Note: Changes in be submitted to an	labeling differing nd accepted by the	in substance from that a Registration Division pr ys refer to the above EPA	ior to use of	the label in com	s registration must merce. In any
On the basis of in registered/reregistered	nformation furnish	ed by the registrant, the ederal Insecticide, Fungi	above named p	esticide is here	фу thy
Registration is in In order to protec cancel the registn with the registra	n no way to be con ct health and the ration of a pestic tion of a product	strued as an endorsement environment, the Administ ide in accordance with the under this Act is not to use if it has been cover	or recommendat rator, on his e Act. The ac be construed a	ion of this prod motion, may at a ceptance of any	ny time suspend or name in connection
		conditionally r provided that		d in accor	dance with
Agency requ data; and s	uires all r submit acce	r product under egistrants of s ptable response FIFRA section	imilar p s require	roducts to	submit such
2. Ma	ake the fol	lowing label ch	anges:		
	Revise the No. 9591-16	EPA Registratio 6".	n Number	to read,	"EPA Reg.
		torial error in tatement (delet			
Signature of Appro	oving Official:	ACCEPTED		Date:	. 1005
RPK		with COMMERTER Date	d		1932
A Form 8570-6		In EPA LENT 109	5		
		In EPA Control 1991 Under the Federal Insec Fungicide, and Rotentic as amonited, for the part registered under LivA i	to Ket sebeide Reg. No.		ža
		registered under critical registered under c	-6		
			, <u>y</u> moth	5	
			,y mou	,=	

1

.

「「「「「「」」」」」

page 2 EPA Reg. No.

- c. Under the "Physical or Chemical Hazards" section, left justify the sentence, "Do not use, pour, spill or store near heat or open flame."
- d. Fix the "Pesticide Disposal" language so that it reads, "Pesticide spray mixture or rinse water that cannot be used according to label instructions..."

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

RPK

Richard P. Keigwin, Jr. Product Manager 10 Insecticide-Rodenticide Branch Registration Division

M

INSECTICIDE 110

Effective, Fast Acting Insecticide. For Use in Homes, Institutions, Restaurants and Food
Processing Plants, Kills on contact exposed or accessible stages of: Roaches, Gnats, Rice
Weevils, Mediterranean Flour Moth, Silverfish, Wasps, Spider Beetles, Brown Dog Ticks, Crickets, Hornets, Cheese Mites in buildings Spiders, Sand Flies, Carpet Beetles, Granary Weevil, Ants, Mosquitoes, Angoumois Grain Moth, Red Flour Beetle, Fleas, Bedbugs, Confused Flour Beetle, Clothes Moths, Cadelles, Meal Worms, Saw-toothed Grain Beetles, House Flies, Meal Moths, Skippers, Grain Mites

ACTIVE INGREDIENTS: Pyrethrins					
*Piperonyl Butoxide, Technical					
INERT INGREDIENTS:					
TOTAL					
*Equivalent to 0.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.1% of related compounds					
Inert Ingredient contains petroleum distillate					

EPA & EST NO. EPA Reg. No. 9591-

EPA Est, No. 9591-OH-1

CHILDREN KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautions

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (& DOMESTIC ANIMALS) CAUTION

Harmful if absorbed through skin or inhaled. Causes moderate eye injury. Avoid contact with skin, eyes, or clothing. Avoid breathing spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a doctor or get medical attention. Do not induce vomiting. Do not give anything by mouth to an unconscious person. Avoid alcohol.

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

IF IN EYES: Flush eyes with plenty of water. Call a physician if irritation persists.

ENVIRONMENTAL HAZARDS

This product toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame

NET CONTENTS:

DIRECTIONS FOR USE: It is a violation of federal law to use this product in a manner inconsistent with its labeling.


STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal.

• PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid

• such as sand, Gawdust, earth, Mers garth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide spray mixture or rinse water that cannot be used in according to label instructions must be disposed of at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, cr puncture and dispose of in a sanitary landfill, or by approved State and local procedures.



SPACE SPRAY: For rapid control of houseflies, fruit flies sand flies, wasps and hornets. Close doors and windows a using a good machine adjusted to deliver a fine mist. Direct s room to fill the entire area with mist, using 1 to 2 ounces per treated area and ventilate before reoccupying. Keep the area Repeat application when reinfestation occurs

SURFACE APPLICATION: To control roaches, silverfish course wetting spray directed into locations where these ins moldings, cabinets, shelves, sinks, door and window frames, corners and into cracks and crevices, hitting insects with th treatment as necessary. Against ant infestations, treat shelve ant runs, trails, baseboards, thresholds and other places of e treatment as necessary. In controlling fleas and brown dog toward the lower wall portions, baseboards, rugs, carpets quarters, kennels and bedding should also be sprayed. T liberally to top, ends, sides and bottom of mattresses, spra folds. Spray springs and frame, directing the liquid into all baseboards, moldings, floors, closets and bedroom furnit attention to protected bedbug hiding and breeding places. F moths and carpet beetles, remove infested articles fror possible, air several hours in direct sunlight. Apply spray liber and storage, directing the liquid into cracks, joints and crevic be treated by holding the spray nozzle at least 3 feet away f lightly to the seams to avoid the possibility of staining. Treat and all exposed and accessible surfaces of over stuffed furnit made of rubber or are rubber coated, to prevent expansion or unless the articles are stored in moth-tight containers. To co rice weevil, sawthoothed grain beetles, confused flour b beetle, cadelles, meal worms, grain mites, Angoumois Mediterranean flour moth in food storage areas: if possible food products: otherwise, fumigation or other effective tri approved product intended for this purpose. Apply this spray cabinets, bins, pantries, and similar food storage areas with p niches, and other hiding places.

FOG OR VAPOR SPRAY: To kill accessible or exposed st (excepting clothes moths, bedbugs, and carpet beetles) A thermal or compressed air equipment. Fill the entire area will cubic feet of space. Repeat treatment as needed. Avoid or Remove pets, birds, and cover fish aquaria before spraying. The use of this product in food processing plants should b plant is not in operation. All food processing surfaces sho thoroughly wash treated surfaces with an effective cleaner ar using.

ON ANIMALS: To protect animals from horn flies, house fl light mist sufficient to wet the tips of the hair. Too control stab ounces per adult animal, sufficient to wet the hair, but not to s or twice daily or at intervals necessary to give continued prot apply the spray lightly to infested areas, using a stiff brush to Use 2 ounces or less per animal. Repeat every two to three w BARNS, MILK ROOMS, DAIRY PLANTS, SLAUGHTER AI flies, mosquitoes, and gnats, apply as a fog or fine mist, ou upper corners of the room until the area is filled with mist, u feet of space. For best results, close windows and doors bef to fifteen minutes. Vacate the area and ventilate before necessary.

Manufactured By

NATIONWIDE CHEMICAL PRODUCTS, INC., P.O. BOX