

UNITED STATES ENVIRONMENTAL PROJECTION AGENCY WASHINGTON D.C. 20460

NOTIFICATION

OFFICE OF PREVENTION TESTICIDES AND TOXIC SUBSTANCES

MAY 2 1 2007

Ms Sharon M Johnson Product Registration Nationwide Chemical Products, Inc , 25441 Thomson Road Perrysburg, OH 43551

SUBJECT

Application for Pesticide Notification (PRN 98-10)

Request Alternate Brand Name "SunTerra ProKill Choice Insect Spray"

EPA Reg No 9591-170

Application Dated April 12, 2007

Dear Ms Johnston

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated 04/12/07 for the above product. The Registration Division (RD) has conducted a preliminary screen of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records

If you have any questions, please call me directly at 703-305-6249 or Owen F Beeder of my staff at 703-308-8899

Sincerely, Terri Stowe for

Linda Arrington

Notifications & Minor Formulations Team Leader

Registration Division (7505P)

Office of Pesticide Programs

2048

Please read instructions on reverse before completing form. Form Approved. OMB No. 2070-0060. Approval expire **OPP Identifier Number United States** Registration **Environmental Protection Agency** Amendment Washington, DC 20460 Other Application for Pesticide - Section I 1. Company/Product Number 2. EPA Product Manager 3. Proposed Classification 9591-170 George LaRocca None Restricted 4. Company/Product (Name) Prokill Choice Insecticide PM# 13 5. Name and Address of Applicant (Include ZIP Code) 6. Expedited Reveiw. In accordance with FIFRA Section 3(c)(3) Nationwide Chemical Products, Inc. (b)(i), my product is similar or identical in composition and labeling 25441 Thompson Road Perrysburg, OH 43551 EPA Reg. No. Check if this is a new address **Product Name** Section - II Final printed labels in repsonse NOTIFICATION Amendment - Explain below. Agency letter dated "Me Too" Application. Resubmission in response to Agency letter dated MAY 2 1 2007 Notification - Explain below. Other - Explain below. Explanation: Use additional page(s) if necessary. (For section I and Section II.) This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152-46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully malie only false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA. NOTIFICATION OF ALTERNATE BRAND NAME PER PR NOTICE 98-10: SunTerra ProKill Choice Insect Spray Section - III 1. Material This Product Will Be Packaged In: Unit Packaging Water Soluble Packaging 2. Type of Container Child-Resistant Packaging Metal Yes Yes Yes Plastic No Glass Paper If "Yes" If "Yes" No. per No. per Certification must Unit Packaging wgt. container Package wgt container Other (Specify) be submitted 4. Size(s) Retail Container 5. Location of Label Directions 3. Location of Net Contents Information Container Other 6. Manner in Which Label is Affixed to Product Lithograph Paper glued Stenciled Section - IV 1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Title Name Telephone No. (Include Area Code) Agent for Nationwide Chemical Products Sharon M. Johnston (636) 942-2583 6. Date Application Certification Received I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowlinglly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 2. Signature Agent for Nationwide Chemical Products 5. Date 4. Typed Name

Sharon M. Johnston

April 12, 2007

PROKILL® CHOICE INSECTICIDE

SunTerra ProKill Choice Insect Spray

- For Residential/Domestic Use
- IWater Based Permethrin Insecticide
- Odorless in Application
- A Ready To Use and Dilutable Permethrin Based Emulsion Insecticide
- Makes up to 32 Gallons
- For Use Outdoors in Gardens on Ornamental Trees Shrubs and Flowers
- For Use Outdoors
- Will Not Stain Water Safe Fabrics and Surfaces
- For Use Indoors and Outdoors on listed Crawling and Flying Insects
- For Use on Dogs to Control Fleas and Ticks
- For Use on Poultry to Control Lice and Mites
- Controls Fleas and Ticks on Dogs for 14 Days
- For Control of Ticks which may cause Lyme disease on Premises
- Provides 60 Day (Two Months) Control of Cockroaches Fleas and Stored Product Pests
- Multi Purpose Ready To Use Water Based Bug Killer
- Do It Yourself Pest Control
- Easy to Use Just Spray Affected Areas
- Use Indoors and Outdoors Broad Spectrum Insecticide for Control of Cockroaches Mosquitoes Ants Spiders Flies Moths Fleas Lice Bedbugs Crickets Grasshoppers and other Listed Pests
- No Odor Non Staining No Sticky Residue
- Kills Crawling Insects Including Cockroaches Ants Fire Ants Fleas Spiders Ticks Lice Silverfish Earwigs Reelles
 Bedbugs Crickets and More!
- Kills Flying Insects Including Flies Moths Mosquitoes Gnats Hornets Wasps Black Flies and More
- For Use on Mattresses & Furniture
- Lice Control Spray in a Non Aerosol Bottle
- Pet Spray for Dogs to Control Fleas Ticks and Lice
- Lawn & Garden Insect Control
- For Livestock and Premise Use
- (lice control products only NOT FOR USE ON HUMANS)

ACTIVE INGREDIENT

Permethrin¹

OTHER INGREDIENTS

0 50% 99 50%

100 00%

PRECAUCION AL CONSUMIDOR Si usted no lee ingles no use este producto hasta que la etiqueta le haya sido explicada ampliamente

(TO THE USER If you cannot read English do not use this product until the label has been fully explained to you)

EPA REG NO 9591-170

EPA EST NO

KEEP OUT OF REACH OF CHILDREN CAUTION

See rear panel for additional precautions

NET CONTENTS

NOTIFICATION

MAY 2 1 2007

 $^{^{1}}$ C s/trans ratio max 35/(+/) c s and min 65/(+/) trans

READ ENTIRE LABEL BEFORE EACH USE PET USE APPLIES TO USE ONLY ON DOGS

PRECAUTIONARY STATEMENTS

Environmental Hazards

This product is toxic to fish and other aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Remove pets and birds and cover fish aquaria before surface applications. Do not use on humans. Do not allow children or pets to contact treated areas until surfaces are dry

Not for use on plants being grown for sale or other commercial use or for commercial seed production or for research purposes Not for use in commercial greenhouses nurseries on sod farms or grass grown for seed

SHAKE WELL BEFORE USING

Do not use on electrical equipment or on surfaces that can be harmed or stained by water

INDOOR APPLICATION

For spot application only Do not use as a space spray indoors. In the home cover all food processing surfaces and utensils during treatment or thoroughly wash before use. Cover or remove exposed food/feed. Do not apply to classrooms while in use

Ready to use Affix trigger pump or other type sprayer to container for application Do not transfer to another container

SURFACE SPRAYING

For control of Cockroaches Waterbugs Palmetto Bugs Scorpions Millipedes Centipedes Sowbugs Pillbugs Ants Silverfish C Firebrats Spiders Crickets Clover Mites Cheese Mites Granary Weevils Rice Weevils Confused Flour Beetles Rust Red F c. Beetles Drugstore Beetles Meal Worms Grain Mites and Cadelles Direct the spray into hiding places cracks and crevices and c c c behind shelves and drawers For silverfish spray bookcases For ants spray trails nests and points of entry

To control Carpet Beetles Spray edges of carpeting and under carpeting and rugs Make localized application to floor and baseboards Spray directly into cracks crevices and infested areas of shelving

To control **Bedbugs** Spray mattresses lightly particularly around tufts and seams. Take beds apart and spray in all joints. Treat c baseboards moldings and floors. Allow all treated articles to dry thoroughly before use

To control *Fleas* (adults and larvae) and *Ticks* including Ticks which may carry Lyme disease (adults and larvae). Thoroughly spray infested areas pet beds resting quarters nearby cracks and crevices along and behind baseboards moldings window and door frames and entire areas of floor and floor covering. Fresh bedding should be placed in animal quarters following treatment. Allow to dry thoroughly before allowing pets to contact treated areas.

To control *Clothes Moths* Remove any infested articles from storage brush thoroughly and air for several hours in sunlight if possible Apply spray liberally to empty chests closets bureaus and other storages directing the spray into cracks joints and crevices After airing infested articles may be treated lightly keeping nozzle at least three feet from fabric to avoid staining

To kill *Lice* and *Louse Eggs* Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying then proceed to spray entire area to be treated. Spray from a distance of 8 to 10 inches. Treat only those garments and parts of bedding including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all treated articles to dry thoroughly before use.

ON LIVESTOCK

Ready to use Affix trigger pump or other type of sprayer to container for application Do not transfer to another container

TO PROTECT CATTLE (BEEF AND DAIRY) GOATS SHEEP HOGS AND HORSES FROM HORN FLIES FACE FLIES HOUSE FLIES MOSQUITOES AND GNATS Apply a light mist sufficient to wet the surface of the hair For face flies spray face and head but do not spray into eyes

To control Stable Flies Horse Flies and Deer Flies Apply at a rate of 2 ounces per adult animal sufficient to wet the hair thoroughly Repeat treatment daily or at intervals necessary to give continued protection

To control **Blood sucking Lice** Apply to the infested areas of the animal using a stiff brush to get the spray to the base of the hair Repeat every 3 weeks if required

To control *Poultry Lice* Spray roosts walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist

To control Bedbugs and Mites in poultry houses Spray crevices of roost poles cracks in walls and cracks in nests where the bedbugs and mites hide

ON DOGS

Ready to use Affix trigger pump or other type of sprayer to container for application. Do not transfer to another container. To control *Fleas Ticks* and *Lice* Start spraying at the tail moving the dispenser rapidly and making sure that the animal significance covered including the legs and underbody. While spraying fluff the hair so that the spray will penetrate to the skin. Make sure spray wets thoroughly but do not saturate animal. Do not spray into eyes or face. Avoid contact with genitalia. Use protective gloves or mitts when applying product. Repeat application every two weeks if necessary. DO NOT USE ON CATS OR KITTENS. Do not use on dogs under twelve (12) weeks old. Consult a veterinarian before using this product on medicated debilitated aged pregnant or nursing animals. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue consult a veterinarian immediately.

OUTDOOR APPLICATION

TO CONTROL TICKS INCLUDING TICKS WHICH MAY CARRY LYME DISEASE (PERIMETER TREATMENT) Ready to use Affix trigger pump or other type of sprayer to container for application Do not transfer to another container. Use Prokill Choice as a residual treatment to control Ticks including the Deer Tick (Ixodes scapularis) Lone Star Tick (Amblyomma americanum) Brown Dog Tick (Rhipicephalus sanguineus) American Dog Tick (Dermacentor variabilis) and Western Black legged Tick (Ixodes pacificus) For each area listed below apply until surface is wet (approximately 1 gal/750 1000 ft2)

Treat around windows and doors porches screens eaves patios garages under stairways and in crawl spaces where these pests may enter

Treat a band of vegetation and leaf litter 6 to 10 feet wide around the outside of buildings to help control ticks occurring there

To help control ticks in outdoor activity areas treat a band of vegetation and leaf litter 6 10 feet wide and adjacent to activity at a especially where dense vegetation occurs

PESTS ON THE OUTDOOR SURFACE OF BUILDINGS To temporarily control Houseflies Mosquitoes Cluster Flies Gint all a Flying Moths For outdoor use only as an aid in reducing annoyance from these insects

Dilute before using Use clean sprayer Carefully measure and mix I fluid ounce of Prokill Choice and 24 fluid ounces of water Using dilute mixture spray pests on outside surfaces of screens doors window frames or wherever these insects may enter the room Also treat surfaces around light fixtures on porches in garages and other places where these insects alight or congregate Flush sprayer, vith clean water after each use

FOR CONTROL OF ORNAMENTAL GARDEN INSECTS

Ready to use Affix trigger pump or other type of sprayer to container for application. Do not transfer to another container [OR Insert canister into the fertigation system in the slot marked insecticide. Attach hoses with clamps. Turn valve to on position Product will automatically dispense at the desired application rate.]

For use on roses dahluas asters and other ornamentals to kill Japanese Beetles hit by spray as well as *Whiteflies Aphids Exposed Thrips Spiders Red Mites* and *Leafminers* May be used on plants as a multipurpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas

May also be used on other plants such as African violets asters azaleas begonias camellias camations chrysanthemums dahlias delphiniums dogwoods English ivy Eunonymus fuschia geraniums crassula, grape vines Kentia palms laurels marigolds rhododendrons roses rubber plants snapdragons stocks wandering Jews and zinnias

Effective when used as directed against Whiteflies Aphids Spider and Red Mites Exposed Thrips Lace Bugs Japanese Beetles Pavement Ants Clover Mites and Armyworms When spraying plants do not operate closer than 18 inches Use sweeping motion Be cautious about wetting tender foliage young plants and new growth Do not spray plants when temperatures exceed 90 F Contact insects directly whenever possible

608

ORNAMENTAL TREES AROUND THE HOME Dilute before using Use clean sprayer Carefully measure and mix 1 fluid ounce of Prokill Choice and 24 fluid ounces of water [OR pour undiluted product into fertigation canister Product will automatically dilute with the required amount of water] Using dilute mixture use sufficient spray to obtain full coverage of all foliage Avoid heavy wetting Use to control *Pine Moths Pine Needle Miners Pine Beetles* and *Needle Scales* on pine *Budworms* on conifers *Oakworms* on oak *Fall Webworms* on cherry elm and honeysuckle *Aphids* on tulip poplar *Citrus black flies* on non bearing citrus *Tussock Moths* on Douglas and grand firs *Leafminers* on birch *Elm Leaf Beetles* and *Elm Spanworms* on elms Flush sprayer with clean water after each use

FOR HOME VEGETABLE GARDENS Dilute before using Use clean sprayer Carefully measure and mix 1 fluid ounce of Prokill Choice and 24 fluid ounces of water Spray upper and lower leaf surface as directed Use sufficient spray to obtain full coverage of all foliage but do not spray to the point of runoff Apply no more than 13 ounces of dilute mixture over 100 linear feet of row (13 ounces of diluted mixture per 100 square feet) Flush sprayer with clean water after each use

VEGETABLE	TARGET PESTS	REMARKS
Asparagus (pre harvest)	Cutworms asparagus beetle	Spray plants as needed to ensure uniform coverage Do not make more than 4 applications Can be applied up to 3 days prior to harvest
Asparagus (post harvest)	Larval stages of asparagus beetle tarnished plant bugs lygus bugs and adult Japanese beetles	Treat fern or bush growth after spear harvest when insects are present
Celery see leafy vegetables		
Cole Crops Broccoli Brussels Sprouts Cabbage Cauliflower	Beet armyworm diamond back moth imported cabbage worm cabbage aphid cabbage looper	Apply every 5 days or as needed Can be applied up one day prior to harvest Do not make more than 10 applications on cabbage and 8 applications on the cole crops
Corn see sweet corn		(((((
Cucurbits Balsam pear(bitter melon) Chinese waxgourd (Chinese melon) Citrus melon cucumber Gherkin Edible gourds Melons including hybrids such as cantaloupe casaba crenshaw honeydew honey balls mango melon muskmelon and Persian melon pumpkin summer & winter squash watermelon	Aphids cabbage loopers cucumber beetles (adults) cutworms leafhop pers leafminers melonworms pickleworms plant bugs and squash bugs	Spray plants as needed to ensure uniform coverage Do not make move than 8 applications per crop for c be applied up to the day of harvest
Eggplant beetles vegetable leaf miners	Colorado potato	Spray plants as needed to ensure uniform coverage Do not make more than 16 applications Can be applied up to 3 days prior to harvest
Horseradish	Imported crucifer weevils	Spray as needed Do not make more than 3 foliar applications Can be applied up to 22 days prior to harvest

Leafy Vegetables amaranth arrugula celery celtuce chervil com salad chrysanthemum (edible leaved and garland) cress (garden and upland) dandelion dick endive fennel lettuce (head & leaf) orach parsley purslane (garden and winter) rhubarb spinach Swiss chard

Alfalfa loopers aphids beet army worms cabbage loopers corn earworms cutworms European corn borers fall armyworm green cloverworms southern armyworms tobacco budworms vegetable leaf miners

Spray every 5 to 10 days as needed Do not make more than 7 applications per crop Can be applied up to 1 day prior to harvest

Melons see Cucurbits

Potatoes

Beet armyworms
Colorado potato
beetles potato
beetles potato
leafhoppers potato
aphids potato tuberworms
cabbage

cabbage loopers cutworms European corn borers potato psyllids tarnished plant bugs

Peppers

Vegetable leafminers cabbage loopers flea beetles corn ear worms pepper weevils European corn borers

Sweet Corn

Corn earworms European corn borers fall armyworms southern armyworms

Tomatoes (Do not spray on cherry tomatoes and varieties yielding tomatoes less than one inch in diameter) Beet and southern armyworms tomato pinworms tomato frutworms horn worms granulate cutworms Colorado potato beetles cabbage loopers Spray plants as needed Do not make more than 12 applications Can be applied up to 7 days prior to

Spray plants as needed Do not make more than 8 applications Can be applied up to 3 days prior to harvest

Spray plants every 5 days if needed Do not make more than 6 applications per season Can be applied up to 1 day prior to harvest $c \in C$

ecce

Spray plants when needed for uniform coverage to Do not make more than 6 applications per season Can be applied up to date of harvest

HOME OWNER GROWN FRUIT AND NUT TREES Dilute before using Use clean sprayer Carefully measure and mix 1 fluid ounce of Prokill Choice and 24 fluid ounces of water Apply dilute mixture to trees until foliage is dripping wet Make sure to spray the undersides of leaves and into dense foliage Flush sprayer with clean water after each use

Trees (Fruit or Nut)	Target Pest(s)	Remarks
Almonds	Navel orange worms peach twig borers	Apply when insects appear Do not make more than 2 applications during the period when the outer hull of the almond has started to open Do not make more than 5 applications per season Can be applied up to 7 days prior to harvest
Apples	plum curculio red banded leafrollers rosyapple aphids spotted tentiform leafminers tarnished bugs white apple leafhoppers oblique banded leafrollers green fuitworms	Apply when insects appear Repeat as required to maintain control Do not make more than 3 applications per season Do not apply after petal fall

8068

Peaches

Lesser peachtree borers

peach twig borers plum curculio

plant bugs green fruit worms Oriental fruit moths

Pears

pear psylla green fruitworms and

codling moths

Apply when insects appear Do not apply within 7 days

of harvest Do not make more than 8 applications

per season

Apply when needed Do not apply more than 3 applications per season Can be applied up to 14 days

Prior to harvest

STORAGE AND DISPOSAL

Storage Store in a cool dry area away from children and pets

Container Disposal If empty Do not reuse this container Place in trash or offer for recycling if available

If partly filled Call your local solid waste agency or 1 800 CLEANUP for disposal instructions Never place unused product down

any indoor or outdoor drain

IMPORTANT READ BEFORE USE

Read the entire Directions for Use Conditions Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable return the unopened product container at once. By using this product user or buyer accepts the following conditions disclaimer of warranties and limitations of liability.

CONDITIONS The directions for use of this product are believed to be adequate and should be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Nationwide Chemical Products. All such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES NATIONWIDE CHEMICAL PRODUCTS MAKES NO OTHER WARRANTIES EXPRESS OR IMPLIED OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL No agent of Nationwide Chemical Products is authorized to make any warranties beyond those contained herein or to modify the warranties contained herein. To the extent permitted by law Nationwide Chemical Products disclaims any liability whatsoever for special incidental or consequential da nages resulting from the use or handling of this product

LIMITATIONS OF LIABILITY THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES , , INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT WHETHER IN CONTRACT WARRANTY TORT NEGLIGENCE STRICT LIABILITY OR OTHERWISE SHALL NOT EXCEED THE PURCHASE PRICE PAID OR AT NATIONWIDE CHEMICAL PRODUCTS ELECTION THE REPLACEMENT OF PRODUCT

Nationwide Chemical Products 25441 Thompson Road Perrysburg OH 43551

For information on pesticide products (including health concerns medical emergencies or pesticide incidents) call the National Pesticide Telecommunications Network at 1 800 858 7378