

HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)

WARNING!


Harmful if swallowed. May cause eye damage. Do not get in eyes, on skin or on clothing. Do not breathe dust.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public waters. Do not contaminate by cleaning of equipment or by disposal of wastes into these waters.

CHEMICAL OR PHYSICAL HAZARDS

Moisture contamination may liberate irritating and hazardous chlorine containing gases. Oxidizing material. Do not mix with other chemicals. Contact with organic matter may cause fire. Decompose at 350-475 F with liberation of harmful gases.



351

DRY LAUNDRY BLEACH, FABRIC AND DIAPER SANITIZER

DESCRIPTION
ICC 351 DRY LAUNDRY BLEACH, FABRIC AND DIAPER SANITIZER is recommended for stain removal and reduction of ammonia causing bacteria in institutional and commercial laundry operations.

In compliance with Federal Law to use this product in a manner consistent with its labeling.

DIRECTIONS FOR USE
Wet fabrics or diapers should be spin dried before the sanitizer is applied. Four (4) oz. of ICC Dry Laundry Bleach, FABRIC AND DIAPER SANITIZER should be added for each 16 gallon wash load. Run this solution in the pre-wash, followed by the regular wash cycle with a good detergent. The above application give 200 ppm available chlorine in the pre-wash cycle. The sanitizing solution should be used promptly after making. If the solution is allowed to stand or is reused and tests show the level of chlorine has not been maintained, additional ICC 351 Dry Laundry Bleach, FABRIC AND DIAPER SANITIZER should be added to give 200 ppm available chlorine in the pre-wash cycle.

STORAGE AND DISPOSAL

Store in a cool, dry, well-ventilated area. Moisture contamination may liberate irritating and hazardous chlorine-containing gases. Oxidizing material. Do not mix with other chemicals. Contact with organic matter may cause fire. Decomposes at 350-475 F with liberation of harmful gases. In case of decomposition, isolate container in open air or well-ventilated area if possible. Flood with large volume of water if necessary. Do not reuse empty container. Rinse empty container thoroughly with clean water before discarding. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

ACTIVE INGREDIENTS	
Sodium dichloro-s-triazinetriene dihydrate	18.0%
(provides 10.0% available chlorine)	
Sodium Carbonate	25.0%
Sodium dodecylbenzene sulfonate	2.4%
TOTAL ACTIVE INGREDIENTS	45.4%
INERT INGREDIENTS	54.6%
	100.0%

WARNING!
KEEP OUT OF REACH OF CHILDREN
Harmful to Aquatic Life. May cause eye damage. Do not get in eyes, on skin or on clothing. Do not breathe dust. Do not mix with other chemicals. Contact with organic matter may cause fire. Decomposes at 350-475 F with liberation of harmful gases. In case of decomposition, isolate container in open air or well-ventilated area if possible. Flood with large volume of water if necessary. Do not reuse empty container. Rinse empty container thoroughly with clean water before discarding. This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

NET CONTENTS: 40 lbs. (18.14 kg.)

Manufactured by
INTERCONTINENTAL CHEMICAL CORPORATION
P.O. Box 15318 Sacramento, CA 95813
EPA EST NO 9594 CA 1
4660 Spring Grove Ave Cincinnati, OH 45232
EPA EST NO 9594 OH 1

BATCH #
APR #

ACCEPTED
9594-19
JAN 6 1981
Unit
Fungicide
as amended
registered under
EPA Reg. No.