ACCEPTED



UNDER THE FEDERAL INSECTIONS

PRECAUTIONARY STATEMENTS FOR MOONORIC TOLENTS ACTUAL HAZARDS TO HUMANS AND DOMESTIC STRUCTURE NO.

WARNING: Causes eye damage and skin irritation. Do not get in eyes or on skin, or on clothing. Wear goggles face shield and rubber gloves where hundling Harmful or fatal if swallowed. Avoid contamination of fried

FIRST AID: In case of contact, immediately flush eyes or skin v enty of water for at least 15 minutes. For eyes call a physician. Remove and wash contaminated clothing before reuse. If swallowed give patient down of powdered charcoal immediately or all he can swallow of raw egg whose milk. gruel, or flour and water. Then induce vomiting with salt, soap, or mustand in warm water. Call a physician immediately

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with on NPDES permit. For guidance contact your Regional Office of the EPA

ACTIVE INGREDIENTS Dispidium i vanoidithimmidocarbonate Pritassium N Methyldithio, artianiate INERT INGREDIENTS

SEE SIDE PAR

This product contains 1.67 lb of active ingredients per gallon and vs. ,uhts

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ICC W54 is used to control algae, bacteria, and fungi in recirculating commercial and industrial water cooling towers. Prior to its use, systems must be cleaned to remove algal growth, microbiological slime, and other deposits. An initial slug addition of 3.3 to 6.6 fluid ounces of ICC W54 per 1000 gallons of water is recommended. Repeat initial dosage until control is

Subsequent slug additions of 1.1 to 6.6 fluid ounces of ICC W54 per 1000 gallons of water should be employed every 1 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the microbiological problem. Slug additions should be made in the sump of water cooling towers

CONTINUED ON RIGHT PANEL

KEEP OUT OF REACH OF CHILDREN WARNING!

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED. Give patient doses of powdered chargoal immediately or all he can swallow of raw egg white, milk, gruef, or flour and water. Then induce vomiting with salt, soap, or mustard

IF ON SKIN Immediately flush skin with plenty of water for at least 15 minutes. Remove and wash contaminated clothing before reuse

Immediately flush eyes with plenty of water for at least IF IN EYES 5 minutes Contact a physician

FOR ADDITIONAL PRECAUTIONARY STATEMENTS

STORAGE AND DISPOSAL

PisOhiBiTIOi4S Do not contaminate water food, or feed by storage or

distributed Open dumping is promibited PESTICINE DISPUSAL. Pesticide spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or fluried in a safe place away from water supplies.

CONTAINER DISPOSAL. Containers under 30-gallon capacity must not be reused but should be triple rinsed and disposed of in an incinerator or landfill approved for besticide containers or buried in a safe place. Containers over 30 gallon capacity should be resealed and offered for reconditioning or triple rinsed (or equivalent) and offered for recycling reconditioning, or disposal in an approved landfill or buried in a safe place

GENERAL Consult Federal, State, or Local disposal authorities for approved

alternative procedures

Manufactured by

INTERCONTINENTAL CHEMICAL CORPORATION P.O. Box 15318 4660 Spring Grove Avenue Sacramento, CA. 95813 Cincinnati, Ohio. 45232 EPA EST. NO. 9594 CA. 1. EPA EST. NO. 9594-OH.1.

EPA REG NO 9594 22

BATCH NUMBER

let Contents: 55 Gallons (208.18 liters)