

PRECAUTIONARY STATEMENTS
HAZARDOUS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Harmful If Swallowed. Concentrate causes skin and eye irritation. Avoid skin contact. DO NOT GET IN EYES.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Give 2 or more glasses of milk or water. Get medical attention.

IF ON SKIN: Flush with plenty of water.

IF IN EYES: Flush with water for at least 5 minutes. Get medical attention.


STORAGE and DISPOSAL

STORAGE: Keep lid on tightly when not in use. Store in cool, dry place.

DISPOSAL: After contents are used, rinse container with water and discard it.
Avoid contamination of Food and Feed.

NOTE

The maximum concentration of 25 ppm titratable iodine has been cleared under the Food Additives Amendment of the Federal Food, Drug and Cosmetic Act in terminal rinsing of Dairy and Food Processing Equipment and dishes and glasses in restaurants and taverns. However, rinse with potable water before reuse when over 25 ppm titratable iodine is used.



FUL SAN

BAC/CIDE

Iodine Detergent Sanitizer

**For Cleaning and Sanitizing Dairy Equipment
Dairy Processing and Industrial Food Machinery**

U. S. Patent Nos. 2,931,177, 2,977,315 and 3,028,299

ACTIVE INGREDIENTS:

Alpha - (p-Nonylphenyl) - Omega-Hydroxypoly (Oxyethylene) Iodine Complex (Provides 1.75% Titratable Iodine)	17%
Phosphoric Acid	8%

INERT INGREDIENTS

	75%
TOTAL INGREDIENTS	100%

EPA Est. No. 9598-CA-01
EPA Reg. No. 9598-2

WARNING: KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL CAUTION STATEMENTS

Manufactured By

FULTS CHEMICAL, INC.

P. O. Box 229 350 Main Ave. Tulare, Calif. 93274

NET CONTENTS 1 U.S. GAL. (3.78 liters)

For Cleaning and Sanitizing

1. Preclean equipment
2. Rinse thoroughly.
3. Sanitize with solution minimum of 5 minutes

For Cleaning and Sanitizing

1. Wash manually with
2. Rinse thoroughly.
3. Sanitize with solution minimum of 5 minutes

1 oz. BAC/CIDE in 5 gals. water
with a fresh BAC/CIDE solution

GENERAL FISH, WATER

This product is toxic to fish
where it drains into lakes,
contaminate water by cleaning

FUL SAN

BAC'CIDE

Iodine Detergent Sanitizer

For Cleaning and Sanitizing Dairy Equipment Dairy Processing and Industrial Food Machinery

U. S. Patent Nos. 2,931,177, 2,977,315 and 3,028,299

ACTIVE INGREDIENTS:

Alpha - (p-Nonylphenyl) - Omega-Hydroxypoly (Oxyethylene) Iodine Complex (Provides 1.75% Titratable Iodine)	17%
Phosphoric Acid	8%

INERT INGREDIENTS

75%

TOTAL INGREDIENTS 100%

EPA Est. No. 9598-CA-01

EPA Reg. No. 9598-2

WARNING: KEEP OUT OF REACH OF CHILDREN

SEE SIDE PANEL FOR ADDITIONAL CAUTION STATEMENTS

Manufactured By

FULTS CHEMICAL, INC.



P. O. Box 279

950 Levin Ave

Fulda, Calif. 92274

NET CONTENTS 1 U.S. GAL. (3.78 liters)

DIRECTIONS

For Cleaning and Sanitizing Dairy Processing Equipment

1. Preclean equipment before sanitizing.
2. Rinse thoroughly.
3. Sanitize with solution of 1 oz. BAC'CIDE to 5 gallons water. A minimum of 5 minutes contact time is required.

For Cleaning and Sanitizing Industrial Food Machinery

1. Wash manually with Brush or Nylon Pad.
2. Rinse thoroughly.
3. Sanitize with solution of 1 oz. BAC'CIDE to 5 gallons water. A minimum of 5 minutes contact time is required.

Table of Dilution

1 oz. BAC'CIDE in 5 gals. water gives 25 ppm titratable iodine. Always start with a fresh BAC'CIDE solution.

GENERAL FISH, WILDLIFE, ENVIRONMENTAL CAUTIONS

This product is toxic to fish. Treated effluent should not be discharged where it drains into lakes, streams, ponds, or public water. Do not contaminate water by cleaning of equipment or disposal of wastes.

STATEMENTS

DOMESTIC ANIMALS

IG

skin and eye irritation. Avoid

AL TREATMENT

of milk or water. Get medical

water.

at least 5 minutes. Get medical

DISPOSAL

in use. Store in cool, dry place.

inse container with water and

and Feed.

tratable iodine has been cleared
ie Federal Food, Drug and Cosmetic
Processing Equipment and dishes
however, rinse with potable water
iodine is used.

ACCEPTED

9598-2

JUN 14 1976

RECEIVED
FULTS CHEMICAL, INC.
REGISTERED