ACCEPTED

JUL 17 1970

UNDER THE EFFERENCE HOLE ON THE PERSON OF AND REDENT. CIDE ACT FOR FOONOMIC FORCE REALSTER-FD UNDER NO FOR THE PERSON

fabric conditioner and bacteriostat

Active Ingredients:

n-Alkyl (98% C₁₂, 2% C₁₄) dimethyl I-naphthylmethyl ammonium chlorides monohydrate 4.0%

.

DIRECTIONS: Add to the final rinse or sour bath. Use 1½ oz. per 100 lbs. of linens (dry weight), or per 20 gallons of water.


PHILADELPHIA QUARTZ CO.

KEEVER LAUNDRY CHEMICALS DIVISION

PHILADELPHIA, PA. 19108







e energia en

USDA Registration No. 9605-2

DANGER:

KEEP OUT OF REACH OF CHILDREN CAUSES EYE DAMAGE CAUSES SKIN IRRITATION

Do not get into eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Avoid contamination of food, wash thoroughly after handling.

FIRST-AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes; for eyes, call a physician.


FOR COMMERCIAL LAUNDRY USE ONLY

۰,



MILDEW PREVENTATIVE

Quaternary Ammonium Compound Concentrate for Commercial Laundry Use



For 2-week protection, use 1/2 ounce per 100 pounds of stabric (dry weight)


For 3-week protection, use 1% ounces per 100 pounds of fabric" (dry weight)


21/4 ounces per 100 pounds of fabric (dry weight) will give Mong-lasting protection, for 30 days or more, against mildew. Re-treat as necessary.

Dilute the appropriate amount of MILANUL Mildew Preventative in one to two gallons of water; then add to the washwheel in the final or sour rinse.


Restreat fabric after each washing.

Do not reuse empty drum. Return to drum reconditioner or e well with soap solution and discard. Do not con





EPA Registration No. 9605-4



Active Ingredient: Didecyl Dimethyl Ammonium Chloride50% nert ingredients. .50%

DANGER: CORROSIVE **KEEP OUT OF REACH OF CHILDREN**

Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

INCORTAL LANNIDRY L



MILDEW PREVENTATIVE

Quaternary Ammonium Compound Concentrate for Commercial Laundry Use



For lasting mildew prevention, use MILANUL Mildew Preventative as directed.

-For 2-week protection, use 1/2 ounce per 100 pounds of fabric (dry weight)


-For 3-week protection, use 1¾ ounces per 100 pounds of fabric (dry weight)

21/4 ounces per 100 pounds of fabric (dry weight) will give "long-lasting protection, for 30 days or more, against mildew. Re-treat as necessary.


Dilute the appropriate amount of MILANUL Mildew Preventative in one to two gallons of water; then add to the washwheel in the final or sour rinse.


Re-treat fabric after each washing.

Do not reuse empty drum. Return to drum reconditioner or nse well with soap solution and discard. Do not contaminate water by disposal of waste.



1.56 And And PHILADELPHIA QUARTZ CO. LAUNDRY CHEMICALS DIVISION PHILADELPHIA PA 19106 EPA Registration No. 9605-4





DANGER: CORROSIVE

KEEP OUT OF REACH OF CHILDREN

2014 - Andrews

in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food. ; ...

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

FOR COMMERCIAL LAUNDRY USE ONLY

ւս։ Գեր Դեքհանա ստեղան մասնելու չունել է չ

1.