

CHEMICAIS

NET WEIGHT 100 lb./45.3 kg.

Active Ingredients:

r-Alkyl (60% C_{14} , 30% C_{16} , 5% C_{12} , 5% C_{18})
dimethyl benzyl ammonium chlorides
n-Alkyl (68% C_{12} , 32% C_{14}) dimethyl
ethylbenzyl ammonium chlorides
11.2%
Inert Ingredients
77.6%
100.0%

PANGER! CORROSIVE REP OUT OF REACH OF CHILDREN CAUSES EYE DAMAGE USES SKIN IRRITATION

Do not get into eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes.

For eyes, call a physician, Remove and wash

contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available,

egg whites, gelatin solution or if these are not available drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard.

FABRI-STAPH II

FABRIC SOFTENER CONCEL RESIDUAL BACTERIOSTATI RESIDUAL SELF-SANITIZER CONDITIONS OF HIGH RELA HUMIDITY OR WET CONTAN

USE DIRECTIONS: Add to rinse or sour bath. Use 314 fl. (per 100 lbs. of linens (dry weig

Fabric treated as directed will residual pacteriostatic activity self-sanitizing activity against (S. aureus) and Gram negative pneumoniae) organisms under of high relative humidity or we contamination.

FABRI-STAPH II

Inhibits the growth of ammoniorganisms (B. ammoniagenes on urine in the diapers to prod

FABRI-STAPH II

Softens clothes, thus eliminating "Static Cling" out of hylons an synthetics. Improves ironing ti

PHILADELPHIA QUARTZ

Valley Forde Pal 19482

FOR COMMERCIAL LAUNDRY USE ONLY

FABRI-STAPH II

FABRIC SOFT. NER & BACTERIOST, 7/SANITIZER

NET WEIGHT 100 lb./45.3 kg.

Active Ingredients:

V

PANGER! CORROSIVE MEEP OUT OF REACH OF CHILDREN CAUSES EYE DAMAGE CAUSES SKIN IRRITATION

Do not get into eyes, on skin or on clothing. We argoggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes.

For eyes, call a physician. Remove and wash

contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Rinse empty container thoroughly with water and discard.

FOR COMMERCIAL LAUNDRY USE ONLY

FABRI-STAPH II

FABRIC SOFTENER CONCENTRATE, RESIDUAL BACTERIOSTATIC AND RESIDUAL SELF-SANITIZER UNDER CONDITIONS OF HIGH RELATIVE HUMIDIT / OR WET CONTAMINATION.

USE DIRECTIONS: Add to the final rinse or sour bath. Use 314 fl. oz. (96.1 cc) per 100 lbs. of linens (dry weight).

Fabric treated as directed will develop residual bacteriostatic activity and residual self-sanitizing activity against Gram positive (S. aureus) and Gram negative (Klebsiella pneumoniae) organisms under conditions of high relative humidity or wet contamination.

FABRI-STAPH II

Inhibits the growth of ammonia producing organisms (B. ammoniagenes) which act on urine in the diapers to produce ammonia.

FABRI-STAPH II

Softens clothes, thus eliminating chafing, "Static Cling" out of nylons and other synthetics. Improves ironing time.

PHILADELPHIA QUARTZ COMPANY

Valley Forge Pa 19482

STAPH II

ACTERIOST, 7/SANITIZER

EPA R q. No. 9605 5 AA