

SEP 27 1993

FILE COPY

Mr. Alan D. Brite
Copper Brite, Incorporated
1482 East Valley Road, Suite 29
Santa Barbara, CA 93108

Dear Mr. Brite:

Subject: Addition of the Pest Fleas to the Product Label
Flea Prufe®/Roach Prufe®
EPA Registration Number 9608-2
Submission Received May 11, 1993

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Three (3) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the product label is enclosed for your records.

The data presented are adequate to support addition of claims for fleas in carpets to the existing label for the roach control product, provided that the application rate of one pound of product per 120 square feet of carpet is maintained. A copy of the efficacy review is enclosed for your records.

Sincerely,



Mr. Adam Heyward
Acting Product Manager 10
Insecticide-Rodenticide Branch
Registration Division

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

3
2
PRECAUTIONARY STATEMENT
HAZARD TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly after handling.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. SHAKE WELL BEFORE OPENING. To control cockroaches, ants and silverfish, apply with teaspoon, liberally scattering under and behind refrigerator, stove, sink, dishwasher, washing machine and dryer, tubs, into openings around drains, water pipes and electrical conduits, and in cracks and crevices along baseboards and corners of cabinets, cupboards, and closets. Remove all lower drawers in kitchen and bathroom cabinets, bedroom dressers and chests of drawers, then scatter liberally in drawer wells. Reapply as necessary. Any powder visible after application must be brushed into cracks and crevices or removed. Apply only in areas inaccessible to children and pets. Avoid contamination of feed and foodstuffs. Directions for Applying in New Construction to Control Cockroaches. When treating large areas, such as wall voids, soffit and subcabinet voids in new and existing construction, dust liberally using dusting application equipment.

CRACK AND CREVICE TREATMENT

FOOD AND FEED HANDLING ESTABLISHMENT - Places other than private residences in which food or feed is held, processed, prepared or served. FOOD AREA APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY. Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups.) Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using a bulbous duster or other suitable equipment capable of applying insecticide directly into cracks and crevices, in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases, conduits, motor housing and electrical switch boxes where cockroaches hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of feed or food processing surfaces. APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT, ARE NOT PERMITTED.

SERVING AREAS - Facilities where prepared foods are served, such as dining rooms, but excluding areas where food may be prepared or held. Apply as a spot treatment to selective surfaces such as baseboards, under elements of constructions into cracks and crevices. Avoid treating surfaces likely to be contacted by food. (Do not apply when facility is in operation or foods are exposed.)

NON-FOOD AREAS - Include garbage rooms, lavatories, floor drains (to sewer entries and vestibules), offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling.) Apply to baseboard areas, around water pipes, surface, behind and beneath sinks, lockers, tables, pallets and similar areas where insects hide or through which they may enter.

STATEMENT OF PRACTICAL TREATMENT Immediately contact Poison Control Center or Physician if swallowed. If eye contact occurs, flush eyes with plenty of water. Get medical attention if irritation persists.

STORAGE AND DISPOSAL Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a dry place. Do not store where children or animals may gain access. DISPOSAL Do not reuse empty container. Wrap container and put in trash collection.

© 1980 Copper Brite, Inc., 1482 East Valley Rd., Suite 29, Santa Barbara, CA 93108
Made in U.S.A., U.S. Pat. No. 4,299,258, 4,438,000, 4,461,758, Aust. Pat. No. 522971, Japan Pat. No. 1,412,411 Pat. Pend.

FOR USE IN:

- Homes
- Apartments
- Hospitals
- Hotels
- Schools
- Factories
- Restaurants
- Markets
- Yachts
- Mobile Homes
- Buses
- Kennels
- Zoos
- Food Processing Plants
- New Building Construction
- Sewers

REC'D 27 1983

9/27/83

PAT

ro
pr
ODORLESS

E.P.A. REG. NO. 9608-2

CAUTION: KEEP OUT OF REACH OF CHILDREN

BEST AVAILABLE COPY

393



in Three University Tests

University of California 1980 University of Nebraska 1981 University of California 1983
Published in the Entomological Society of America Journals

Apply after handling.

SHAKE WELL BEFORE
Apply under and behind
drains, water pipes and
cupboards, and closets.
Open drawers, then scatter
powder into cracks and
voids of food and foodstuffs.
Apply to wall voids,
and application equipment.

When food or feed is held,
DO NOT TREAT ONLY
containers, edible waste storage
containers and facility

Equipment capable
of construction, between
boards and bases, conduits,
and to avoid depositing the
powder on food processing
ESTABLISHMENTS, OTHER

Apply in areas where food
is stored, under elements of
floors. (Do not apply when

in restrooms, offices, locker
rooms, etc.) Apply to baseboard
and areas where insects

Do not breathe. If eye

STORAGE: Store in a dry
place in a dry container. Wrap con-

San Francisco, CA 93108
No. 1,412,411 Pat. Pend.

FOR USE IN:

- Homes
- Apartments
- Hospitals ACCEPTED
- Hotels was CONFIRMED
- Schools by EPA Letter 12/22/77
- Factories
- Restaurants SEP 27 1983
- Markets
- Yachts Approved for use on yachts
- Mobile Homes for the pestiferous
- Buses 9/27/83
- Kennels
- Zoos
- Food Processing
- Plants
- New Building
- Construction
- Sewers

PATENTED

roach prufe®

ODORLESS NON-STAINING powder


E.P.A. REG. NO. 9608-2 E.P.A. EST. NO. 9019-OH-01

NET WT. 1 lb.



ACTIVE INGREDIENT: ORTHO BORIC ACID	98.00%
INERT INGREDIENTS	1.00%
	100.00%

3 UNITED STATES PATENTS,
NO'S 4,299,258, 4,438,088, 4,461,758



CAUTION: KEEP OUT OF REACH OF CHILDREN.
SEE DIRECTIONS AND CAUTIONS ON BACK PANEL

BEST AVAILABLE COPY

293