

POOLMASTER, INC.



QUALITY

PRODUCTS

*DISSOLVES INSTANTLY

*CUTS ACID COSTS

~~XXXXXXXXXX~~



ECONOMICAL
~~XXXXXXXXXX~~

*NO SCALE FORMING
MATERIALS

~~XXXXXXXXXX~~

A HIGHLY EFFECTIVE ALGAEICIDE-GERMICIDE
THAT DRASTICALLY REDUCES CHLORINE LOSS
DUE TO SUNLIGHT.

ACCEPTED
JUN 7 - 1968
UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 9610-2. SUBJECT
TO ATTACHED COMMENTS.

18 Point

WARNING:

Poison—Keep out of reach of children. May be fatal if swallowed.
Dry product will irritate eyes. Do not breathe dust. Do not get
on skin or clothing. See other precautions on the back/side panel.



Active ingredients 95% Sodium Dichloro-s-triazinetriane. Inert Material 5%

12 Point type

Made in U.S.A. POOLMASTER, INC., 125 Foothill Road, San Carlos, Ca. Net Wt 10 lbs

POOLMASTER, INC.

QUALITY

PRODUCTS

DISSOLVES INSTANTLY

CUTS ACID COSTS

~~XXXXXXXXXX~~



ECONOMICAL
~~XXXXXXXXXX~~

NO SCALE FORMING
MATERIALS

~~XXXXXXXXXX~~

A NEWLY REFINED DRY CHLORINE
TABLET FORMULATION THAT
DISSOLVES INSTANTLY

ACCEPTED
9610-2
JUN 7 - 1968
FEDERAL BUREAU OF INVESTIGATION
U.S. DEPARTMENT OF JUSTICE
REGISTRATION NO. 9610-2 SUBJECT
EVIDENCE COMMENTS

18 Point

WARNING: Poison—keep out of reach of children. May be fatal if swallowed.
Dry product will irritate eyes. Do not breathe dust. Do not get
on skin or clothing. See other precautions on the back/side panel.
Active ingredients are 1.1% chlorine—trichloroisocyanuric acid.

12 Point type

panel.

DOCUMENT AVAILABLE

DRY CHLORINE

INSTALLATION

For new pools or pools that have been using other filtering is necessary in order to obtain the maximum results.

CONCENTRATING

1. Filter should be clean. As a precautionary operate continuously for at least 8 hours. Do not stop for at least 24 hours.
2. Water should be tested with an accurate test kit. If pH is below 7.4 add Soda Ash, PH Correct. If above 7.6 add Muriatic Acid.
3. Gradually add 2 lbs. of Poolmaster "Prep" filter cleaner. Care should be taken to break up and off the main drain to increase the water flow.
4. Allow one to two hours for total dispersal.
5. Superchlorinate with 3 oz. of Jolt or with 1 lb. of Poolmaster Jolt in 20,000 gallons of water. Caution--never permit chlorine residual to go above 2.0 ppm.
6. Check the chlorine residual the following day. If chlorine residual, repeat the same superchlorination to go below 0.6 ppm at any time.

REGULAR TREATMENT

Simply add 3-5 oz. of Poolmaster Dry Chlorine Concentrate to each 10,000 gallons of water to maintain a 1.0 ppm chlorine residual. 1 oz. of Dry Chlorine Concentrate is equivalent to 1 lb. of Dry Chlorine Concentrate.

BASIC PH

1. Test water regularly with an accurate test kit. If chlorine residual is dry below 1.0 ppm. Test pH. If pH is less than 7.2 ppm. Maintain a 7.2-7.6 pH.
2. Superchlorinate with Poolmaster Jolt or Soda Ash. Temperature is constantly above 70°F.

Because this is a concentrated product, it is a potent irritant. The recommended dilutions are 1:100. Do not take internally. Do not mix with other chemicals. Contact with skin or clothing should be washed immediately with soap and water. Do not breathe fumes. Do not breathe dust. Do not breathe gas. Do not breathe smoke. Do not breathe vapor. Do not breathe mist. Do not breathe spray. Do not breathe aerosol. Do not breathe dust. Do not breathe gas. Do not breathe smoke. Do not breathe vapor. Do not breathe mist. Do not breathe spray. Do not breathe aerosol.