

PM 1

4630 10

143

MAY 21 1992

Laura J. Sydro
Administrative Assistant
Mooney Chemicals, Inc.
2301 Scranton Road
Cleveland, OH 44113

Dear Ms. Sydro:

Subject: M-Gard W550
EPA Registration No. 9630-10
Revised Labels & CSF
Your Application Dated 4/29/92

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. One copy of the finished labeling must be submitted prior to releasing the product for shipment.

Under the Environmental Hazards section, add "This product is toxic to fish. Do not contaminate water when disposing of equipment wash waters."

Move "Contains Petroleum Distillates", below the ingredient statement, as a substatement.

Move "Keep out of reach of children" in close proximity to the signal word, "Caution". The preferred location is immediately above the signal word.

CONCURRENCES

SYMBOL	715052						
SURNAME	C. Reed						
DATE	5/18/92						

Regarding your Confidential Statement of Formula, dated 4/29/92, pursuant to our conversation of 5/18/92, I have noted on the CSF that the CAS number for G-1096 should be stricken, and that no CAS number is currently available as it is proprietary information not available to you from your supplier. Otherwise, the CSI has been corrected in accordance with our letter of 11/13/90.

Sincerely Yours,

JWS
✓ Cynthia Giles-Parker
Product Manager (22)
Fungicide-Herbicide Branch
Registration Division (H7505C)

Enclosure

ACCEPTED
with COMMENTS
In EPA Letter Dated:

5-21-92

Federal Insecticide
and Rodenticide Act
registered for the pesticide
registered under EPA Reg. No. 9630-10

BEST AVAILABLE

CONTROL
NET
TARE
GROSS



**PRECAUTIONARY STATEMENTS
CAUTION**

**M-GARD W550
WOOD PRESERVATIVE**

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Use only with adequate ventilation. Avoid breathing of vapor or spray mist. Combustible. Do not use, pour, spill or store near heat or open flame. Close container after each use.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL
PROHIBITIONS**

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store at temperatures between 50°F and 120°F. If the product has been spoiled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread absorbent, then pick up and place in containers. Then, where applicable, wash the area with detergent and water. Store product in the original container only. Do not store with fertilizers, food or feed. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from use of this product should be disposed of according to state and local regulations. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

ACTIVE INGREDIENT		
Zinc Naphthenate	63.00%	
(Zinc as metal, 82)		
INERT INGREDIENTS	37.00%	
TOTAL	100.00%	
PRODUCT WT/GAL = 8.4 LBS.		

CAUTION

CONTAINS PETROLEUM DISTILLATES
HARMFUL IF SWALLOWED
See other precautionary statements on side panel.

**KEEP OUT OF REACH OF CHILDREN
STATEMENT OF PRACTICAL TREATMENT**

IF SWALLOWED: Do not induce vomiting. CALL PHYSICIAN IMMEDIATELY.
IF INHALED: Remove to fresh air.
IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Flush immediately with water. GET IMMEDIATE MEDICAL ATTENTION.

M-GARD W550 is an naphthenate suitable application to wood impregnation including planking, siding, fence millwork, plywood, etc. flooring and canvas. Material for various precautions. M-GARD deterioration of wood growth. Wood product M-GARD W550 Max. by full cell process. minimum average zinc

For pressure treatment Dilute the M-GARD W water, depending on the of the treating solution results.

For Dipping, Brushing Reduce the M-GARD Maintain good agitation Completely immerse the dip emulsion container for minimal protection coats should be used should be about one When painting over M coatings, the dried wood sealed with shellac.

Fabric and Cordage water. Can be used millow, moic and including rope, twine Material should be air dried before use dipped for complete Intended for food or Not for use on fabric situations.

HEALTH

FLAMMABILITY

REACTIVITY

PERSONAL PROTECTION

EPA REG. NO. 9630-10
EPA EST. NO. 9630-PA-01



TWO MILE RUN RD., FR...