

ACCEPTED
 JAN 4 1988
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 9630-11

S
H
T
I
P

Add
Burlingham

703

CONTROL :
NET :
TARE :
GROSS :

P.O.#

M-GARD WS10
WOOD PRESERVATIVE

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

WOOD PRESERVATION: For the control of fungal rot and decay, mold and mildew, moss, termites, (including Formosan termites) and other wood destroying insects in wood products.
 For the control of fungal rot and decay in wood products, the wood should be sprayed, soaked or dipped, saturating the wood surface.
 M-GARD WS10 is an emulsifiable concentrate of copper naphthenate suitable for dilution and subsequent application to wood by brush, dip, spray or pressure impregnation including landscape logs and structural timbers, planking, siding, fences, greenhouse wood and stakes, millwork, plywood, shingles, structural logs, wood block flooring, non-apparel canvas (e.g. tents, tarpaulin, sails), wire timber, baskets, and lumber for ammunition boxes. Treated wood can be used as a staking material for various food plants with no additional precautions. M-GARD WS10 will significantly reduce the deterioration of wood or canvas by dry rot, wet rot, fungal rot, and mildew growth. Wood products are colored by M-GARD WS10 but oil-borne or water-borne coatings can be applied to treated wood which has dried thoroughly or has been sealed with shellac.

APPLICATION

PRESSURE TREATMENT: For pressure treatment, dilute the M-GARD WS10 with 19 volumes of water. Recirculation of the treating solution should be maintained. Maximum preservation is obtained by full cell pressure treatment, as conducted to obtain an average copper retention of 0.97 pct.
DIP, BRUSH, SPRAY: When treating by DIP, reduce the M-GARD WS10 with 2 volumes of water. Maintain good agitation in the dip emission. Completely immerse for 5 minutes, consuming one pint of emission per cu.ft. of wood. The dip emission containing two volumes of water may also be used for minimum protection by brush, spray treatment. **FOR BRUSH, SPRAY:** Spray or brush until surface is completely wet with repeat applications after the emission has been absorbed by the wood to provide additional penetration.
CANVAS, FOUNDATION TIMBERS: For canvas dip, soak, or spray until fabric is completely wet. For foundation timbers and other wood products involving ground contact, wood should be free of bark and soaked until sapwood is completely penetrated. Dilution ratios are fixed to meet Federal Specifications. If no Federal Specification is involved, the recommended dilution level is 1-2Z copper.

ALWAYS ADD M-GARD TO WATER.

UNFAILING INTEGRITY - QUALITY - DELIVERY



MOONEY CHEMICALS, INC.

OM GROUP, INC.
 Outokumpu Chemical Oy
 Mooney Chemicals, Inc.
 Vasset S.A.

TWO MILE RUN RD., FRANKLIN
 VENANGO COUNTY, PA 16323 - 814-432-2125

OMG-WS10 11-13-86.6 (App. 05-12-92)

PRECAUTIONARY STATEMENTS
 HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes substantial but temporary eye injury and skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, skin, or clothing. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water, to areas where water is present, or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Apply this product only as specified on the label. Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container after each use.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide, spray mixture or residue that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL

Consult local, state or local disposal authorities for approved incineration procedures.

ACTIVE INGREDIENT:
 Copper Naphthenate 58.00%
 (Copper, as metal, 6%)
INERT INGREDIENTS 42.00%
TOTAL 100.00%
 CONTAINS PETROLEUM DISTILLATES
 PRODUCT WT/GAL = 8.3 LBS.
 COVERAGE: One gallon covers 100 square feet.

See other precautionary statements on side panel.

HARMFUL IF SWALLOWED
KEEP OUT OF REACH OF CHILDREN
WARNING

STATEMENT OF PRACTICAL TREATMENT
IF IN EYES: Hold eyes open and flush with steady gentle stream of water for 15 minutes.
IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin mixture, or, if these are not available, large quantities of water. Avoid alcohol. Do not induce vomiting as it may cause respiration pneumonia.
IF ON SKIN: Wash with plenty of soap and water. GET MEDICAL ATTENTION

HEALTH	1
FLAMMABILITY	2
REACTIVITY	3
PERSONAL PROTECTION	B

EPA Reg. No. 9630-11
 EPA Est. No. 9630-PA-01

BEST AVAILABLE COPY