

PM 22

9630-15

1073

DEC 29 1992

Laura J. Sydro
Mooney Chemicals, Inc.
2301 Scranton Road
Cleveland, OH 44113

Dear Ms. Sydro:

Subject: Amendment - Addition of Formosan Termites
and Acute Inhalation Study
M-Gard S540
EPA Registration No 9630-15 ✓
Your Submissions Dated December 2, 1992

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you:

1. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:

- Reinstate the following statements:

Coverage: 100 - 300 sq. ft. /Gal. - depending on porosity and method of application.

2. Submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

The acute inhalation study has been routed for review by Precautionary Review Section / Registration Support Branch. Further comment awaits completion of that review.

2073

-2-

Please note that we did not review the labeling for the additional brand names since the label text must be identical to the basic registration except for the brand name.

Sincerely yours,

151

Cynthia Giles-Parker
Product Manger (22)
Fungicide Herbicide Branch
Registration Division (H7505C)

Enclosure

ACCEPTED
with COMMENTS
In EPA Letter Dated:

BEST AVAILABLE COPY

DEC 29 1992

725

CONTR
NET
TARE
GROSS

S
H
T
I
O

Under the Federal Insecticide
Fungicide, and Rodenticide Act
extended, for the pesticide
registered under EPA Reg. No.

P.O.#

9630-15

M GARD™ S540 WOOD PRESERVATIVE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes skin irritation. Do not get on skin or clothing. Harmful if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Apply this product only as specified on the label. Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container after each use.

STORAGE AND DISPOSAL

Store at temperatures between 0 F and 100 F. If the product has been spilled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread absorbent, then pick up and place in containers. Then, where applicable, wash area with detergent and water. Store product in the original container only. Keep container when not in use. Do not use empty container. Wrap container and put into trash collection.

ACTIVE INGREDIENT:

Copper Naphthenate 19.25%
(Copper, as metal, 22)

INERT INGREDIENTS 80.75%
TOTAL 100.00%
CONTAINS PETROLEUM DISTILLATES
PRODUCT WT/GAL 6.9 LBS.

See other precautionary statements on side panel.

HARMFUL IF SWALLOWED

KEEP OUT OF REACH OF CHILDREN

WARNING

COMBUSTIBLE

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Hold eyes open and flush with steady gentle stream of water for 15 minutes.
IF SWALLOWED: Drink promptly a large quantity of milk, egg white, gelatin mixture, or, if these are not available, large quantities of water. Avoid alcohol. Do not induce vomiting as it may cause respiration pneumonia.
IF ON SKIN: Wash with plenty of soap and water. Get medical attention.

DIRECTIONS

IT IS A VIOLATION OF

IN A MANNER INCON

N-CARD S540 WOOD PRESERVATIVE FOR

WATER INCLUDING FOUNDATIONS-SILLS

N-CARD S540 is only intended for

feed contact surfaces. Do not con

N-CARD S540 Wood Preservative pro

on any natural wood surface. This

insecticide will preserve, protect

with soil, water or concrete.

The copper fungicide gives a green

product is not intended for use a

few months when exposed to sunlig

over N-CARD S540 Wood Preservati

through lighter colors. Do not oc

latex paint or clear finishes over

Wood should be clean, dry, mill s

A

N-CARD S540 Wood Preservative sh

or dipping in a container.

Dipping wood should be dipped 3

poles, foundations timbers and h

product for 12 to 48 hours.

Do not thin - Materials supplied

on materials to be finished with

apply two liberal coats within t

preservative absorbed by the wood

period. Clean painting equipment

N

Do not apply over painted or var

WOOD PRESERVATION: For the control

termites, (including Formosan term

products

CMG
MOONEY CHEMICALS
CMC-5540 11-12-86.6 (11-23)

HEALTH

1

FLAMMABILITY

2

REACTIVITY

0

PERSONAL PROTECTION

B

EPA Reg. No. 9630-15
EPA Est. No. 9630-PA-01

Correct: 10