PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

FIRST AID PROCEDURE

Harmful if swallowed or absorbed through skin. Avoid contact with eyes, on skin or on clothing. Wash thoroughly after handling.

IF SWALLOWED, Do not induce vomiting, CALL PHYSICIAN IMMEDIATELY. - IF ABSORBED THROUGH SKIN, Wash thoroughly with soap and water. - IF IN EYES, Flush with plenty of water and get immediate medical attention. - CONTAM-INATED CLOTHING should be removed and washed thoroughly before reusing.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS

Use only with adequate ventilation. Close COntainer after each use:

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not use empty container. Wrap container and put into trash collection

INSECT CONTROL CLAIMS

Protects wood against attack by termites.

FUNGICIDAL ACTIVITY

Protects and preserves wood against mold, mildew, rot, wood destroying fungi and mildew stain.

NOTES TO USER

Do not apply over painted or varnished surfaces. Do not apply over bark

Do not use on wood intended for food, feed, potable water, livestock or dairy animals contact surfaces.

May injure living plants during application. Cover plants to protect against direct contact.

2% ZINC HYDRO-NĂP

ACTIVE INGREDIENT:		
Zinc naphthenate*	. 15.7%	
INERT INGREDIENTS		
TOTAL	. 100.0%	
* (Equivalent to 2% Zinc Metal)		

PRODUCT WEIGHT PER GALLON - 8.3 LBS.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See other precautionary statements on back canel.

MOONEY CHEMICALS, INC.

2301 Scranton Road Cleveland, Ohio 44113

> EPA Reg. No. 9630-RI EPA Est. No. 9630-PA-01

ONE U.S. GALLON APR

NET

(3.785 LITERS) der the Federal Insecticide. Fungicide, and Rodenticide Act, as amunded, for the pesticide

** APPLICATION SITE

Can be used to preserve both interior and exterior wood. Interfor use is only needed when wood is subject to frequent or prolonged wetting (e.g. condensation or rain seepage.) Can be used for above ground, pround contact and below ground uses. Below ground or ground contact use requires a minimum 5 minute dig. For eventium emprotection, dip for one hour. Wood to be treated should be dry and well seasoned. Fence posts must have bark removed. For fence posts, finished timbers to be burled in soil, Immersion for 12-48 hours provides long term protection (pine species may be adequately penetrated in 6-8 hours). Cut timbers should be immersed 15-30 minutes per inch of thickness, except in case of pine species which absorbs the preservative at a faster rate. For above ground use, apply two brush coats or dip for 3 minutes per inch of thickness. All wood should be treated after all cuts are made and before use in the structure.

PROTECT PRODUCT FROM FREEZING

FABRIC AND CORDAGE PROTECTION

Can be used in protect and preserve fabric against mildew, mold and labric destroying and staining fungus, including rope, fish net, twine, canvas, burlap and other fabrics. Materials should be thoroughly saturated until wet and air dried before use. Material can be either sprayed or dipped for complete saturation. Treats approximately 75 square feet of fabric per gallon. Do not use on fabric intended for food or feed contact surfaces or clothing. Not for use on fabric or cordage in ground contact situations.

WOOD PRESERVATIVE USES

Protects the following types of wood: shingles, millwork, windows, outdoor furniture, docks, piers, posts, pilings, block flooring, staking material, decks, spars, house siding. Protects wood in all the above applications including nursery lumber, slats, and beenive crates.

PHYSICAL PROTECTION

nhibits warping, shrinking, swelling, checking, ACCEPTED acking, water marking of the wood. Can be painted a ter drying for 24 hours. For wood containing resins and other materials weathering will enhance paint adhesion. This colorless product offers a penetralina funcicide which will not bloom.

COVERAGE

100-300 square feet - depending on porosity of who and method of application.