


(A)  United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20460

Application for Pesticide: Registration Amendment Other

OPP Identifier Number: 166293

Section I

1. Company/Product Number 9630-4, 5, 6, 7, 8, 10, 11, 12, 15, 16, 17, 18, 21, 22	2. EPA Product Manager C. Giles-Parker	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) OMG AMERICAS, INC. (MOONEY CHEMICALS)	PM#	
5. Name and Address of Applicant (Include ZIP Code) OMG Americas, Inc. 2301 Scranton Road Cleveland, OH 44113 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

NOTIFICATION
AUG 5 1996

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Our company has officially changed its name from Mooney Chemicals, Inc. to OMG Americas, Inc. In addition, we have added the "Effluent Discharge Statement" to all our labels.

NOTIFICATION

Section III

1. Material This Product Will Be Packaged in:

Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted. If "Yes," Unit Package wgt. No. per container		If "Yes," Package wgt. No. per container	

3. Location of Net Contents Information
 Label Container

4. Size(s) of Retail Container

5. Location of Label Directions
 On Label
 On Labeling accompanying product

6. Manner in Which Label is Affixed To Product
 Lithograph
 Paper glued
 Stenciled
 Other (_____)


Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)

Name Laura J. Sydro	Title Product Compliance Specialist	Telephone No. (Include Area Code) 216-575-3679
------------------------	--	---

Certification

I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.

2. Signature 	3. Title Product compliance Specialist	6. Date Application Received (Stamped)
4. Typed Name Laura J. Sydro	5. Date 6/26/96	

S
H
I
P

769

CONTROL
NET
TARE
GROSS

P.O.#

NOTIFICATION
AUG 15 1996



M-GARDTM 5552J WOOD PRESERVATIVE WATER REPELLANT

KEEP OUT OF REACH OF CHILDREN
CAUTION
STATEMENT OF PRACTICAL TREATMENT
IF SWALLOWED: Do not induce vomiting. GET MEDICAL ATTENTION.
IF INHALED: Remove to fresh air.
IF ON SKIN: Wash with soap and plenty of water.
IF IN EYES: Flush immediately with water.

PRECAUTIONARY STATEMENTS
CAUTION
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Use only with adequate ventilation. Avoid breathing of vapor or spray mist.
ENVIRONMENTAL HAZARDS
This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.
PHYSICAL OR CHEMICAL HAZARDS
Apply this product only as specified on the label.
Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container after each use.

EFFLUENT DISCHARGE STATEMENT
Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACTIVE INGREDIENT:
Zinc Naphthenate 63.00%
(Zinc, as metal, 87%)
INERT INGREDIENTS 37.00%
TOTAL 100.00%
PRODUCT WT/GAL 7.8 LBS.

HARMFUL IF SWALLOWED
IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING.

EPA Reg. No. 9630-21
EPA Est. No. 9630-PA-01

STORAGE AND DISPOSAL
PROHIBITIONS
Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
PESTICIDE DISPOSAL
Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities.
CONTAINER DISPOSAL
Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.
GENERAL
Consult federal, state or local disposal authorities for approved alternative procedures.
STORAGE
Store between 50 F and 120 F. Store in original container only. Keep container closed when not in use.

DIRECTIONS
M-GARD 5552J is a concentrate of various solvents and subsequent treated is intended for exterior plywood, poles, siding, staking. Application can be by brush, dip. Treatment are recommended for gr against attack by dry rot. Wet be applied over treated surfaces.
Do not use on wood intended for animal contact services.
DIRECTIONS FOR
For dip treatment, reduce M-GARD solvent (i.e. mineral spirits, M conditions. For above ground use For below ground, 5 minutes per call, dilute M-GARD 5552J with 3 average zinc retention of 0.09 p recommended for above ground use sufficient if treatment is to be



Please read Instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 11-30-93

(A) 	United States Environmental Protection Agency Office of Pesticide Programs (H7505C) Washington, DC 20460 Application for Pesticide:	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number <div style="font-size: 24pt; text-align: center;">166293</div>
----------------	---	---	---

Section I

1. Company/Product Number 9630-4, 5, 6, 7, 8, 10, 11, 12, 15, 16, 17, 19, 21, 22	2. EPA Product Manager C. Giles-Parker	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) 24, 26, 27, 28, 29, 30, 31 32, 34 OMG AMERICAS, INC. (MOONEY CHEMICALS)	PM#	
5. Name and Address of Applicant (Include ZIP Code) OMG Americas, Inc. 2301 Scranton Road Cleveland, OH 44113 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below <input type="checkbox"/> Resubmission in response to Agency letter dated _____ <input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____ <input type="checkbox"/> "Me Too" Application. <input type="checkbox"/> Other - explain below.
---	---

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Our company has officially changed its name from Mooney Chemicals, Inc. to OMG Americas, Inc. In addition, we have added the "Effluent Discharge **NOTIFICATION**" to all our labels.

NOTIFICATION

AUG 15 1996

Section III

1. Material This Product Will Be Packaged In:					
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____		
* Certification must be submitted.		If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Other (_____) <input type="checkbox"/> Stenciled					

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Laura J. Sydro	Title Product Compliance Specialist	Telephone No. (Include Area Code) 216-575-3679
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Product compliance Specialist	(Stamp area)
4. Typed Name Laura J. Sydro	5. Date 6/26/96	


SHIP

757

CONTROL
NET
TARE
GROSS

P.O.#

NOTIFICATION
15-199



WOOD PRESERVATIVE WATER REPELLANT

M-GARD S552

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. GET MEDICAL ATTENTION.
 IF INHALED: Remove to fresh air.
 IF ON SKIN: Wash with soap and plenty of water.
 IF IN EYES: Flush immediately with water.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Use only with adequate ventilation. Avoid breathing of vapor or spray mist.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Apply this product only as specified on the label. Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container after each use.

EFFLUENT DISCHARGE STATEMENT

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACTIVE INGREDIENT:	
Zinc Naphthenate	63.00%
(Zinc as metal, 8%)	
INERT INGREDIENTS	37.00%
TOTAL	100.00%
PRODUCT WT/GAL 8.0 LBS.	

HARMFUL IF SWALLOWED

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

EPA Reg. No. 9630-21
 EPA Est. No. 9630-PA-01

STORAGE AND DISPOSAL

PROHIBITIONS

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures.

STORAGE

Store between 50 F and 120 F. Store in original container only. Keep container closed when not in use.

DIRECT:
 M-GARD S552 is a concentrate of zinc various solvents and subsequent application treated is intended for exterior use plywood, poles, siding, staking material. Application can be by brush, dip or spray. Treatment are recommended for ground against attack by dry rot, wet rot, and fungi. Apply over treated surfaces.

NOTE

Do not use on wood intended for food, animal contact services.

DIRECTIONS FOR USE

For dip treatment, reduce M-GARD S552 solvent (i.e. mineral spirits, mineral conditions. For above ground use, immerse. For below ground, 5 minutes per inch cell, dilute M-GARD S552 with 39 volume average zinc retention of 0.09 pcf. For recommended for above ground use if not sufficient if treatment is to be topcoated.



S
H
I
P

751

CONTROL
NET
TARE
GROSS

P.O.#

NOTIFICATION
MAY 15 1986



M-GARDTM S550 WOOD PRESERVATIVE

KEEP OUT OF REACH OF CHILDREN**CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. GET MEDICAL ATTENTION.
IF INHALED: Remove to fresh air.
IF ON SKIN: Wash with soap and plenty of water.
IF IN EYES: Flush immediately with water.

**PRECAUTIONARY STATEMENTS
CAUTION**

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Use only with adequate ventilation. Avoid breathing of vapor or spray mist.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Apply this product only as specified on the label.
Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container after each use.

EFFLUENT DISCHARGE STATEMENT

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACTIVE INGREDIENT:
Zinc Naphthenate 63.00%
(Zinc, as metal, 8%)
INERT INGREDIENTS 37.00%
TOTAL 100.00%
PRODUCT WT/GAL 8.0 LBS.

HARMFUL IF SWALLOWED

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING.

EPA Reg. No. 9630-21
EPA Est. No. 9630-PA-01

STORAGE AND DISPOSAL**PROHIBITIONS**

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

PESTICIDE DISPOSAL

Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local disposal authorities.

CONTAINER DISPOSAL

Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL

Consult federal, state or local disposal authorities for approved alternative procedures.

STORAGE

Store between 0 F and 120 F. Store in original container only. Keep container closed when not in use.

DIRECTIONS FOR USE

M-GARD S550 is a concentrate of zinc naphthenate suitable for dilution with various solvents and subsequent application on wood as preservative. Wood to be treated is intended for exterior use - logs, lumber, timber, fences, millwork, plywood, poles, siding, staking material and nursery lumber. Application can be by brush, dip or pressure impregnation. Dip and pressure treatment are recommended for ground contact use. M-GARD S550 will protect wood against attack by dry rot, wet rot, fungal rot, mildew and termites. Paint can be applied over treated surfaces.

NOTE TO USER

Do not use on wood intended for food, feed, potable water, livestock or dairy animal contact services.

DIRECTIONS FOR USE - WOOD PRESERVATION

For dip treatment, reduce M-GARD S550 with between 1 2/3 - 3 parts by weight with solvent (i.e. mineral spirits, mineral oil, fuel oil) depending on severity of conditions. For above ground use, immerse wood 1-3 minutes per inch of thickness. For below ground, 5 minutes per inch of thickness. For pressure treatment by full cell, dilute M-GARD S550 with 39 volumes of a recommended solvent. Obtain an average zinc retention of 0.09 pcf. For brush treatment, 2 liberal coats is recommended for above ground use if no topcoat is to be applied. One coat is sufficient if treatment is to be topcoated.



TWO MILE RUN RD., FRANKLIN
WENANGO COUNTY, PA 16323 • 814-432-2125