



United States Environmental Protection Agency  
Office of Pesticide Programs (H7505C)  
Washington, DC 20460

Application for Pesticide:

Registration  
 Amendment  
 Other

OPP Identifier Number

166293

PM-22 Reg # 9630-31 Section I

1. Company/Product Number 9630-4,5,6,7,8,10,11,12,15,16,17,19,21,22	2. EPA Product Manager C. Giles-Parker	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) OMG AMERICAS, INC. (MOONEY CHEMICALS)	PM#	
5. Name and Address of Applicant (Include ZIP Code) OMG Americas, Inc. 2301 Scranton Road Cleveland, OH 44113 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

193

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Our company has officially changed its name from Mooney Chemicals, Inc. to OMG Americas, Inc. In addition, we have added the "Effluent Discharge Statement" to all our labels.

NOTIFICATION

AUG 15 1996

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
* Certification must be submitted.	If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other ( _____ )		

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Laura J. Sydro		Title Product Compliance Specialist		Telephone No. (Include Area Code) 216-575-3679	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.					6. Date Application Received (Stamped)
2. Signature <i>Laura J. Sydro</i>		3. Title Product compliance Specialist			
4. Typed Name Laura J. Sydro		5. Date 6/26/96			

293



701

CONTROL NET TARE GROSS

P.D.#

NOTIFICATION

AVG 1519CF



# WOOD PRESERVATIVE

# DIRECTION

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**WARNING**

Causes substantial but temporary eye injury and skin irritation. Harmful if swallowed or absorbed through skin. Do not get in eyes, skin, or clothing, wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or repeated skin contact may cause allergic reactions in some individuals.

**ENVIRONMENTAL HAZARDS**  
 This product is toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

**PHYSICAL OR CHEMICAL HAZARDS**  
 Combustible; do not use, pour, spill or store near heat or open flame. Close container after each use.

**STORAGE AND DISPOSAL PROHIBITIONS**  
 Do not contaminate water, food or feed by storage or disposal. Pesticide disposal: Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local authorities.

**CONTAINER DISPOSAL**  
 Triple rinse (or equivalent), then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

**GENERAL**  
 Consult federal, state or local disposal authorities for approved alternative procedures.

**STORAGE**  
 Store at temperatures between 0 F and 120 F. Store in original container only. Keep container closed when not in use.

**ACTIVE INGREDIENT:** 67.00%  
 Copper Naphthenate  
 (Copper, as Metal, 8%)

**INERT INGREDIENTS:** 33.00%  
**TOTAL** 100.00%

CONTAINS PETROLEUM DISTILLATES  
 PRODUCT WT/GAL = 8.2 LBS.

IT IS A VIOLATION OF FEDE IN A MANNER INCONSIS

**WOOD PRESERVATION:** For the control of fu termites, (including Formosan termites) products including poles, lumber, timber foundation sills, docks, boats, utility bridge timbers, landscape timbers, cross be used to provide protection for wood i M-GARD can be used in the formulation o Maximum wood treatment and preservation obtain a minimum average copper retention exposure and 0.06 pcf for soil contact. applied to the wood by brushing, spraying soak the wood products for a minimum of 3 greater absorption of the preservative c limited penetration of these superficial to field maintenance applications, or fo only, unless the wood product is thin or penetration. Do not apply over bark.

**WOOD PREPARATION:** Wood should be clean, Application of M-GARD S510 to wood which such as paint or varnish will provide li

**TREATING SOLUTIONS:** M-GARD S510 should be usually in a hydrocarbon or petroleum so soluble in all hydrocarbon solvents, such and fuel oils. The mixture of solvent and use to provide a homogeneous solution. Th spraying is typically one gallon per 100- treatments, a 8% to 17% by weight solutio be used. For brushing, spraying or dipping M-GARD S510 in the solvent should be used 11.5 parts of solvent with one part of M- of solvent per part of M-GARD S510, and a per part of M-GARD S510.

See other precautionary statements on side panel.

**HARMFUL IF SWALLOWED**  
**KEEP OUT OF REACH OF CHILDREN**  
**WARNING**

**STATEMENT OF PRACTICAL TREATMENT**

**IF IN EYES:** Hold eyes open and flush with steady gentle stream of water for 15 minutes.

**IF SWALLOWED:** Drink promptly a large quantity of milk, egg whites, gelatin mixture, or, if these are not available, large quantities of water. Avoid alcohol. Do not induce vomit- ing as it may cause respiration pneumonia.

**IF ON SKIN:** Wash with plenty of soap and water.  
**GET MEDICAL ATTENTION**

### EFFLUENT DISCHARGE STATEMENT

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

EPA Reg. No. 9630-31  
 EPA Reg. No. 9630-31-01



373

701

CONTROL  
NET  
TARE  
GROSS

NOTIFICATION:

AUG 15 1994

P. O. #



# WOOD PRESERVATIVE

**STATEMENTS**  
**DOMESTIC ANIMALS**  
**ING**

injury and skin irritation.  
 through skin. Do not get in eyes,  
 eye shield, or safety glasses.  
 after handling. Remove  
 reuse. Prolonged or repeated  
 actions in some individuals.

**HAZARDS**  
 not contaminate water when  
 Do not apply directly to water,  
 sment, or to intertidal areas

**MICAL HAZARDS**  
 ll or store near heat or open  
 use.

**DISPOSAL**  
**TIONS**  
 eed by storage or disposal.  
**DISPOSAL**  
 e that cannot be used or chemi-  
 of according to procedures  
 authorities.

**DISPOSAL**  
 offer for recycling or recon-  
 f in a sanitary landfill, or by  
 and local authorities.

**RAL**  
 disposal authorities for approved

**AGE**  
 and 120 F. Store in original  
 ed when not in use.

**ARGE STATEMENT**

this product into lakes, streams,  
 waters unless in accordance with  
 pollutant Discharge Elimination  
 permitting authority has been  
 ge. Do not discharge effluent  
 systems without previously  
 plant authority. For guidance  
 gional Office of the EPA.

ACTIVE INGREDIENT:	67.00%
Copper Naphthenate	
(Copper, as Metal, 8%)	
INERT INGREDIENTS:	33.00%
TOTAL	100.00%
CONTAINS PETROLEUM DISTILLATES	
PRODUCT WT/GAL = 8.2 LBS.	

See other precautionary statements on side panel.

**HARMFUL IF SWALLOWED**  
**KEEP OUT OF REACH OF CHILDREN**  
**WARNING**

**STATEMENT OF PRACTICAL TREATMENT**

**IF IN EYES:** Hold eyes open and flush with steady gentle stream of water for 15 minutes.

**IF SWALLOWED:** Drink promptly a large quantity of milk, egg whites, gelatin mixture, or, if these are not available, large quantities of water. Avoid alcohol. Do not induce vomiting as it may cause respiration pneumonia.

**IF ON SKIN:** Wash with plenty of soap and water.  
**GET MEDICAL ATTENTION**

## DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

**WOOD PRESERVATION:** For the control of fungal rot and decay, mold and mildew, moss, termites, (including Formosan termites) and other wood destroying insects in wood products including poles, lumber, timbers, fencing, ties, posts and pilings, foundation sills, docks, boats, utility poles, structural timbers, mine timbers, bridge timbers, landscape timbers, cross-ties, stakes and flooring. M-GARD S510 may be used to provide protection for wood in contact with soil, concrete, or water. M-GARD can be used in the formulation of groundline maintenance preservatives. Maximum wood treatment and preservation are achieved by pressure treatment to obtain a minimum average copper retention in the wood of 0.04 pcf for above-ground exposure and 0.06 pcf for soil contact. Alternatively, M-GARD S510 can be applied to the wood by brushing, spraying or dipping. For dipping applications, soak the wood products for a minimum of 3 minutes. Longer soak periods may provide greater absorption of the preservative chemical into the wood. Because of the limited penetration of these superficial application method they should be limited to field maintenance applications, or for wood to be used for above-ground exposure only, unless the wood product is thin or small enough to permit complete penetration. Do not apply over bark.

**WOOD PREPARATION:** Wood should be clean, dry, well seasoned, and free of bark. Application of M-GARD S510 to wood which has been previously treated with a coating such as paint or varnish will provide limited or no penetration and protection.

**TREATING SOLUTIONS:** M-GARD S510 should be diluted before application to wood, usually in a hydrocarbon or petroleum solvent. M-GARD S510 is completely soluble in all hydrocarbon solvents, such as naphtha, mineral spirits, kerosene and fuel oils. The mixture of solvent and M-GARD S510 should be agitated before use to provide a homogeneous solution. The rate of coverage for brushing and spraying is typically one gallon per 100-200 sq. ft. Typically for pressure treatments, a 8% to 17% by weight solution of M-GARD S510 in the solvent should be used. For brushing, spraying or dipping, a 17% to 33% by weight solution of M-GARD S510 in the solvent should be used. NOTE: An 8% solution is made by mixing 11.5 parts of solvent with one part of M-GARD S510. A 17% solution is 4.9 parts of solvent per part of M-GARD S510, and a 33% solution is two parts of solvent per part of M-GARD S510.

UNFAILING INTEGRITY - QUALITY - DELIVERY



TWO MILE RUN RD., FRANKLIN  
VENANGO COUNTY, PA 16323 - 814-432-2125

EPA Reg. No. 9630-31  
EPA Est. No. 9630-PA-01