

ACCEPTED
 FEB 16 1992
 Under the Federal Insecticide,
 Fungicide and Rodenticide Act,
 this pesticide is registered under
 EPA Reg. No. 9630-32

BEST AVAILABLE COPY

ST
 I
 O

5500 CONTROL
 NET TARE
 GROSS

P.O.#

W GARD 5500

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
WARNING

Caution: All treatments are not for use on plants or animals. Avoid contact with skin, eyes, nose, mouth, or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARD
 This product is toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS
 Combustible: Do not use, pour, spill or store near heat or open flame. Close container after each use.

DIRECTIONS FOR USE - STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Store at temperatures between 20 F and 100 F. If the product has been spilled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread absorbent, then pick up and place in containers. Then, where applicable, wash the area with detergent and water. Store product in the original container only. Do not store with fertilizers, food and feed. Keep containers closed when not in use.

PESTICIDE DISPOSAL: Pesticides, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local authorities.

INDUSTRIAL CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONSUMER CONTAINER DISPOSAL: Do not use empty container. Securely wrap original container in several layers of newspaper and discard in trash.

HEALTH

FLAMMABILITY

REACTIVITY

PERSONAL PROTECTION

WOOD PRESERVATIVE

ACTIVE INGREDIENT: 10.00%
 Copper Naphthenate
 (Copper, as Metal, 12)
INERT INGREDIENTS: 90.00%
TOTAL: 100.00%
 CONTAINS PETROLEUM DISTILLATES
 PRODUCT WT/GAL 8.7 LBS.

PROTECTS AGAINST WOOD ROT, TERMITE DAMAGE, MILDEW AND MOISTURE

See other precautionary statements on side panel.

HARMFUL IF SWALLOWED
KEEP OUT OF REACH OF CHILDREN
WARNING
COMBUSTIBLE

STATEMENT OF PRACTICAL TREATMENT
IF IN EYES: Hold eyes open and flush with steady gentle stream of water for 15 minutes.
IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin mixture, or, if these are not available, large quantities of water. Avoid alcohol. Do not induce vomiting as it may cause respiration pneumonia. Wash with plenty of soap and water.
IF ON SKIN: Wash with plenty of soap and water. GET MEDICAL ATTENTION

EPA Reg. No. 9630-32
 EPA Est. No. 9630-PA-01

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

W-GARD 5500 is a copper naphthenate based preservative for use at its existing concentration for brush, dip, spray or pressure treating applications. **W-GARD 5500** protects wood against wood destroying fungi, wet rot, dry rot, decay, mildew, mold, moss, and attack by termites. Wood to be treated is intended for interior and exterior use - logs, lumber, fenceposts, landscape timbers, structural timbers, shakes, shingles, siding, decks, docks, piers, pilings, boats, utility poles, staking materials, and nursery lumber. Dip and pressure treatment are recommended for ground contact. **W-GARD 5500** imparts a green cast. It is not intended as a stain. The green color will fade upon weathering. Do not top coat until the treatment has weathered.

APPLICATION
FOR DIP, BRUSH OR SPRAY TREATMENT: Use at this existing concentration. For above ground, immerse wood 1-3 minutes per inch of thickness or apply one or two liberal brush or spray coats. For below ground use, immerse at 15 minutes per inch of thickness.

PRESSURE TREATMENT: By full or empty cell processes or vacuum treatment, use at existing concentration or dilute with light petroleum solvent to obtain an average copper retention of 0.04 - 0.08 pcf in the wood by pressure treatment.

NOTE TO USER
 Do not use on wood intended for food, feed, potable water, livestock or dairy animal contact surfaces. Wood should be dry, clean, well seasoned and free of bark. Do not apply on painted or varnished surfaces.

COVERAGE
 One gallon covers 100-300 sq. ft. depending upon porosity of wood.

(including Formosan termites)



MOONEY CHEMICALS, INC.
 UNFALING INTEGRITY - QUALITY - DELIVERY
 OM GROUP, INC.
 Outokumpu Chemical Oy
 Mooney Chemicals, Inc.
 Vassett S.A.
 TWO MILE RUN RD., FRANKLIN
 VENANGO COUNTY, PA 16323 • 814-432-2123
 WGC 5500 03-15-87.2 App. 05-11-92