



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

166293

PM-22 Reg # 9630-32 Section I 103

1. Company/Product Number 9630-4, 5, 6, 7, 8, 10, 11, 12, 15, 16, 17, 19, 21, 22	2. EPA Product Manager C. Giles-Parker	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) 24, 26, 27, 28, 29, 30, 31 OMG AMERICAS, INC. (MOONEY CHEMICALS)	PM#	
5. Name and Address of Applicant (Include ZIP Code) OMG Americas, Inc. 2301 Scranton Road Cleveland, OH 44113 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Our company has officially changed its name from Mooney Chemicals, Inc. to OMG Americas, Inc. In addition, we have added the "Effluent Discharge Statement" to all our labels.

NOTIFICATION

NOTIFICATION

AUG 15 1996

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Metal Plastic Glass Paper Other (Specify) _____		
* Certification must be submitted.		If "Yes," Unit Package wgt. No. per container	If "Yes," Package wgt. No. per container		
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled			<input type="checkbox"/> Other (_____)		

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Laura J. Sydro	Title Product Compliance Specialist	Telephone No. (Include Area Code) 216-575-3679
2. Signature <i>Laura J. Sydro</i>		6. Date Application Received (Stamped)
3. Title Product compliance Specialist		
4. Typed Name Laura J. Sydro		
5. Date 6/26/96		

SHIP

5500

CONTROL
NET
TARE
GROSS

P.O.#



GARD™ 5500

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

WARNING

Causes skin irritation. Do not get on skin or clothing. Harmful if swallowed or absorbed through skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARD

This product is toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Combustible: Do not use, pour, spill or store near heat or open flame. Close container after each use.

DIRECTIONS FOR USE - STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store at temperatures between 20 F and 100 F. If the product has been spilled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread absorbent. Then pick up and place in containers. Then, where applicable, wash the area with detergent and water. Store product in the original container only. Do not store with fertilizers, food and feed. Keep containers closed when not in use.

PESTICIDE DISPOSAL: Pesticides, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local authorities. INDUSTRIAL CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CONSUMER CONTAINER DISPOSAL: Do not use empty container. Securely wrap original container in several layers of newspaper and discard in trash.

EFFLUENT DISCHARGE STATEMENT

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

WOOD PRESERVATIVE

ACTIVE INGREDIENT: 10.00%
Copper Naphthenate
(Copper, as Metal, 1%)
INERT INGREDIENTS: 90.00%
TOTAL 100.00%
CONTAINS PETROLEUM DISTILLATES
PRODUCT WT/GAL 8.7 LBS.

PROTECTS AGAINST WOOD ROT, TERMITE
DAMAGE, MILDEW AND MOISTURE

See other precautionary statements on side panel.

**HARMFUL IF SWALLOWED
KEEP OUT OF REACH OF CHILDREN
WARNING
COMBUSTIBLE**

STATEMENT OF PRACTICAL TREATMENT
IF IN EYES: Hold eyes open and flush with steady gentle stream of water for 15 minutes.
IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin mixture, or, if these are not available, large quantities of water. Avoid alcohol. Do not induce vomiting as it may cause respiration pneumonia.
IF ON SKIN: Wash with plenty of soap and water. GET MEDICAL ATTENTION

DIRECTION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH THE LABEL DIRECTIONS.

M-GARD 5500 is a copper naphthenate based concentration for brush, dip, spray or pre-treatment. It protects wood against wood destroying fungi, mold, moss, and attack by termites (including subterranean termites). The treatment is intended for exterior use - on structural timbers, shakes, shingles, siding, utility poles, staking materials, and wood are recommended for ground contact. M-GARD is intended as a stain. The green color will fade until the treatment has weathered.

APPLICATION

FOR DIP, BRUSH OR SPRAY TREATMENT: Use at ground, immerse wood 1-3 minutes per inch brush or spray coats. For below ground use, thickness.

PRESSURE TREATMENT: By full or empty cell existing concentration or dilute with liquid copper retention of 0.04 - 0.08 pcf in the wood.

NOTE TO USER

Do not use on wood intended for food, feed or animal contact surfaces. Wood should be dry. Do not apply on painted or varnished surfaces.

One gallon covers 100-300 sq. ft. depends on wood condition.



EPA Reg. No. 9630-39
EPA Est. No. 9630-PA-01

393

5500

CONTROL
NET
TARE
GROSS

P. O. #



GARD™ 5500

WOOD PRESERVATIVE

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING.

WARNING

HARMFUL IF
get on skin or clothing. Harmful if
skin. Wash thoroughly with soap and
contaminated clothing and wash before
ly repeated skin contact may cause
individuals.
NTAL HAZARD
Do not contaminate water wh
ers. Do not apply directly to water
is present, or to intertidal areas.
K.

CHEMICAL HAZARDS
spill or store near heat or open
each use.
- STORAGE AND DISPOSAL
d or feed by storage or disposal.
between 20 F and 100 F. If the prod-
making, remove the source of the spill
Spread absorbant, then pick up and
ere applicable, wash the area with
duct in the original container only.
Food and feed. Keep containers

o, spray mixture or rinse that can-
processed should be disposed of accord-
federal, state or local authorities.
Triple rinse (or equivalent). Then
tioning or puncture and dispose of in
er procedures approved by state and

o not use empty container. Securely
eral layers of newspaper and discard

DISCHARGE STATEMENT

aining this product into lakes, streams,
her waters unless in accordance with
nal Pollutant Discharge Elimination
d the permitting authority has been
ischarge. Do not discharge effluent
sewer systems without previously
atment plant authority. For guidance
for Regional Office of the EPA.

ACTIVE INGREDIENT:	10.00%
Copper Naphthenate (Copper, as Metal, 1X)	
INERT INGREDIENTS:	90.00%
TOTAL	100.00%
CONTAINS PETROLEUM DISTILLATES	
PRODUCT WT/GAL 8.7 LBS.	

PROTECTS AGAINST WOOD ROT, TERMITE
DAMAGE, MILDEW AND MOISTURE

See other precautionary statements on side panel.

HARMFUL IF SWALLOWED
KEEP OUT OF REACH OF CHILDREN
WARNING
COMBUSTIBLE

STATEMENT OF PRACTICAL TREATMENT
IF IN EYES: Hold eyes open and flush with steady
gentle stream of water for 15 minutes.
IF SWALLOWED: Drink promptly a large quantity of milk,
egg whites, gelatin mixture, or, if these
are not available, large quantities of
water. Avoid alcohol. Do not induce vomit-
ing as it may cause respiration pneumonia.
IF ON SKIN: Wash with plenty of soap and water.
GET MEDICAL ATTENTION

EPA Reg. No. 9630-32
EPA Est. No. 9630-PA-01

M-GARD 5500 is a copper naphthenate based preservative for use at its existing
concentration for brush, dip, spray or pressure treating applications. M-GARD 5500
protects wood against wood destroying fungi, wet rot, dry rot, decay, mildew,
mold, moss, and attack by termites (including Formosan termites). Wood to be
treated is intended for exterior use - logs, lumber, fenceposts, landscape timbers,
structural timbers, shakes, shingles, siding, decks, docks, piers, pilings, boats,
utility poles, staking materials, and nursery lumber. Dip and pressure treatment
are recommended for ground contact. M-GARD 5500 imparts a green cast. It is not
intended as a stain. The green color will fade upon weathering. Do not topcoat
until the treatment has weathered.

APPLICATION

FOR DIP, BRUSH OR SPRAY TREATMENT: Use at this existing concentration. For above
ground, immerse wood 1-3 minutes per inch of thickness or apply one or two liberal
brush or spray coats. For below ground use, immerse at 15 minutes per inch of
thickness.

PRESSURE TREATMENT: By full or empty cell processes or vacuum treatment, use at
existing concentration or dilute with light petroleum solvent to obtain an average
copper retention of 0.04 - 0.08 pcf in the wood by pressure treatment.

NOTE TO USER

Do not use on wood intended for food, feed, potable water, livestock or dairy
animal contact surfaces. Wood should be dry, clean, well seasoned and free of bark.
Do not apply on painted or varnished surfaces.

COVERAGE

One gallon covers 100-300 sq. ft. depending upon porosity of wood.



TWO MILE RUN RD., FRANKLIN
VENANGO COUNTY, PA 16323 • 814-432-2125