gistrants of similar proxuets to submit such data. take the labeling charges listed below before you release the

Г

by others.

Cleveland, OH

b. On the right panel, unfor fungicide activity, delete mold, mildew and milder stain. These claims are not appropriate for this type of use.

BEST AVAILABLE

ATTACHMENT IS APPLICABLE	
FIGHATURE OF APPROVING OFFICIALY  FIGHATURE OF APPROVING OFFICIALY  FIGHATURE OF APPROVING OFFICIALY	DATE 1/23/90
EPA Form \$570-6 (Rev. 5-76) PREVIOUS EDITION MAY BE USE	D UNTIL SUPPLY IS EXHAUSTED.

- d. The label which was submitted does not contain complete directions for use. Add "repeat application in 90 days and at 2 year intervals thereafter." as indicated in the pamphlet for Post Pard. The label for the devise should indicate that it should only be used with this product unless it is known that the plastic in the device will not be dissolved by solvents or other ingredients in other types of wood preservative products.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sugar T. Lewis


Product Manager (21)

4.54

Europicide-Herbicide Branca Peristration Division (875050)

Enclosures

BEST AVAILABLE COPY



The Postgard System consists of two products: tested at Colorado State University's Wood Science Laboratory.

PostGard™ a patented refillable applicator cup attached to the bottom of a post

PostPreserver \* an environmentality safe coloriess liquid wood prescrivative used to fill the PostGard \*

The **Postgard System** is represents a safe way to preserve the underground portion of wood posts without effecting the natural color or paint splity of the wood.


Prevents wood fencepost rot and termite attack.





#### Easy Installation

- · No Special Tools req
- Install post as usual i concrete or fill dirt





### Underground Wood Post Preservation

The Postgard System has been tested and proved effective when installed and used as recommended.

Postgard Company guarantees the quality and performance of its products

A Double-Lifetime Limited Warranty is offered for all 4-inch wood posts utilizing the Postgard System \* for continuous in-ground wood preservation.

When you purchase and/or install your Postgard System you will receive a Double-Lifetime Limited Warranty Certificate, with an attached Warranty Registration card, providing full details on how Postgard Company guarantees to at least double the useful life of a wood post when compared with a like wood post (treated or untreated) similarly installed, but not using the Postgard System."

Warranty registration is required, and is transferrable See the **Double-Lifetime Limited Warranty** Certificate for details.

Homeowners:

Don't let fungus rot and

termites destroy

your investment

Fight back with

prevent to a first street for a frustrating problem of an Association of the following problem of the first street and problem of the first street and failure.

Install your Postgard System " today!


Keep your outdoor wood structures STANDING TALL!



#### **Postgard Company**

1438 So Charles Denver, CO 26, 12

303-741-3600



#### The Postgard System™

- Saver a protects voil rifence or secking investment
- Is Environmentally pate when used an directed.
- GUARANTEED to a most double wood post life



# PostPreserver \*\* Clear Liquid Wood Preservatives

NET TARE GROSS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS .....

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Use only with adequate vetilization. Close container after each use. Do not use, pour or spill or store near heat or open flame.

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

STORAGE: Store at temperatures between 40 F and 100 F. If the product has been splilled or is leaking, remove the source of the splil or leak. Recover free flouid. Spread absorbent, then pick up and place in containers. Then, where applicable, wash area with detergent and water. Store product in the original container only. Do not store with fertilizers, food and feed. Keep containers closed when not in use.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local authorities.

CONTAINER DISPOSAL: Do not use empty container. Securely wrap original container in several layers of newspaper and discard in trash.

PROHIBITIONS

Do not contaminate water, food or feed by storage and disposal. Open dumping is prohibited.

for use exclusively with
PostGard
Individual Wood Fencepost
Preservative Applicators

ACTIVE INGREDIENT:

Zinc Naphthenato

TOTAL

(Zinc, as metal - 2% INERT INGREDIENTS

100.0%

84.3%

PRODUCT WT./GAL. • 6.8 Lbs.

## KEEP OUT OF REACH OF CHILDREN CAUTION

CONTAINS PETROLEUM DISTILLATES
COMBUSTIBLE
HARMFUL IF SWALLOWED
See other precautionary statements on side panel.

Statement of Practical Treatment:

Harmful If swallowed or absorbed through skin. Avoid confact with eyen, on skin or on clothing.

Wash thoroughly after handling.

IF SWALLOWED: Do not induce vemiting.

CALL PHYSICIAN IMMEDIATELY.

IF ON SKIN: Wash thoroughly with soap and water.

IF IN EYES: Flush with planty of water and get immediate medical attention.

CONTAMINATED CLOTHING should be removed and washed thoroughly before reusing.

EPA REG. NO. 9630-EPA-EST. NO. 9630-PA-01

Container Sizes: 16 ounce

32 ounce

l gallon



Frotects political stain, an

FostPress for fill individue These Post undergree filled the cap device fencepost

PostPrese

cap which snorkel o

end of the This will After the container container the powers Insert the Tostford admirerau & flord of

to storag

Do not ap
May injur
plants to
does not

surfaces

abovegrou

additiona

in this c