



United States Environmental Protection Agency
Office of Pesticide Programs (H7505C)
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input type="checkbox"/>	Other

OPP Identifier Number
166293

Application for Pesticide:

PM-22 Reg# 9630-34 Section I 183

1. Company/Product Number 9630-4,5,6,7,8,10,11,12,15,16,17,19,21,22	2. EPA Product Manager C. Giles-Parker	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) 24,26,27,28,29,30,31 32,34 OMG AMERICAS, INC. (MOONEY CHEMICALS)	PM#	
5. Name and Address of Applicant (Include ZIP Code) OMG Americas, Inc. 2301 Scranton Road Cleveland, OH 44113 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section II

<input type="checkbox"/> Amendment - Explain below	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Our company has officially changed its name from Mooney Chemicals, Inc. to OMG Americas, Inc. In addition, we have added the "Effluent Discharge Statement" to all our labels.

NOTIFICATION
AUG 15 1996

NOTIFICATION

Section III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
	If "Yes," Unit Package wgt.	No. per container	If "Yes," Package wgt.	No. per container	<input type="checkbox"/> Glass
					<input type="checkbox"/> Paper
					<input type="checkbox"/> Other (Specify) _____
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) of Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner In Which Label Is Affixed To Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled				<input type="checkbox"/> Other (_____)	

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Laura J. Sydro	Title Product Compliance Specialist	Telephone No. (Include Area Code) 216-575-3679
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Laura J. Sydro</i>	3. Title Product compliance Specialist	
4. Typed Name Laura J. Sydro	5. Date 6/26/96	

S
H
I
P
T
O

W500

CONTROL
NET
TARE
GROSS

P.O.#

M-GARD™ W500

WOOD PRESERVATIVE

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin or if inhaled. Causes eye irritation. Avoid contact with eyes, skin and clothing. Avoid inhalation of vapor or spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water when disposing of equipment washwaters. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark.

PHYSICAL OR CHEMICAL HAZARDS

Apply this product only as specified on the label. Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container after each use.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state or local authorities.

CONTAINER DISPOSAL: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by procedures approved by state and local authorities.

STORAGE: Store at temperatures between 40 F and 100 F. If product has been spilled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread absorbant, then pick up and place in containers. Then, where applicable, wash area with detergent and water. Store product in original container only. Do not contaminate fertilizers, food or feed. Keep container close when not in use.

EFFLUENT DISCHARGE STATEMENT

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

NOTIFICATION

AUG 15 1996

ACTIVE INGREDIENT:	
Copper Naphthenate	9.67%
(Copper, as metal)	
INERT INGREDIENT	90.33%
TOTAL	100.00%
CONTAINS PETROLEUM DISTILLATES	
PRODUCT WT/GAL 8.3 LBS.	

See other precautionary statements on side panel.

HARMFUL IF SWALLOWED KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES: Hold eyes open and flush with steady gentle stream of water for 15 minutes.
- IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration preferably mouth-to-mouth. Get medical attention.
- IF ON SKIN: Wash with plenty of soap and water. GET MEDICAL ATTENTION.

DIRECTION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH THE LABEL DIRECTIONS.

WOOD PRESERVATION: For the control of fun... termites, (including Formosan termites) and... products. M-GARD W500 WOOD PRESERVATIVE FOR WOOD SURFACES IN CONTACT WITH SOIL, CONCRETE OR WATER INCLUDING WALKWAYS, PORCHES, SIDING, WOODEN ROOF COVERINGS (SHEDS), FENCING BOARDS, FENCE POSTS, FOUNDATIONS. M-GARD W500 is only intended for use on exterior wood surfaces. Do not contact with potable water contact surfaces. Do not contact with articles. M-GARD W500 Wood Preservative will not mildew on any natural wood surface. This insecticide will preserve and protect wood from decay, soil, water or concrete. The copper fungicide will prevent mold and mildew. This product is not intended for use on interior wood surfaces. The colorant will fade within a few months when exposed to sunlight. M-GARD W500 Wood Preservative. The compatible colorant will vary and will have to be evaluated. ADD, STIR OR SHAKE WELL BEFORE USE. Oil soluble. Do not use over M-GARD W500 Wood Preservative after a minimum dry time of 24 hours before applying M-GARD W500 over painted, varnished, or previously treated wood.

PREPARATION: Wood should be clean, dry, well seasoned and free of preservative. APPLICATION: M-GARD W500 Wood Preservative should be applied by dipping, spraying or brushing. The material to be treated should be dipped 3 to 38 minutes depending on the wood species and the application. For dipping wood should be dipped 3 to 38 minutes. For spraying, apply 1/2 to 1 gallon per gallon. Use one coat on materials and two coats on heavy wood ends. Clean equipment with mineral spirits. NOTE TO USER: Do not apply over painted or varnished surfaces.

EPA Reg. No. 9630-34
EPA Est. No. 9630-PA-01



323

W500

CONTROL
NET
TARE
GROSS

P.O.#



WOOD PRESERVATIVE

STATEMENTS

DOMESTIC ANIMALS

If inhaled. Causes eye, skin and clothing. Avoid inhalation thoroughly with soap and water and wash before reuse. Skin contact may cause allergic

HAZARDS

Do not contaminate water when used. Do not apply directly to water, soil, or to intertidal areas

HAZARDS

Keep away from heat or open flame. Use only in well-ventilated area after each use.

DISPOSAL

Do not mix with food or feed by storage or use. Do not mix with other products. Do not mix with water. Do not mix with other products. Do not mix with water. Do not mix with other products.

See 40 F and 180 F. If product has spilled, pick up and place in container with detergent and water. Do not contaminate container close when not in use.

LARGE STATEMENT

This product into lakes, streams, rivers unless in accordance with National Pollutant Discharge Elimination Act. Do not discharge effluent into waterways without previously obtaining approval from local plant authority. For guidance contact Regional Office of the EPA.

NOTIFICATION

AUG 15 1996

ACTIVE INGREDIENTS:	
Copper Naphthenate	9.67%
(Copper, as metal)	
INERT INGREDIENTS	90.33%
TOTAL	100.00%
CONTAINS PETROLEUM DISTILLATES	
PRODUCT WT/GAL 8.3 LBS.	

See other precautionary statements on side panel.

**HARMFUL IF SWALLOWED
KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

- IF IN EYES: Hold eyes open and flush with steady gentle stream of water for 15 minutes.
- IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration preferably mouth-to-mouth. Get medical attention.
- IF ON SKIN: Wash with plenty of soap and water. GET MEDICAL ATTENTION.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

WOOD PRESERVATION: For the control of fungal rot and decay, mold, mildew, moss, termites, (including Formosan termites) and other wood destroying insects in wood products.
M-GARD W500 WOOD PRESERVATIVE FOR WOOD SURFACES EXPOSED ABOVE GROUND, IN CONTACT WITH SOIL, CONCRETE OR WATER INCLUDING WINDOWS, WINDOW FRAMES, DOORS, STAIRS, PORCHES, SIDING, WOODEN ROOF COVERINGS (SHAKES, SHINGLES), EXTERIOR FURNITURE, FENCING BOARDS, FENCE POSTS, FOUNDATIONS, SILLS, DOCKS, BOATS, AND GREENHOUSES. M-GARD W500 is only intended for use on exterior wood. Do not apply to food, feed or potable water contact surfaces. Do not contaminate drinking water with treated articles. M-GARD W500 Wood Preservative provides protection against moisture and mildew on any natural wood surface. This copper naphthenate wood preservative and insecticide will preserve and protect wood surfaces that will be in contact with soil, water or concrete. The copper fungicide gives a green cast to M-GARD W500 Wood Preservative. This product is not intended for use as a stain. The green color will fade within a few months when exposed to sunlight. Colorants may be added to the M-GARD W500 Wood Preservative. The compatibility and weatherability of an added colorant will vary and will have to be evaluated by the user. IF COLORANTS ARE ADDED, STIR OR SHAKE WELL BEFORE USE. Oil or alkyd stains or paints can be applied over M-GARD W500 Wood Preservative after the wood has dried thoroughly. Allow a minimum dry time of 24 hours before applying a stain or paint. Do not apply M-GARD W500 over painted, varnished, or previously sealed wood surfaces.

PREPARATION

Wood should be clean, dry, well seasoned and free of bark.

APPLICATION

M-GARD W500 Wood Preservative should be applied liberally by brush, roller, spray or dipping in a container. The material to be treated must be dry and clean. Dipping wood should be dipped 3 to 30 minutes per inch of thickness. Fence posts, poles, foundation timbers and heavy wooden members should be immersed in the product for 12 to 18 hours or until the sapwood is completely penetrated. Do not dilute - Materials supplied at proper application consistency. For brushing, rolling, or spraying applications, apply M-GARD W500 at the rate of 100 to 200 sq. ft. per gallon. Use one coat on materials to be finished with paint or stain. If no finish is to be used, apply two liberal coats within the hour. Thoroughly cover ends. Clean equipment with mineral spirits for quick cleanup.

NOTE TO USER

Do not apply over painted or varnished surfaces. Do not apply over bark.

UNFADING INTEGRITY - QUALITY - DELIVERY

EPA Reg. No. 9630-34
EPA Est. No. 9630-PA-01



TWO MILE RUN RD., FRANKLIN
VENANGO COUNTY, PA 16323 • 814-432-2125