

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.



Ruth G. Douglas
Product Manager 32
Antimicrobial Program Branch
Registration Division (H-7504C)

Enclosure

3 7 5

ACCEPTED
with COMMENTS
in EPA Letter Dated

SEP 24 1993

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

9634-2



**PRECAUTIONARY STATEMENTS: HAZARD TO HUMANS AND DOMESTIC ANIMALS
DANGER:**

Corrosive, may cause severe skin irritation or chemical burns on broken skin. Causes eye damage. Do not get in eyes, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly vented areas as soon as possible. Do not return until odors have dissipated.

ENVIRONMENTAL HAZARDS:

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product into sewers without previously notifying the sewage treatment plant authority. For guidance, contact your state water board or regional office of the Environmental Protection Agency.

PHYSICAL & CHEMICAL HAZARDS:

STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, nose and mucous membranes.

NET CONTENTS: GALLON

Bel-Aqua Pool Supply, Inc.
750 Main St., New Rochelle, NY 10805
914/235-2200

BEST AVAILABLE COPY

NS AND

al burns to
es, on skin.
ber gloves
ng Avoid
on as pos-

Do not dis-
s. streams.
product is
permit. Do
sewer sys-
ment plant
ard or the
cy

ording to
h such as
its or other
eyes, lungs



UN-1791 C.A.S. NO. 7681-52-9

Active Ingredients	
Sodium Hypochlorite	12.5%
Inert Ingredients	87.5%
Total	100.0%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

See additional precautions on side panel

STATEMENT OF PRACTICAL TREATMENT.
IF SWALLOWED: Drink large amounts of water. DO NOT induce vomiting.
 Call physician or poison control center immediately.
IF INHALED: Get to fresh air immediately.
IF ON SKIN: Wash with plenty of soap and water.
IF IN EYES: Flush with water for at least 15 minutes. Get medical attention.

E.P.A. REG. NO. 9634-2 E.P.A. EST. NO. 9634-NY-1

DI
It is a violation of Fede
inconsistent with th

SWIMMING

For a new pool or Spri
of this product for each
yard 5 to 10 ppm, and
available chlorine with
between 7.2 and 7.6
pool between 50 and 1
To maintain the pool or
this product for each 10
of available chlorine
weight. Strawbed pool
ppm, available chlorine
and alkalinity of the w
kits. Frequency of wat
tures and number of sw
Every 7 days or as nec
gation of this product
water to yield 5 to 10 p
level of available chlori
until the chlorine residu

U

This product degrades
increase dosage as the
available chlorine

STOR

Store in a cool, dry area
flood area with large q
thoroughly with water a
card by placing in trash
Do not contaminate for
ing of equipment

BEST AVAILABLE COPY

595

1000

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

SWIMMING POOL-WATER DISINFECTION

For a new pool or Spring start up-super chlorinate with 1/2 gallon of this product for each ten thousand gallons of pool water to yield 5 to 10 ppm available chlorine by weight. Check level of available chlorine with a test kit. Adjust and maintain water PH to between 7.2 and 7.6. Adjust and maintain the alkalinity of the pool between 50 and 100 ppm.

To maintain the pool add manually or by feeding device 1/2 oz of this product for each ten thousand gallons of pool water to yield an available chlorine residual between 0.6 and 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the PH, available chlorine residual and alkalinity of the water frequently with the appropriate test kits. Frequency of water treatment will depend upon temperatures and number of swimmers.

Every 7 days or as necessary, superchlorinate the pool with 1/2 gallon of this product for each ten thousand gallons of pool water to yield 5 to 10 ppm available chlorine by weight. Check level of available chlorine with a test kit. Do not re-enter the pool until the chlorine residual is between 1.0 and 3.0 ppm.

USER PLEASE NOTE:

This product degrades with age. Use a chlorine test kit and increase dosage as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL:

Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and then return to the manufacturer or discard by placing in trash collection or burying in approved landfill. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

1000