

"COPPER" preservative
"GREEN" in color...

COPPER-GREEN

WOOD PRESERVATIVE

EPA EST NO. 9639-CA-1 EPA 9639-2

APPROVED TO PREVENT DETERIORATION CAUSED BY
TERMITES • FUNGUS ROT • DECAY

4 APR 1975

GENERAL INSECTICIDE
 RODENTICIDE ACT
 POISON REGISTER
 9639-2

Active Ingredient:	
*Copper Napthenate	10%
Inert Ingredients	90%
	<hr/>
*Copper Expressed as Metallic	1%

WOOD to be treated should be dry and well seasoned before treatment with COPPER GREEN. Lumber and wood products should be dip treated for at least 3 minutes. If dipping is not possible treat with several flowing coats by brush or spray. Fence posts and heavy timbers should be free from bark, dry and well seasoned—and should be immersed in COPPER GREEN for 12-48 hours to give effective control of wood-destroying pests.

Ends or edges cut or bored after initial treatment should be brushed or sprayed with COPPER GREEN.

CAUTION: KEEP OUT OF REACH OF CHILDREN AND PETS.
 Harmful if swallowed. If swallowed give a tablespoon of salt in glass of warm water and repeat until vomiting fluid is clear. Follow with milk. Call Physician.

COVERAGE --Estimate 150 to 200 sq. ft. per gallon for brush coat or 5 to 10 gallons per 1000 board feet for dipping dimensional lumber. This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty drums or any other empty container. Destroy by perforating or crushing. Return empty drum to drum conditioner if possible. Bury or discard any empty containers or drums in a safe place away from water supplies.

NET CONTENTS ONE GALLON