

**ACCEPTED**  
**MAY 7 1975**  
 Under the Federal Insecticide,  
 Fungicide, and Rodenticide Act,  
 as amended, for the pesticide  
 registered under  
 EPA Reg. No. 9639-11

— 24 oz.

# ALGACIDE CONCENTRATE

## ACTIVE INGREDIENTS

- n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>,  
 5% C<sub>12</sub>, 5% C<sub>18</sub>) dimethyl  
 benzyl ammonium chlorides . . . . . 20%
- n-Alkyl (50% C<sub>12</sub>, 30% C<sub>14</sub>,  
 17% C<sub>16</sub>, 3% C<sub>18</sub>) dimethyl  
 ethylbenzyl ammonium chlorides . . . 20%

INERT INGREDIENT . . . . . 60%

**SPECIALLY PREPARED FOR  
 SWIMMING POOL CONTROL OF ALGAE**

### DANGER

KEEP OUT OF REACH OF CHILDREN  
 SEE BACK LABEL FOR PRECAUTIONARY STATEMENTS.

**NET CONTENTS 32 FL. OZ. (1 Qt.)**  
**WILLARD PRODUCTS**  
 Redwood City, CA 94064

EPA EST. NO. 9639-CA-1    EPA REG. NO. 9639-11

— 8 oz.

### DANGER

KEEP OUT OF REACH OF CHILDREN

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

### NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

### WARNING

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water, and apply this product only as specified on this label.

### DIRECTIONS

Initial Dosage — when pool is free of visible algae — 1 Quart for 25,000 to 50,000 Gallons.  
 Maintenance Dose — Apply 8 ozs. per 35,000-50,000 Gallons of water every 3-5 days.  
 When algae are visible, apply initial dosage, remove algae debris within 24 hours and treat as above.

DO NOT REUSE CONTAINER  
 DESTROY WHEN EMPTY

FIELD COPY

**DIRECTIONS**

**Initial Application:** To a cleaned pool add one gallon to 50,000 gallons of water, or ratio thereof.

**Maintenance Dose:** Use one quart per 50,000 gallons of water every 5 to 7 days. When weather is hot or bathing load is heavy, use this dosage every 5 days or as necessary.

**Booster Dose:** Immediately after every rain add one quart per 50,000 gallons of water as above.

**Important:** Follow above directions without fail, even when pool is not used. Algae growth must be fought at all times.

**Pool-side surfaces:** After cleaning surfaces, thoroughly wipe or swab while still wet. Use one oz. per four gallons of water for sanitizing or one oz. to two gallons of water for disinfecting.

Algaecide 18 is efficient, economical and stable in use dilution. It is compatible with all chemicals used in pool water and will not damage tile, concrete, metal or plastics. It keeps pool free and sparkling, clear of visible algae, slime and green brown color. It improves filter operation and cuts down need for other chemicals. It imparts tone and a pleasant "feel" to swimming pool water.

Do not reuse container. Destroy when empty.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water.

Apply this product only as specified on this label.

**DANGER**

**Keep Out of Reach of Children.** Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

**FIRST AID**  
In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN**  
Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed.

ACCEPTED  
MAR 27 1974  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC PEST CONTROL

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

EPA Registration Number 9651-5

**WEN-DON'S**

**ALGAECIDE 18**

**OUTSTANDING ALGAE GROWTH DEPRESSANT**  
**ACTIVE INGREDIENT:**  
Alkyl Dimethyl Benzyl Ammonium Chloride  
C<sub>18</sub>, 60%; C<sub>17</sub>, 25%; C<sub>16</sub>, 15%  
**INERT INGREDIENTS:**

10%
90%
100%