

**CLCW**

Water Management Division  
Clow Corporation  
408 Auburn Avenue  
Pontiac, Michigan 48053

**CLCW 3830**

**ACCEPTED**  
MAY 12 1981  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under  
EPA Reg. No. 9640-32

**MICROBIOCIDES**

EPA REG. NO. 9640-32

EPA EST. NO. 9640-MI-1

**USED TO CONTROL THE GROWTH OF BACTERIA IN RECIRCULATING COOLING WATER SYSTEMS****ACTIVE INGREDIENTS:**

Methylene bis (thiocyanate) 10%

**INERT INGREDIENTS:**90%  
100%

Weight per gallon: 8.75 lbs

**KEEP OUT OF REACH OF CHILDREN  
DANGER**

**STATEMENT OF PRACTICAL TREATMENT: SKIN AND EYES:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. **INGESTION:** If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:** Harmful or fatal if swallowed. May be absorbed by skin. Do not get in eyes, on skin, or on clothing. Avoid breathing vapors. Causes eye and skin damage. Wear rubber gloves and safety glasses.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the EPA.

**Directions for Use**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**RECIRCULATING COOLING WATER SYSTEMS:** (Cooling Towers, Evaporative Condensers) - **Bacterial Control:** Use 0.16 to 1.6 fluid ounces per 1000 gallons water in the system (1.25 to 12.5 ppm) as a continuous or intermittent slug treatment one to three times a week or as required to maintain control. When the system is just noticeably fouled, use 0.58 to 5.8 fluid ounces per 1000 gallons water in the system (4.5 to 45 ppm) daily or as required to obtain control. Badly fouled system must be cleaned before treatment is begun.

Apply at a point in the system where uniform mixing and even distribution will occur, such as the cooling tower basin or sump.

**STORAGE AND DISPOSAL**

**PROHIBITIONS:** Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited. **PESTICIDE DISPOSAL:** Pesticide, spray mixture, or rinsate that cannot be used or chemically reprocessed should be disposed of according to procedures approved by federal, state, or local disposal authorities. **CONTAINER DISPOSAL:** Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place. **General:** Consult federal, state or local disposal authorities for approved alternative procedures.

FOR INDUSTRIAL USE ONLY

Lbs. Net Wt.