

CLOW

Water Management Division
Clow Corporation
408 Auburn Avenue
Pontiac, Michigan 48058

CLOW 3860

REGISTERED
MAY 1982
9640-33

EPA REG. NO. 9640-33

MICROBIOCIDES

EPA EST. NO. 9640-MI-1

USED TO CONTROL THE GROWTH OF BACTERIA AND FUNGI IN RECIRCULATING WATER SYSTEMS

ACTIVE INGREDIENTS:

Tetrahydro-3,5-dimethyl-2H-1,3,5-thiadiazine-2-thione 20%

INERT INGREDIENTS:

80%

100%

Weight per gallon 9.34 lbs

KEEP OUT OF THE REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT: SKIN AND EYES: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. **INGESTION:** If swallowed, drink promptly a large quantity of milk, if available, or water. Avoid alcohol. Do NOT induce vomiting. Call a physician immediately.

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Causes eye damage and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with the NPDES permit. For guidance, contact your Regional Office of the EPA.

Directions for Use

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING WATER SYSTEMS (INCLUDING COOLING TOWERS AND EVALUATIVE CONDENSORS) Dosage will depend on the condition of the system prior to treatment initiation. Systems which are heavily contaminated should be cleaned first.

Apply this microbicide to the cleaned system or when growth is first noticed, according to the following schedule. **INITIAL DOSAGE:** Apply 8.0 to 16.0 fluid ounces (per 1,000 gallons) of water in the system (70-140 ppm). This dosage may be repeated once weekly or three times weekly or as required to control growth of slimy bacterial growth. **SUBSEQUENT DOSAGE:** When microbial control is evident, a 2.0 to 4.0 fluid ounces of product per 1,000 gallons of water (25 to 70 ppm) in the system may be used as needed to maintain good control. Apply half of the subsequent dosage when half of the water in the system has been lost by blowdown.

FEEDING: This product may be fed directly from the drum and diluted with water or fed by a pump to the system. It should be fed directly into the sump or basin or a point of distribution where distribution can be assured.

STORAGE AND DISPOSAL: PROHIBITIONS: Do not contaminate water, food, feed, or storage containers. Open dumping is prohibited. **PESTICIDE DISPOSAL:** This pesticide is toxic to fish. Containers that cannot be reused or be locally reprocessed should be disposed of in accordance with procedures approved by federal, state, or local distribution authority.

CONTAINER DISPOSAL: Wash, rinse (or equivalent) and offer for recycling, or use for other purposes approved, or offer for sale as a new container.

General: For more information, contact your distributor for approved alternative procedures.

0382

FOR INDUSTRIAL USE ONLY

Lbs. Net Wt.