

GC SUPER 10 DISINFECTANT-SANITIZER FUNGICIDE-DEODORIZER

Disinfectant-Sanitizer-Fungicide-
Deodorizer for Hospital, Institutional,
Industrial, School, Dairy and Other
Farm and Home Use

AOAC Phenol Coefficients

Staphylococcus aureus, ATCC #6538	95.8
Salmonella typhosa, ATCC #6539	71.9

Active Ingredients

Alkyl (C ₁₄ , 60%; C ₁₆ , 30%; C ₁₂ , 5%; C ₁₈ , 5%) Dimethyl Benzyl Ammonium Chlorides	5.0%
--	------

Alkyl (C ₁₂ , 68%, C ₁₄ , 32%) Dimethyl Ethylbenzyl Ammonium Chlorides	5.0%
---	------

Inert Ingredients	90.0%
	100.0%

EPA Registration No.	9619-7
EPA Establishment No.	9619-MA-1
Net Contents	

Manufactured By:
Synthetic Laboratories
P.O. Box 131
Dracut, Mass. 01826

DANGER

**KEEP OUT OF REACH OF CHILDREN.
SEE LEFT PANEL FOR ADDITIONAL PRE-
CAUTIONARY STATEMENTS.**

USE DIRECTIONS FOR DISINFECTION

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions.
For disinfecting floors, walls, countertops, bathing areas, lavatories, bedframes, tables, chairs, garbage pails and other hard surfaces.

Add 4½ oz. **GC SUPER 10** to 5 gallons water. Apply to previously cleaned hard surface with mop or cloth.

At this use-level, **GC SUPER 10** is effective against *Pseudomonas aeruginosa*.

Disinfectant in Institutions, Industry, Schools and Homes

For disinfecting floors, walls, bedframes, countertops, tables, chairs, garbage pails, bathroom fixtures and other hard surfaces.

Add 3 oz. of **GC SUPER 10** to 5 gallons of water. Apply to previously cleaned hard surface with mop or cloth.

At 3 oz./5 gallon use-level, **GC SUPER 10** is effective against *Staphylococcus aureus*, and *Salmonella choleraesuis*.

Fungicidal Activity

At 8 oz./5 gallons use-level, **GC SUPER 10** is effective against *Trichophyton interdigitale* (athlete's foot fungus) on inanimate hard surfaces.

Disinfection of Barber Tools

Barber tools (such as combs, brushes, razors, and scissors) can be disinfected by immersing in a .6 oz./gallon solution of **GC SUPER 10**.

Disinfection of Poultry Equipment, Animal Quarters and Kennels.

Poultry brooders, watering founts, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 4½ oz. **GC SUPER 10** to 5 gallons of water with a mop, cloth or brush. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from floors, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry, or other animals, or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

Rinse empty container thoroughly with water before discarding or returning drum to drum reconditioner.

Food Contact

dishes, silver-
equipment and

GC SUPER 10 in 4

ent and other

and processing
GC SUPER 10.

of hardness
gent Sanitizer

in a solution of

by dirt and soil.
is visibly dirty.

rosive.

ion. Do

ng. Pro-

harmful

of food.

water for at
h contamin-
e quantity of
drink large
ly.

intra-indicate
respiratory

NOTED

7 1976




MASURY-COLUMBIA

MYCO Q-99

DISINFECTANT-DEODORIZER

Quaternary Germicidal Cleaner



ACTIVE INGREDIENTS

- n-alkyl (C14-50%, C12-40%, C16-10%) dimethyl benzyl ammonium chloride 4.000%
- Ethanol 3.000%
- Tripotassium salt of ethylenediaminetetraacetic acid 0.292%
- Diethanolamides of coconut oil acids 1.760%

INERT INGREDIENTS* 90.948%

*(Including Synthetic Detergents and Detergent-Builders)

**PSEUDOMONACIDAL-FUNGICIDAL-
CONTROLS MILDEW**

Oct 20, 1967

9647-13

above.

DESCRIPTION

MYCO Q-99 is especially useful for dishes, glassware and utensils, since it is effective as a sanitizing cleaner in water containing as much as 720 ppm hardness (as CaCO₃).

MYCO Q-99 will kill most non-spore forming bacteria when used as directed.

MYCO Q-99 is non-flammable.

Classified by Underwriters' Laboratories, Inc., as to slip resistance only. See U.L. Index of Classified Products.

Rinse empty container thoroughly with water and discard it.

DANGER: Keep out of the reach of children.

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink *promptly* a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

E.P.A. Reg. No. 9647-13

MY8F 92-01

Products for Environmental Cleanliness

© MASURY-COLUMBIA CO.

ELMHURST, ILLINOIS 60126 • GLENDALE, CALIFORNIA 91204