

Myco Q-99 NR is a concentrated, non-phosphate detergent, disinfectant, sanitizer, fungicide and deodorizer. It is specifically designed for institutional use such as Hospitals, Nursing Homes, and Schools, where housekeeping will be of prime importance in reducing the hazard of cross-infection from environmental surfaces.

MYCO Q-99 NR is for use on floors, walls and other hard surfaces in Hospitals, Nursing Homes, Hotels, Public Areas, Industrial Areas and in institutions. It is excellent for Operating Rooms, Rest Rooms, Nurseries and Food Service Areas.

**Precautionary Statements**

**Hazards to Humans and domestic animals**

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling this product. Harmful if swallowed. Avoid contamination of food.

**STORAGE AND DISPOSAL**

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. DO NOT STORE AT TEMPERATURES ABOVE 125 F. IF CONTAINER HAS BEEN DAMAGED AND PRODUCT IS LEAKING, OR HAS BEEN SPILLED, DILUTE WITH WATER AND TAKE UP LIQUID WITH WET VACUUM. DISPOSE OF RINSATE ACCORDING TO DIRECTIONS BELOW.

**PESTICIDE DISPOSAL**

WASTES RESULTING FROM THE USE OF THIS PRODUCT MAY BE DISPOSED OF ON SITE OR AT AN APPROVED WASTE DISPOSAL FACILITY.

**CONTAINER DISPOSAL**

PLASTIC - TRIPLE-RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING OR RECONDITIONING OR PUNCTURE AND DISPOSE IN A SANITARY LANDFILL, OR INCINERATION OR IF ALLOWED BY STATE AND LOCAL AUTHORITIES, BY BURNING. IF BURNED, STAY OUT OF SMOKE.

METAL - TRIPLE-RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING OR RECONDITIONING OR PUNCTURE AND DISPOSE OF IN A SANITARY LANDFILL OR BY OTHER PROCEDURES APPROVED BY STATE AND LOCAL AUTHORITIES.



**MASURY-COLUMBIA**

**MYCO**  
**Q-99-NR**  
**Quaternary Germicidal Cleaner**

**ACTIVE INGREDIENTS**

n-Alkyl (60% C <sub>12</sub> , 30% C <sub>14</sub> , 5% C <sub>16</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides	4.5%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides	4.5%

**INERT INGREDIENTS**

91.0%  
-----  
100.0%

**ONLY FOR SALE TO, USE AND STORAGE BY SERVICEPERSONS**

**KEEP OUT OF REACH OF CHILDREN**  
**DANGER**

**Statement of Practical Treatment**

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

**SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS**

EPA Registration No. 9647-18  
EPA Registration No. 9647-1-1  
CA-2

Manufactured By  
MASURY-COLUMBIA CO  
MELROSE PARK, IL 60160  
GLENDALE, CA 91204

**ACCEPTED**  
**FEB 04 1985**  
Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the purpose of registration under EPA Reg. No. 9647-18

**DIRECTIONS FOR USE**  
**GENERAL CLASSIFICATION**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DIRECTIONS TWO COMPARTMENT SINK**

**First Compartment** - Cleaning Wash Vat. Dilute MYCO Q-99-NR at 1 oz. per gallon of hot water. Place disassembled equipment in solution and scrub all components with a brush. Remove then rinse thoroughly with water before placing in second compartment.

**Second Compartment** - Sanitation Vat. Dilute MYCO Q-99-NR at 1 oz. to 3 1/2 gallons of water. Allow equipment to remain in solution for at least 1 minute. Remove from solution and allow to air dry.

Use at 1 oz. per gallon of water. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. At 1 oz. per gallon of water, this product is fungicidal against pathogenic fungi. For best results, use MYCO Q-99-NR with a cloth or mop and apply to walls, floors and other hard surfaces. If used for sanitation of previously cleaned food equipment or other food contact items, limit the level of active quaternary to 200 ppm (1.4 oz. per 5 gals). The product should be mixed well before use. If stored or received above 105 F. For heavy soil or organic matter, a pre-cleaning step is recommended.

When used as directed, MYCO Q-99-NR is effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*. MYCO Q-99-NR is also effective against pathogenic fungi, *Trichopyton interdigitale*. MYCO Q-99-NR when used on environmental inanimate hard surfaces at one ounce per gallon of water is effective against influenza A2, Herpes simplex, Adenovirus Type 2 and Vaccinia viruses.

**NO RINSE REQUIRED** - If used for sanitation of previously cleaned processing equipment or food contact items, limit the active quaternary to 200 ppm. At this level, **NO POTABLE WATER RINSE** is required. This is a no-rinse product utilizing a two-sink system. Rinse empty container thoroughly with water and discard.

Classified L, Unlabeled Laboratories Inc. as to Sp. Resistance Only 1985

**NET CONTENTS: 55 GALS. (208.2L)**



**MASURY-COLUMBIA**  
2150 North 15th Avenue,  
Melrose Park, Illinois 60160