

1/3 9647-36 PM 31

JUL 15 1986

Masury-Columbia Company
1502 North 25th Avenue
Melrose Park, IL 60160-1880


Attention: Joyce Potter

Gentlemen:

Subject: MYCO SANITIZER 64
EPA Registration No. 9647-36
Your Amendment Application Dated June 16, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

John H. Lee 
Product Manager (31)
Disinfectants Branch
Registration Division (TS-767C)

Enclosure

91081:Lee:L-11:KENCQ:7/3/86:7/15/86:DKD:VO

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

2/3

EPA



MASURY

Myco Sa

Sanitizer—Disinfectant

ONLY FOR SALE TO, USE AND STORAGE BY SERVICEPERSONS

ACTIVE INGREDIENTS


n-Alkyl (C ₁₂ -60*, C ₁₆ -30*, C ₁₇ -5*, C ₁₈ -5%) dimethyl benzyl ammonium chlorides	0.5
n-Alkyl (C ₁₂ -68*, C ₁₆ -32*) dimethyl ethylbenzyl ammonium chlorides	0.5

INERT INGREDIENTS

98.7
100.0

EPA Registration No. 9647-36
EPA Establishment No. 0512-05-1

73



MASURY-COLUMBIA

Myco Sanitizer 64

Myco Sanitizer 64

This concentrated sanitizer, disinfectant and deodorizer is designed to complement M-R Concentrate in a two-step cleaning and sanitizing operation. Used at 2 ounces per gallon of water, no potable water rinse is required.

ACCEPTED
WATER TREATMENT
M. ILL. 12-1-1986

JUL 15 1986

Product No. 64
EPA Reg. No. 7647-36
9647-36

Precautionary Statements

Hazards to Humans and Domestic Animals

**KEEP OUT OF REACH OF CHILDREN
WARNING**

Causes eye and skin irritation. Do not get in eyes, on skin or clothing. Protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. DO NOT STORE AT TEMPERATURES ABOVE 125°F. IF CONTAINER HAS BEEN DAMAGED AND PRODUCT IS LEAKING, OR HAS BEEN SPILLED, DILUTE WITH WATER AND TAKE UP LIQUID WITH WET VACUUM. DISPOSE OF RINSATE ACCORDING TO INSTRUCTIONS BELOW.

PESTICIDE DISPOSAL

WASTES RESULTING FROM THE USE OF THIS PRODUCT MAY BE DISPOSED OF ON SITE OR AT AN APPROVED WASTE DISPOSAL FACILITY.

CONTAINER DISPOSAL

PLASTIC — TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING OR RECONDITIONING. OR PUNCTURE AND DISPOSE IN A SANITARY LANDFILL. OR INCINERATION, OR, IF ALLOWED BY STATE AND LOCAL AUTHORITIES, BY BURNING. IF BURNED, STAY OUT OF SMOKE.

METAL — TRIPLE RINSE (OR EQUIVALENT) AND OFFER FOR RECYCLING OR RECONDITIONING. OR PUNCTURE AND DISPOSE OF IN A SANITARY LANDFILL. OR BY OTHER PROCEDURES APPROVED BY STATE AND LOCAL AUTHORITIES.

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

USE INFORMATION

Myco Sanitizer 64 is a concentrate and should be diluted before using.

DIRECTIONS

GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

FOOD PROCESSING AREAS: For sanitization of previously cleaned food processing equipment, food utensils, floors, walls and surfaces which come in contact with food, dilute 2 ounces of Myco Sanitizer 64 per one (1) gallon of water to provide 200 ppm of active quaternaries. At this level, no potable water rinse is required.

HOUSEKEEPING: For sanitizing and disinfecting floors, walls, and manmade surfaces. For School Locker Rooms, Garbage Pails, Sink Tops, Corridors, Classrooms, Offices and Shower Stalls. Apply solution with mop or cloth. Sanitize with 2 ounces of Myco Sanitizer 64 per one (1) gallon of water. Disinfect with 4 1/2 ounces of Myco Sanitizer 64 to one (1) gallon of water. Kills *Staphylococcus aureus* and *Salmonella choleraesuis*. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

HOSPITALS: For floors, walls and other hard surfaces in Nursing Homes, Institutions, as well as Sink Tops, Garbage Pails, Telephones and Restrooms. Use Myco Sanitizer 64 at 5 1/2 ounces per one (1) gallon of water. Apply with cloth, mop or sponge. At this level, Myco Sanitizer 64 will be effective against *Pseudomonas aeruginosa* PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

DAIRIES: To sanitize dairy equipment such as tanks, lines, pails and milk cans, first clean and rinse the equipment thoroughly. Then apply sanitizing solution containing 2 ounces Myco Sanitizer 64 to one gallon of water (200 ppm). At this level, no potable water rinse required.

RESTAURANT AND BAR RINSE: Dishes, glassware, silverware, cutlery, and other utensils, wash with soap or synthetic detergent; rinse thoroughly and immerse in a sanitizing solution containing 2 ounces Myco Sanitizer 64 to one (1) gallon of water. No terminal potable water rinse required.

This product when used on environmental, inanimate hard surfaces 5 1/2 ounces per one (1) gallon of water is effective against influenza A, Herpes simplex, Adenovirus type 5 and Vaccinia viruses.

Declaraciones Precaucionarias

Riesgos para Humanos y Animales Domésticos

**MANTENER LEJOS DEL ALCANCE
DE LOS NIÑOS
AVISO**

Provoca irritación en los ojos y la piel. No dejar que entre en contacto con los ojos, la piel o la ropa. Proteger los ojos y la piel al manejar el concentrado. No comer ni beber. Evitar la contaminación de alimentos.

Declaración de tratamiento práctico

Si hay contacto con el producto, inmediatamente lavar los ojos o la piel con agua abundante al menos por 15 minutos. Si es en los ojos, llamar al médico. Quitarse y lavar la ropa contaminada antes de volverla a usar. Si se ingiere, beber leche, claras de huevo, gelatina; si no se dispone de éstas, beber grandes cantidades de agua. Llamar al médico.



MASURY-COLUMBIA CO.
2150 North 15th Avenue
Melrose Park, Illinois 60160

CONTENTS: 5 GALLONS (18.93L)

010186-0

