

TABLETING FORMULATION CONTAINING 2% DISULFOTON

FOR MANUFACTURING USE ONLY

NOT FOR SALE IN THIS FORM

Active ingredient: Disulfoton (2%)  
Inert ingredients: (98%)  
Total weight: 1000 gms  
Net weight: 1000 gms  
Registration No. 9849-3  
Patent No. 2,819,315 --- Canadian Patent No. 1,177,000  
Manufactured by: Ross Daniels, Incorporated, 172 1/2 First Street  
West Des Moines, Iowa 50309

**WARNING: Keep Out of Reach of Children**

Disulfoton is a highly toxic, corrosive liquid. It is absorbed through the skin, eyes, nose, mouth, and lungs. It causes severe burns and irritation. It is also highly flammable. Wear protective clothing, gloves, and goggles. Avoid contact with skin, eyes, nose, mouth, and lungs. If contact occurs, wash immediately with large amounts of water. Do not breathe the vapors. If you breathe the vapors, move to fresh air. If you have been exposed to Disulfoton, seek medical attention immediately. Disulfoton is a highly toxic, corrosive liquid. It is absorbed through the skin, eyes, nose, mouth, and lungs. It causes severe burns and irritation. It is also highly flammable. Wear protective clothing, gloves, and goggles. Avoid contact with skin, eyes, nose, mouth, and lungs. If contact occurs, wash immediately with large amounts of water. Do not breathe the vapors. If you breathe the vapors, move to fresh air. If you have been exposed to Disulfoton, seek medical attention immediately.

Disulfoton is a highly toxic, corrosive liquid. It is absorbed through the skin, eyes, nose, mouth, and lungs. It causes severe burns and irritation. It is also highly flammable. Wear protective clothing, gloves, and goggles. Avoid contact with skin, eyes, nose, mouth, and lungs. If contact occurs, wash immediately with large amounts of water. Do not breathe the vapors. If you breathe the vapors, move to fresh air. If you have been exposed to Disulfoton, seek medical attention immediately.

Disulfoton is a highly toxic, corrosive liquid. It is absorbed through the skin, eyes, nose, mouth, and lungs. It causes severe burns and irritation. It is also highly flammable. Wear protective clothing, gloves, and goggles. Avoid contact with skin, eyes, nose, mouth, and lungs. If contact occurs, wash immediately with large amounts of water. Do not breathe the vapors. If you breathe the vapors, move to fresh air. If you have been exposed to Disulfoton, seek medical attention immediately.

Disulfoton is a highly toxic, corrosive liquid. It is absorbed through the skin, eyes, nose, mouth, and lungs. It causes severe burns and irritation. It is also highly flammable. Wear protective clothing, gloves, and goggles. Avoid contact with skin, eyes, nose, mouth, and lungs. If contact occurs, wash immediately with large amounts of water. Do not breathe the vapors. If you breathe the vapors, move to fresh air. If you have been exposed to Disulfoton, seek medical attention immediately.

Disulfoton is a highly toxic, corrosive liquid. It is absorbed through the skin, eyes, nose, mouth, and lungs. It causes severe burns and irritation. It is also highly flammable. Wear protective clothing, gloves, and goggles. Avoid contact with skin, eyes, nose, mouth, and lungs. If contact occurs, wash immediately with large amounts of water. Do not breathe the vapors. If you breathe the vapors, move to fresh air. If you have been exposed to Disulfoton, seek medical attention immediately.