


[9651-3]



FOR: Bakeries, Food Plants, Restaurants, Schools, Hotels, Motels, Office Buildings, Hospitals and Food Handling Plants.

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME.

CAUTION
KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not store near heat or open flame. Avoid contamination of feed and foodstuffs. Use in food processing plants only when the plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

Remove pets, birds and cover fish aquariums before spraying.

CONTAINER DISPOSAL Do not reuse empty container. Destroy it by perforating or crushing. Bury or discard in a safe place away from water supplies.

DIRECTIONS FOR USE

FOR FLIES, MOSQUITOES, AND GNATS Close doors and windows. Spray freely toward ceiling in all directions until room is filled with mist, then leave the room. Keep doors closed for at least 15 minutes. Ventilate the room when treatment is completed.

WASPS Application should be made in the late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

E.P.A. Reg. No. 9651-3

EXTERM-O-FOG

Manufactured by

Active Ingredients

- 5-Benzyl-3-furyl-methyl-2-cyanoethyl-2-methyl-2-methylpropyl-cyanoacetate, xylene Related Compound 0.14
- Aromatic petroleum hydrocarbon 0.132
- Petroleum distillate 99.750

Inert Ingredients

0.004
100.000

WEN-DON CORPORATION P.O. BOX 894 ROANOKE, VIRGINIA 24005