

Left Hand Panel

DIRECTIONS FOR USE

GENERAL WEED AND GRASS CONTROL: MESAMATE CONCENTRATE plus a suitable surfactant has been found effective for controlling Johnson grass, water grass, cocklebur, nutgrass and green and yellow foxtail along drainage ditchbanks, right-of-ways, implement storage yards and similar non-crop areas where cultivation is not practical.

RECOMMENDED RATES FOR GENERAL WEED CONTROL: Mix 3 to 6 pints of MESAMATE CONCENTRATE plus 1 to 2 quarts of a suitable surfactant in 100 gallons of water, spray the unwanted vegetation thoroughly to just short of run-off, spot treatments to control regrowth may be necessary.

NOTICE: Use of this material other than in accordance with directions on this label may produce plant injury, excessive residues, or other undesirable results. Dawson Chemical Company makes no express or implied warranties other than specified on this label.

Right Hand Panel

DIRECTIONS FOR USE IN COTTON

COTTON: MESAMATE CONCENTRATE is useful for the control of Johnson grass, goose grass, water grass, cocklebur, nutgrass and Dallis grass. Always use a suitable surfactant with MESAMATE CONCENTRATE for best results.

RECOMMENDED RATES FOR USE IN COTTON: The following rates are recommended on the basis of 40" rows.

TYPE OF APPLICATION: DIRECTED - - ONLY ON WEEDS

Band Size	Amount of MESAMATE CONCENTRATE per acre	Amount of SURFACTANT per acre	Gallons of Water per acre
12"	11.5 Fl. Oz.	1/2 Pints	12 Gallons
14"	13.5 Fl. Oz.	1/2 Pints	14 Gallons

Apply as a post emergence DIRECTED spray to weeds when cotton is at least 3" high. Nozzles should be adjusted to direct the spray to weeds to allow maximum coverage of weeds with no contact of cotton foliage.

Off center fan type nozzle, 100 mesh screen, approximately 5 inches from the ground with 25 pound pressure may be used.

Clean application equipment after each use by flushing with water.


DO NOT APPLY BEFORE FIRST BLOOM. DO NOT FEED OR GRAZE TREATED FOLIAGE. DO NOT REUSE CONTAINER.

# ARSENIC TRIOXIDE

(TECHNICAL)

**MINIMUM 90% As<sub>2</sub>O<sub>3</sub>**

**FOR MANUFACTURING USE ONLY**



## Active Ingredient:

**Arsenic trioxide (min) . . . . . 90%**

**Inert ingredients (max) . . . . . 10%**

**TOTAL 100%**

Total arsenic all in water soluble form expressed as metallic 70%

Sold By:



**Ametalco, Inc.**  
**New York, N. Y.**



U.S.D.A. Reg. No. 9777-1

POISON

**ANTIDOTE:** Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Then give two (2) table-spoonsful of Epsom Salt or Milk of Magnesia in water, and plenty of milk and water. Have victim lie down and keep quiet. Call Physician immediately.

**DANGER:** Keep out of reach of children. Avoid contact with skin, eyes or clothing. Wash thoroughly after using. Avoid breathing dust or spray mist. Poisonous if swallowed.