

Left Hand Panel

DIRECTIONS FOR USE

GENERAL WEED AND GRASS CONTROL: MESAMATE - 400 is found effective for controlling Johnson grass, goose grass, water grass, cocklebur, nutgrass, and green and yellow foxtail along drainage ditchbanks, right-of-ways, implement storage yards and similar non-crop areas where cultivation is not practical.

RECOMMENDED RATES FOR GENERAL WEED CONTROL: To treat one acre, mix 4 pints of MESAMATE - 400 with 10-20 gallons of water, apply as a spray, thoroughly wetting foliage and stems of weeds to be killed. Spot treatment to control regrowth may be necessary.

NOTICE: Use of this material other than in accordance with directions on this label may produce plant injury, excessive residues, or other undesirable results. Dawson Chemical Company makes no express or implied warranties other than specified on this label.

Right Hand Panel

DIRECTIONS FOR USE IN COTTON

COTTON: MESAMATE - 400 is useful for the control of Johnson grass, goose grass, water grass, cocklebur, nutgrass and Dallis grass. Surfactant is already added for convenience of using.

RECOMMENDED RATE FOR USE IN COTTON: To treat an acre of cotton on the basis of 40" row, the following rates are recommended:

TYPE OF APPLICATION: DIRECTED - - ONLY ON WEEDS

Band Size	Amount of MESAMATE - 400 per acre	Gallons of Water per acre
12"	1-1/5 Pints	12 Gallons
14"	1-2/5 Pints	14 Gallons

Apply as a post emergence DIRECTED spray to weeds when cotton is at least 3" high. Nozzles should be adjusted to direct the spray to weeds to allow maximum coverage of weeds with no contact of cotton foliage.

Off center fan type nozzle, 100 mesh screen, approximately 5 inches from the ground with 25 pound pressure may be used.

Clean application equipment after each use by flushing with water.

DO NOT APPLY AFTER FIRST BLOOM. DO NOT FEED OR GRAZE TREATED FOLIAGE.
DO NOT REUSE CONTAINER.

RECEIVED
 FOR
 ATTACHED
 9/11/64



LIQUID DICHONDRA AND LAWN SCORCH
 WITH
CRABGRASS KILLER

With The Best Crabgrass Control
 FORMERLY CRABGRASS KILLER

ADDITIONAL CAUTIONS

READ ENTIRE LABEL BEFORE USING THIS PRODUCT. Use at the rate specified on the label or at any time after the expiration date with the direct instructions. Do not plant nursery, excessive use may cause other possible results.

CAUTION: Avoid contact with eyes, nose, mouth, and skin. If contact occurs, wash thoroughly with water. If swallowed, drink plenty of water. If inhaled, get fresh air. If on treated area, wear protective clothing. Harmful to fish.

ANTIDOTE: In case of poisoning, call your doctor and show him this label.

Rinse mouth and throat with water. Do not eat or drink until after rinsing.

Safety: This product is not intended for use on lawns, gardens, or other areas where children or pets may be present. Do not use this product in areas where it may be inhaled or ingested.

Manufactured by GRO-LITE
 A Division of Sunagro Chemicals, Inc.
 1754 Balboa Blvd.
 Van Nuys, California

A COMBINATION PLANT FOOD
 &
 CRABGRASS KILLER

Directions:

Apply to lawn areas where crabgrass is present. Use at the rate of 1/2 pint per 1,000 sq. ft. of lawn. Water thoroughly after application.

DICHONDRA AND GRASS LAWNS: Use at the rate of 1/2 pint per 1,000 sq. ft. of lawn. Water thoroughly after application.

For best results, apply this product to lawns during the dormant season. Do not apply to lawns that are actively growing.