

W-D Concentrate Germicidal is an industrial cleaner which disinfects as it cleans. It is especially designed for schools, institutions, and industry. A single application removes dirt and grime, disinfects, and is virucidal. When used as directed, the hard surface disinfecting action of W-D Concentrate Germicidal will reduce the hazard of cross-infection.

W-D Concentrate Germicidal is an extremely effective one-step sanitizer. It cleans and sanitizes in waters up to 1000 ppm hardness. This hard water tolerance is in excess of most potable waters and will insure complete sanitizing action when used as directed.

When used as directed, W-D Concentrate Germicidal will deodorize toilet areas, behind and under sinks and counters, garbage cans and garbage storage areas, and other places where bacterial growth can cause mal odors.

USE DIRECTIONS

Add two ounces per gallon water. Apply W-D Concentrate Germicidal to walls, floors and other hard surfaces such as tables, chairs and bed frames with a cloth or mop. At two ounces per gallon use-level, W-D Concentrate Germicidal

is effective against *Staphylococcus aureus*, *Salmonella choleraesuis*, *Escherichia coli*, and *Trichophyton interdigitale* the athlete's foot fungus. Germicidal performance against the first three organisms has been confirmed by the AOAC Use Dilution Test. Fungicidal performance against *T. interdigitale* was determined by the AOAC Fungicidal Test.

At two ounces per gallon use-level, W-D Concentrate Germicidal is virucidal against Herpes Simplex, a member of the virus family that causes infectious mononucleosis, Vaccinia representative of the pox viruses, and Influenza A- (the Hong Kong flu virus) on inanimate environmental surfaces.

Note, this product is not effective against *Ps. aeruginosa* at this use level.

For sanitizing add one ounce per gallon of water.

Use W-D Concentrate Germicidal for sanitizing and cleaning utensils, equipment, and other hard surfaces. When sanitizing food processing equipment and utensils and food contact surfaces, rinse thoroughly with potable water. Rinse empty container with water before discarding.

WARNING

Causes eye and skin irritation. Avoid contamination of food. Harmful if swallowed. Avoid getting product in the eyes. In case of contact, flush copiously with water and seek medical attention. Avoid getting product on the skin. In case of contact, flush copiously with water immediately to avoid possible skin irritation.

WARNING: KEEP OUT OF REACH OF CHILDREN

EPA REGISTRATION NO. 9651-4

W-D CONCENTRATE GERMICIDAL

Cleaner - Disinfectant - Deodorizer - Fungicide - Virucide*	
for Institutional Use	
AOAC Phenol Coefficients	
Staph. aureus (ATCC No. 6538)	50
Salmonella typhosa (ATCC No. 6539)	20

Active Ingredients	
Didecyl dimethyl ammonium chloride	2.5%
Tetrasodium ethylenediamine tetraacetate	2.0%
Sodium carbonate	1.5%
Inert Ingredients	94.0%
	100.0%

WEN-DON CORPORATION P.O. BOX 12094 ROANOKE, VIRGINIA 24022

ACCEPTED
 SEP 20 1974
 UNDER THE FEDERAL INSECTICIDE
 FUNGICIDE AND RODENTICIDE ACT

INSTRUCTIONS FOR USE

For best results, apply Formula 60 Plus detergent-sanitizer to walls, floors, and other hard surfaces such as tables, chairs, and bed frames with a pressure washer.

Disinfection

Use at 2 ounces per gallon. This product will be effective against *Pseudomonas aeruginosa* PRD-10 at this level. This has been substantiated by the AOAC Use Dilution Confirmation Test. At this level, the product is effective against *Staphylococcus aureus*, *Salmonella choleraesuis* and *Pseudomonas aeruginosa*. Also effective against pathogenic fungi, *Trichophyton interdigitale*, the Athlete's foot fungus.

This product when used on environmental, inanimate, hard surfaces at 2 ounces per gallon of water, is effective against Influenza A₂, Herpes Simplex, Adenovirus type 2, and Vaccinia viruses.

For heavy soil or organic matter, a pre-cleaning step is recommended.

Sanitization

If used for sanitization of previously cleaned food equipment or food contact items, limit the level of active quaternaries to 200 ppm (2.8 ounces per 5 gallons of water). At this level, no rinse is required.

Rinse empty container thoroughly with water and discard.

Authorized for use under USDA poultry, meat, rabbit, and egg products inspection program.

FORMULA 60 PLUS

Cleaner-Disinfectant-Deodorizer-Fungicide

FIVE U.S. GALLONS

ACTIVE INGREDIENTS:

n-Alkyl (80% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)
dimethyl benzyl ammonium chlorides 2.25%
n-Alkyl (68% C₁₂, 32% C₁₄) dimethyl
ethylbenzyl ammonium chlorides 2.25%
Sodium Carbonate 3.00%
Tetrasodium ethylenediamine tetraacetate . . 1.00%



INERT INGREDIENTS: 91.50%
100.0%

PHENOL COEFFICIENTS:

Guaranteed	Minimum
<i>S. aureus</i>	44
<i>S. typhosa</i>	28


EPA REG. NO. 9665-2

EPA EST. NO. 9665-MN-1



**SPECIALLY
FORMULATED
FOR USE IN
PRESSURE
WASHERS**

SUPER-CONCENTRATED
FORMULA
60 P.P.T.
CLEANER-DEODORIZER
DISINFECTANT-FUNGICIDE



LY
TED
IN
RE
RS

CLEANS AND SANITIZES WALLS
CEPTACLES, FOOD PROCESSING
BED FRAMES, AND OTHER HARD
HOSPITALS, NURSING HOMES, S
CESSING PLANTS, AND OTHER IN

WARRANTY

Our recommendations for use of this product are be
The use of this product being beyond the control
pressed or implied, is made as to the effects of such
in accordance with directions or established safe p
responsibility, including injury or damage, resulting from
with other materials. Statements concerning the use
strued as recommending the infringement of any p
arising out of such use is assumed.



SUPER-CONCENTRATED FORMULA 600P

19 19
UNDER FEDERAL INSECTICIDE ACT
FOR ECONOMIC RODENT CONTROL
REGISTERED UNDER NO. 9165

CLEANER—DEODORIZER DISINFECTANT—FUNGICIDE

LY
TED
IN
RE
ERS

CLEANS AND SANITIZES WALLS, RECEPTACLES, FOOD PROCESSING BED FRAMES, AND OTHER HARDWARE IN HOSPITALS, NURSING HOMES, Slaughterhouses, FOOD PROCESSING PLANTS, AND OTHER INDUSTRIES.



WARRANTY

Our recommendations for use of this product are based on the use of this product being beyond the control of the user. No warranty, expressed or implied, is made as to the effects of such use when used in accordance with directions or established safe practices. The user assumes responsibility, including injury or damage, resulting from the use of this product with other materials. Statements concerning the use of this product are construed as recommending the infringement of any patent, and the user assumes responsibility arising out of such use is assumed.