

[9688-21] INSECTICIDE FOR FLYING INSECTS

WITH 1382

FOR HOUSE AND GARDEN

ACTIVE INGREDIENTS

1.5 Benzyl isomers ratio: max 30% (±) cis

12-methyl-pentyl isomers ratio: max 40%

Related compound

Aromatic petroleum hydrocarbon

INERT INGREDIENTS

Cis trans isomers ratio: max 30% (±) cis
and min 70% (±) trans

US Patent No. 3,465,007

WARNING: KEEP OUT OF REACH OF CHILDREN

Avoid contact with children and pets. Cover or remove fishbowls. Contents under pressure. Do not puncture. Do not expose container to temperatures above 120°F. Never throw container into fire or incinerator.

ACCEPTED

SHAKE WELL BEFORE USING

NET WT. 1 POUND

PA Reg. No. 9688-21

NET WT. 1 POUND

DIRECTIONS

Shake well before each use. Remove protective cap. Aim spray opening away from people. Push button to spray.

INDOORS-FOR HOUSEFLIES, MOSQUITOES, AND GNATS:

Close all doors and windows. Point nozzle upward, direct the spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is complete.

INDOORS-FOR CRAWLING INSECTS:

Roaches, earwigs, grain mites, sow bugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, opening around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible. Repeat as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS-TO KILL FLYING INSECTS:

Spray areas infested with mosquitoes, gnats (in dges), houseflies, biting flies and pyralid and noctuid flying moths. Follow precautions listed above. Hold container 12 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.

OUTDOORS-TO PROTECT ORNAMENTAL PLANTS

To control aphids, exposed thrip, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetle on smaller rhododendrons, pines, spruce, hemlock, spruce, dogwood, plum, mimosa, loquat, viburnum, euonymus, oaks, maples, locust, forsythia and althea, and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 18 inches from the infested plants. Spray in short sharp bursts of one to three seconds or spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control.

Spray peonies, iris, zinnia, snapdragons, ageratum, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, dahlias, fuchsias, ivy, tobacco, queen sage and broad leaf agave for control of aphids, exposed thrips, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above.

Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Ash, Cotoneaster, Rose, Camellia, Azalea, Pyracantha and Osmanthus may also be treated to control the above pests, but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Repeat as necessary to obtain control.

OUTDOORS-TO PROTECT HOUSE PLANTS:

Spray infested African Violets, philodendron, geraniums, begonias, coleus for control of listed pests. Repeat application as necessary.

OUTDOORS-TO CONTROL NUISANCE PESTS:

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short burst of spray on spiders and repeat as necessary.

WASPS: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

CAUTION: Keep out of reach of children. Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. Do not use on edible crops. Contents under pressure. Do not puncture. Do not expose container to temperatures above 120°F. Never throw container into fire or incinerator.

Spray-Chem Corporation
Manufactured by 8494 Chapin Ind. Blvd.

WITH 1382

FOR HOUSE AND GARDEN

ACTIVE INGREDIENTS

(5-Benzyl-3-furylmethyl-2,2-dimethyl-3-

(2-methylpropenyl)cyclopropane carboxylate

Related compounds

Aromatic petroleum hydrocarbon

INERT INGREDIENTS

0.250%

4.74%

0.33%

9.324%

100.00%

Cis trans isomers ratio: max 30% (±) cis
and min 70% (±) trans

US Patent No. 3,465,007

WARNING: KEEP OUT OF REACH OF CHILDREN.

Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. Contents under pressure. Do not puncture. Do not expose container to temperatures above 120°F. Never throw container into fire or incinerator.

ATED

1973

INSECTICIDE
ENTICIDE
ON REGISTER-
SUBJECT
MENTS.

WELL BEFORE USING

the room when treatment is completed.

INDOORS-FOR CRAWLING INSECTS:

Roaches, earwigs, grain mites, sowbugs, spiders and other insects thoroughly into hiding places such as cracks, crevices, opening around pipes and sinks, under refrigerators, storage areas. Spray directly on insects where possible necessary.

ANTS: Spray trails, nests and points of entry. Spray as possible. Repeat as necessary.

OUTDOORS-TO KILL FLYING INSECTS:

Spray areas infested with mosquitoes, gnats (midges), biting flies and pyralid and noctuid flying moths. Follow listed above. Hold container 12 to 24 inches from shrubs, grassy areas. Spray these areas with a slow sweeping rate of from 1 to 3 seconds per cubic yard of space from the treated areas. To reduce annoyance from the spray, treat open porches and patios in a similar manner. Spray when air is still. Allow spray to dissipate before occupy. Repeat as necessary.

OUTDOORS-TO PROTECT ORNAMENTAL PLANTS:

To control aphids, exposed thrip, adult white flies, bugs, spittlebugs and Japanese beetle on smaller rhododendrons, spruce, hemlock, spirea, dogwood, palm, mimosa, toyon, oaks, maples, locust, forsythia and althea, and mimosa, spray directly on insects. Hold container 18 inches from infested plants. Spray in short spray bursts of one to two seconds at the rate of one linear foot of growth per second to all sides covering foliage until slightly moist. Repeat as necessary to obtain control.

Spray geraniums, iris, zinnia, snapdragons, ageratum, nasturtiums, daisy, geraniums, marigolds, daphne, fat schen, queen sago and broad leaf acacia for control of aphid, adult white flies, leafhoppers, plant bugs, spittlebugs, beetles. Spray as directed above.

Ornamental Quince, Juniper, Cypress, Ornamental Mulberry, Rose, Camellia, Azalea, Pyracantha and Caenothus may control the above pests, but use with extreme caution. Have shown some leaf burn under certain conditions of dosage. Repeat as necessary to obtain control.

OUTDOORS-TO PROTECT HOUSE PLANTS:

Spray infested African Violets, philodendron, geranium, coleus for control of listed pests. Repeat application as necessary.

OUTDOORS-TO CONTROL NUISANCE PESTS:

ANTS: - Spray trails, nests and points of entry. Spray as possible. Repeat as necessary.

SPIDERS: - Direct short burst of spray on spiders and other insects.

WASPS: - Application should be made in late evening or at rest. Spray liberally into hiding and breeding places of insects as possible. Repeat as necessary.

CAUTION: Keep out of reach of children. Avoid contamination of feed and foodstuffs.