

PRECAUTIONARY STATEMENTS

CAUTION

Hazards to Humans and Domestic Animals

Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Remove pets, birds and cover fish aquariums before spraying. Do not apply directly to or around food. Cover or remove any food utensils and food processing equipment during application. Do not apply while food processing is underway. After space spraying in areas where food is handled, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water.

Statement of Practical Treatment

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person. **If on Skin:** Wash contaminated clothing and wash affected areas with plenty of soap and water. **If in Eyes:** Flush eyes with plenty of water. Call a physician if irritation persists. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated.

Environmental Hazards

This pesticide is highly toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters.

Physical and Chemical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 130°F may cause bursting.

Storage and Disposal

Storage: Store in a cool place away from heat, direct sunlight, or open flame. Keep in original container and preferably in a locked storage area. **Disposal:** Replace cap and discard container in trash. Do not puncture or incinerate.

Chemsico

INSECTICIDE FOR FLYING INSECTS WITH 1382 FOR HOUSE & GARDEN

Also for moths
No unpleasant odor (keeps clothes fresh)
Protects for 6 months
For clothes and closets
Non-staining • Non-flammable

Active Ingredients:

Resmethrin	0.284%
Inert Ingredients*	99.716%
Total	100.000%

*Contains aliphatic petroleum hydrocarbons

Keep Out of Reach of Children

CAUTION

See Back Panel for Additional
Precautionary Statements

Net Contents: 16 oz.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL before each use. Hold can upright. Remove protective cap. Aim spray opening away from people. Push button to spray.

DOES NOT CONTAIN CHLORINATED SOLVENTS. When used as directed, it will not harm carpeting, drapes, upholstery fabrics, bedspreads, clothing, linens, furniture, walls, floor tiles, ceilings, shades or blinds.

SPECIAL NOTE: Prior to use, be sure to test spray on delicate or expensive fabrics by applying to inconspicuous area.

INDOORS - for Houseflies, Mosquitoes and Gnats:


Close all doors and windows. Point nozzle upward, direct spray mist to all parts of the room, especially windows and other light sources which attract these insects. Fill the room with mist, then leave the treated area. Keep the room closed for at least 15 minutes. Ventilate the room when treatment is completed.

INDOORS - for Crawling Insects: Roaches, earwigs,

grain mites, sowbugs, spiders and centipedes: Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards and storage areas. Spray directly on insects where possible. Repeat as necessary. **Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

OUTDOORS - to Kill Flying Insects: Spray areas infested

with mosquitoes, gnats (midges), houseflies, biting flies and pyralid and noctuid flying moths. Follow precautions listed above. Hold container 18 to 24 inches from shrubs, bushes and grassy areas. Spray these areas with a slow sweeping motion at the rate of from 1 to 3 seconds per cubic yard of space while moving away from the treated areas. To reduce annoyance from these flying insects, treat open porches and patios in a similar manner. Spray only when the air is still. Allow spray to dissipate before occupying the treated area. Repeat as necessary.



Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2 12, Active to Inert Change in Status.

EPA REG. NO. 9688-21 page 2 of 2

OUTDOORS - to Protect Ornamental Plants: To control aphids, exposed thrip, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetles on smaller rhododendrons, pines, spruce, hemlock, spirea, dogwood, palm, mimosa, hoyan, viburnum, euonymus, oaks, maples, locust, forsythia and althea, and mimosa webworm larvae on mimosa, spray directly on insects. Hold container 18 inches from the infested plants. • Spray in short spray bursts of 1 - 3 seconds of spray at the rate of one linear foot of growth per second. Direct spray to all sides covering foliage until slightly moist. Avoid heavy wetting. Repeat as necessary to obtain control. • Spray peonies, iris, zinnia, snapdragons, ageratums, chrysanthemums, nasturtiums, daisy, geraniums, marigolds, daphne, fatsy, ivy, tobira, queen sago and broad leaf acacia for control of aphids, exposed thrips, adult white flies, leafhoppers, plant bugs, spittlebugs and Japanese beetles. Spray as directed above. • Ornamental quince, juniper, cypress, ornamental mulberry, ash, cotoneaster, rose, camellia, azalea, pyracantha, and caenothus may also be treated to control the above pests but use with extreme caution. Certain varieties have shown some leaf burn under certain conditions of use such as heavy dosage. Repeat as necessary to obtain control.

OUTDOORS - to Protect House Plants: Spray infested African violets, philodendron, geraniums, begonias, coleus for control of listed pests. Repeat application as necessary.

OUTDOORS - to Control Nuisance Pests: **Ants:** Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary. **Spiders:** Direct short burst of spray on spiders and repeat as necessary. **Wasps:** Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible. Repeat as necessary.

To Spot Treat Flea infestations: Remove and clean soiled pet bedding or destroy. Shake well and spray pet quarters thoroughly. Spray baseboards, windows, door

frames, cracks and crevices in walls and floors. To eliminate infestations, it is important to spray carpets and rugs where fleas tend to hide. This should be repeated as necessary.

Fleas on Dogs and Cats: Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal, beginning at the tail, spray over the animal until the entire coat is damp up to the back of the neck. On long-haired dogs and cats, ruffle the coat and spray against the lay of hair, spraying directly behind hand so that spray reaches skin. For best results in controlling tick infestations, locate ticks and spray directly on them. Avoid spraying face and genitals. An application of 30 to 45 seconds is usually sufficient for an average size dog; for cats, about 10 seconds is adequate. Repeat application weekly if necessary. **NOTE:** Do not treat or cause exposure of kittens or puppies less than four weeks old.

In kennels or other sleeping quarters to control these insects and to deodorize the quarters, spray the animal regularly as above and spray bedding, walls, cracks, crevices and flooring as often as possible.

CONTROLS MOTHS, MOTH EGGS, MOTH LARVAE, CARPET BEETLES, SILVERFISH SPIDERS, CRICKETS, BEDBUGS and most other insects that can damage clothing and other fabrics.

DIRECTIONS: Shake well before each use. Remove protective cap. Aim opening away from people. Push button to spray.

CLOTHING AND BLANKETS should be dry cleaned or washed before treating. Hold the container 14 to 18 inches from the fabric and apply the spray while moving evenly in a forward and back motion across the fabric while covering one foot per second. Spray the entire fabric surface until it is slightly moist or damp to the touch. When possible treat both sides of the fabric. For maximum protection place treated fabrics after drying in plastic or paper bags.

CARPETS, RUGS AND DRAPERIES should be cleaned by thoroughly brushing before treating. Treat as in directions for Clothing and Blankets.

SPECIAL NOTES: Prior to use, be sure to test spray on delicate or expensive fabrics by applying to inconspicuous area.

CLOSETS: Also treat cracks and crevices of closets, chests and trunks where these fabrics are being stored. Treat the cracks and crevices at the rate of two seconds per linear foot. When applied as directed on fabric and in storage areas this treatment will offer protection for 6 months. To insure protection inspect the fabric in the storage area once every three months. Repeat application only when necessary. Avoid heavy applications. When possible make applications outdoors. If application is made indoors do not remain in treated areas. Ventilate the area after treatment is complete. This unit effectively treats the same area as three 1 lb. boxes of moth balls.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Manufactured in the U.S.A.
by Chemsico
St. Louis, MO 63114

Form: DCI1990

EPA Reg. No. 9688-21

EPA Est. No. 9688-MO-1