

1688-31

111 17

6/11/70

131

**PRECAUTIONARY STATEMENTS**

**CAUTION**

**Hazards to Humans and Domestic Animals**

Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Remove pets, birds and cover fish aquariums before spraying. Do not apply directly to or around food. Cover or remove any food utensils and food processing equipment during application. Do not apply while food processing is underway. After space spraying in areas where food is handled, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water.

**Statement of Practical Treatment**

**If Swallowed:** Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person. **If on Skin:** Wash contaminated clothing and wash affected areas with plenty of soap and water. **If in Eyes:** Flush eyes with plenty of water. Call a physician if irritation persists. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated.

**Environmental Hazards**

This pesticide is highly toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters.

**Physical and Chemical Hazards**



Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 130°F may cause bursting.

**Storage and Disposal**

**Storage:** Store in a cool place away from heat, direct sunlight, or open flame. Keep in original container and preferably in a locked storage area. **Disposal:** Replace cap and discard container in trash. Do not puncture or incinerate.

**Directions for Use**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.



**Flea & Tick Spray  
with Repellant A**

**Contains Silicone**

**FOR HORSES, CATS AND DOGS**

**Kills Fleas, Ticks and Lice  
Stops Scratching  
Repellent to Gnats, Mosquitoes  
and Flies  
Repels 2 to 3 days**

**Active Ingredients:**

d-trans Allethrin	0.11%
*Piperonyl Butoxide, Technical	0.60%
Butoxypolypropylene Glycol	5.04%
Inert Ingredients	94.25%
Total	100.00%

\*Equivalent to 0.48% (butylcarbityl) (6-propylpiperonyl) ether and 0.12% related compounds

**Keep Out of Reach of Children**

**CAUTION**

**See Back Panel for Additional  
Precautionary Statements**

**Net wt. 12 oz.**

Not Reviewed. Registrant claims to be in accordance with reregistration of Pesticide Product Guidance for Phase 2 Response Page 2 12. Active to Inert Change in Status

Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal, beginning at the tail, spray over the animal until the entire coat is damp up to the back of neck. On long-haired dogs and cats, ruffle the coat and spray against the lay of hair, spraying directly behind hand so that spray reaches skin. For best results in controlling tick infestations, locate ticks and spray directly on them. Avoid spraying face and genitals. An application of 30 to 45 seconds is usually sufficient for an average size dog, for cats about 10 seconds is adequate. Repeat application weekly if necessary.

**FOR USE ON HORSES** - Apply with trigger spray or as a wipe.

• Directions for wipe on use - First brush horse's coat to remove excess dirt and dust. Shake container well and dampen a soft cloth with Flea and Tick Spray Repellant A. Rub over hair with special attention to the legs, shoulders, shanks, neck and facial areas. For maximum protection apply 4 to 6 oz. to animal. Repeat every 2-3 days, if necessary.

• Directions for Spray Mist - First, remove excess dirt and dust by brushing. Shake container well and apply spray mist to horse's coat, paying particular attention to legs, shoulders, shanks, neck. Do not spray mist around the head and eyes. Dampen a cloth and wipe head avoiding eyes. For maximum protection apply 4 to 6 oz. to animal. Repeat every 2-3 days, if necessary.

**Note: Do not treat or cause exposure of kittens or puppies less than four weeks old.**

In kennels or other sleeping quarters to control these insects and to deodorize the quarters, spray the animal regularly as above and spray bedding, walls, cracks, crevices and flooring as often as necessary.

**NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Manufactured in the U.S.A. by Chemsico, St. Louis, MO 63114  
Form: DC11990  
EPA Reg. No. 9688-39 EPA Est. No. 9688-MO-1