

## PRECAUTIONARY STATEMENTS

### CAUTION

#### Hazards to Humans and Domestic Animals

Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Remove pets, birds and cover fish aquariums before spraying. Do not apply directly to or around food. Cover or remove any food utensils and food processing equipment during application. Do not apply while food processing is underway. After space spraying in areas where food is handled, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water.

#### Statement of Practical Treatment

**If Swallowed:** Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting if unconscious. **Give anything by mouth to an unconscious person.** **If on Skin:** Wash contaminated clothing and wash affected areas with plenty of soap and water. **If in Eyes:** Flush eyes with plenty of water. Call a physician if irritation persists. **If Inhaled:** Remove victim to fresh air. Apply artificial respiration if indicated.

#### Environmental Hazards

This pesticide is highly toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites may be hazardous to fish and to aquatic organisms in adjacent waters.

#### Physical and Chemical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 130°F may cause bursting.

#### Storage and Disposal

**Storage:** Store in a cool place away from heat, direct sunlight, or open flame. Keep in original container and preferably in a locked storage area. **Disposal:** Replace cap and discard container in trash. Do not puncture or incinerate.

#### Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

# Chemsico

## WASP & HORNET KILLER II

A synthetic pyrethroid with  
long spray pattern up to 20 feet  
kills wasps, hornets, yellow jackets,  
spiders and tent caterpillars  
Water-Based

#### Active Ingredients:

Resmethrin	0.171%
Inert Ingredients*	99.829%
Total	100.000%

\*Contains aliphatic petroleum hydrocarbons

Keep Out of Reach of Children  
**CAUTION**  
See Back Panel for Additional  
Precautionary Statements

Net Contents 14.5 oz.

BEST AVAILABLE COPY

For use in and around hotels, motels, homes, greenhouses and lathhouses, food handling establishments, packaging and processing plants, seed houses, commercial, industrial, office, institutional and storage buildings, milk handling areas of milk, cheese plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in buses, automobiles, trucks, boxcars and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food. Remove protective cap. Aim spray opening away from person. Push button to spray. • **Indoors:** To kill wasps, hornets, yellow jackets - application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, particularly under rafters, contacting as many insects as possible. Saturate areas in and around nest openings. Repeat as necessary. • **To kill spiders** - Spray directly on these pests and use repeated application to webbing and all cracks and crevices which harbor spiders. • **Outdoors:** To kill wasps, hornets, yellow jackets - application should be made in late evening when insects are at rest. Aim spray at nest openings. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around nest openings. Contact as many insects as possible. Repeat as necessary. • **To kill tent caterpillars** - application should be made when caterpillars are young and tents are first noticed. For best results apply in the late afternoon or evening when caterpillars have returned to their tents. Aim spray directly at tents and saturate on all sides. Repeat as necessary. **NOTICE:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. Manufactured in the U.S.A. by Chemsico, St. Louis, MO 63114 Form: DC11990F EPA Reg. No. 9688-48 EPA Est. No. 9688-MO-1

ACCEPTED  
MAR 26 1991  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide EPA Reg. No. 9688-48