



FLYING AND CRAWLING INSECT SPRAY IV

An effective combination of syrethrins and piperonyl butoxide for use in the control of residential, industrial and garden insect pests

Active Ingredients:

Pyrethrins	0.25%
*Piperonyl Butoxide, Technical	1.00%
Petroleum dsitillate	1.00%

Inert Ingredients:

97.75%

100.00%

\* Equivalent to 0.8% (butylcarbityl) (6-propyl-piperonyl) ether and 0.2% related compounds.


CAUTION: KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed or inhaled.

See side panel for additional precautionary statements.

EPA Reg No. 9688-

Net Wt. 11 oz.



Precautionary statements

Hazards to Humans and Domestic Animals

Caution: Harmful if swallowed or inhaled. Avoid breathing spray or contact with eyes or skin. Wash thoroughly after use. Avoid contamination of feed and foodstuffs.

Do not spray closer than 18 inches from plants. Do not use near fishbowls or aquaria.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Directions for use

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Disposal: wrap container and put in trash collection

SHAKE WELL BEFORE USING

Hold container upright with nozzle away from you. Press valve down and spray as directed. Keep nozzle at least 36 inches from surfaces or fabrics to avoid possible staining.

Remove pets, birds and cover fish aquariums before spraying.

Flies, Mosquitoes, Gnats, Wasps and Flying Moths: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Repeat treatment as necessary.

Roaches, Waterbugs, Silverfish, Crickets, Spiders, Centipedes and Sowbugs: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

Ants: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

Indian Meal Moths, Angoumois Grain Moths: Close doors and windows, direct spray into all parts of room especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application weekly or as needed.

Exposed stages of Confused Flour Beetles, Sawtoothed Grain Beetles, Red Flour Beetles, Rice Weevils, Granary Weevils, Grain Mites: Spray into cracks and crevices, processing and handling equipment, around cartons or containers or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to 1 hour after treatment. Repeat application as necessary.

Carpet Beetles: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

Bedbugs: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Repeat treatment as necessary.

Fleas: Spray sleeping quarters, floor and floor covering where pets are kept. Repeat as necessary. Use only a recommended pet spray on pets.

For the Control of Garden Insects: For use on roses, dahlias, asters and other ornamentals to kill Japanese beetles hit by spray, as well as aphids, exposed thrips and spider mites.

May be used on plants, as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews, and zinnias.

Effective when used as directed against aphids, spider mites, exposed thrips, lace bugs, Japanese beetles, pavement ants, clover mites and army worms.

When spraying plants, do not operate closer than 18 inches.  
Use sweeping motion. Spray in one second bursts. Do not  
wet foliage or blossoms.

Buyer assumes all risks of use, storage or handling of this  
material not in strict accordance with directions given here-  
with.

