

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS &  
DOMESTIC ANIMALS**

**CAUTION:**

Harmful if swallowed or inhaled.  
Avoid breathing of spray mist.  
Avoid contact with skin. Wash  
thoroughly after use. Avoid con-  
tamination of feed and foodstuffs.  
Do not treat or cause exposure of  
kittens or puppies less than four  
weeks old.

**PHYSICAL OR CHEMICAL  
HAZARDS**

Contents under pressure. Do not  
use or store near heat or open  
flame. Do not puncture or inciner-  
ate container. Exposure to tem-  
peratures above 130°F may cause  
bursting.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use  
this product in a manner inconsis-  
tent with its labeling.

**STORAGE AND DISPOSAL**

Store in a cool, dry area away from  
heat or open flame. Do not reuse  
empty container. Wrap container and  
put in trash collection.

**FLEA & TICK SPRAY  
with Repellent—A**

**FOR CATS AND DOGS**

**Kills Fleas, Ticks and Lice—Stops  
Scratching  
Repellent to Gnats, Mosquitoes and  
Flies**

**ACTIVE INGREDIENTS**

Aethionylthiuron (0.1% of Chlorfenvinphos)	0.10
Permethrin (0.1% of Permethrin)	0.01
Piperonyl Butoxide (0.1% of Piperonyl Butoxide)	0.01
Butylcarbitol (0.1% of Butylcarbitol)	0.01
INERT INGREDIENTS	94.25
	100.00

\*Equivalent to 0.48% butylcarbitol, 0.6% propyl  
piperonyl ether and 0.12% related compounds.  
EPA Reg. No. 9668-39  
EPA Est. No. 9668 MO 1

**KEEP OUT OF REACH  
OF CHILDREN.  
CAUTION**

Harmful if swallowed or inhaled.  
Avoid contact with skin.  
See rear panel for additional pre-  
cautions.

**NET WT. 6 OZ.**

**DIRECTIONS**

Remove protective cap, hold con-  
tainer upright, nozzle away from you.  
With nozzle 10 to 12 inches away,  
direct spray over the animal, begin-  
ning at the tail, spray over the animal  
until the entire coat is damp up to the  
back of neck. On long-haired dogs  
and cats, ruffle the coat and spray  
against the lay of hair, spraying  
directly behind hand so that spray  
reaches skin. For best results in con-  
trolling flea infestations, locate ticks  
and spray directly on them. Avoid  
spraying face and genitals. An ap-  
plication of 30 to 45 seconds is usu-  
ally sufficient for an average size  
dog, for cats about 10 seconds is ade-  
quate. Repeat application weekly if  
necessary.

**NOTE:** Do not treat or cause ex-  
posure of kittens or puppies less than  
four weeks old.

In kennels or other sleeping quarters  
to control these insects and to  
deodorize the quarters, spray the  
animal regularly as above and spray  
bedding, walls, cracks, crevices and  
flooring as often as necessary.

Buyer assumes all risks of use,  
storage or handling of this material  
not in strict accordance with direc-  
tions given herewith.

Manufactured by:  
Chemsico, Inc.  
8414 Chapin Industrial Drive  
St. Louis, MO 63114