
450 La 11 15 5

5/2000



PRECAUTIONARY STATEMENTS

CAUTION: Hazards to Humans and Domestic Animals Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Remove pets, birds and cover fish aquariums before spraying. Do not apply directly to or around food. Cover or remove any food utensils and food processing equipment during application. Dr not apply while food processing is underway. After somspraying in areas where food is handled, wash an equipment, benches, shelving, etc. where exposed food will be handled with potable water.

Statement of Practical Treatment

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person. If on Skin: Wash contaminated clothing and wash affected areas with plenty of soap and water. If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. NOTE TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine is ar.⁻ⁱdotal. 2-PAM may be effective as an adjunct to atropine.

Environmental Hazards

This pesticide is highly toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites r ay be hazardous to fish in adjacent waters.

Physical and Chemical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 130°F may cause bursting. Storage and Disposal

Storage: Store in a cool place away from heat, direct sunlight, or open flame. Keep in original container and preferably in a locked storage area. Disposal: Replace cap and discard container in trash. Do not puncture or incinerate.

Directions for Use

It is a violation of Federal law to use this production as manner inconsistent with its latelling. Shake well before each use. Remove protective cap. Aim spray away from person. Push button to spray.



WASP & HORNET KILLER IV

A long lasting residual spray with synthetic pyrethroids for quick knockdown with a spray pattern up to 20 feet which kills wasps, hornets, yellow jackets, spiders, tent caterpillars, gypsy moths and caterpillars. Kills on contact • Water-based Non-staining • No oily residue

Active Ingredients:

Chlorpyrifos (0,0-Diethyl 0-(3,5,6-trichloro-	
2-pyridinyl) phosphorothioate]	0.2500%
d-trans Allethrin	0.0536%
Inert Ingredients *	99.6964%
TOTAL 1	00.000%

* Contains xylene range aromatic solvent.

Keep Out of Reach of Child:En

See Back Panel for Additional Precautionary Statements

Net Contents: 16 oz.

SHAKE WELL BEFORE USING

For Indoor Use; In non-food areas only of commercial, industrial, office, residential, public, institutional and storage buildings, homes, hotels, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in buses, automobiles, and trucks, boxcars and ship cargo holds. Do not use on electrical equipment or on surfaces that can be harmed or stained by water. Also for use indoors in dog kennels and horse stables. In horse stables, not for application if horses will be used for food. Indoors - to kill crawling insects: Roaches, earwigs, grain mites, sowbugs, sitverfish, spiders, scorpions, and centipedes: Spray thoroughly and frequently into hiding places. such as cracks, crevices, moist areas, openings around pipes and sinks; under refrigerators, baseboards, door frames, bookcases and storage areas. Spray directly on insects where possible. Repeat as necessary. Outdoors - to control nuisance pests: Ants: Spray trails, nest and point of entry. Spray on ants where possible. Repeat as necessary. Spiders: Direct short burst of spray on spider and repeat as necessary. Scorpions: Direct short burst of spray on scorpion and repeat as necessary. Waspe: Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places contacting as many insects as possible, Repeat as necessary. To kill Tent Caterpillars: Application should be made w.en caterpillars are young and tents are first noticed. For best results, apply in late alternoon or evening when caterpillars have returned to their tents. Aim spray directly at tents and totally saturate on all sides. Repeat as necessary. Gypsy Moth Caterpillars: During April and May when Gypsy Moth Caterpillars first appear, spray directly on foliage in trees and bushes where caterpillars are feeding. Avoid overspraying to the point of excessive runoff. As they migrate down trunks of the tree and rest at ground level, the Gypsy Moth Caterpillar must be sprayed directly. As the caterpillars pupate into adult moths found on tree trunks, walls and foundations, wood piles, and surrounding areas, spray the caterpillars directly. Destroy egg masses wherever they are found before the young caterpillars emerge again in the Spring, NOTE WELL: Do not use on azaleas, camellias, poinsettias, rosebushes or variegated ivy because of possible injury to these plants.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Manufactured in the U.S.A. by Chemsico, St. Louis, MO 63114 Form: DCH1990

EPA Reg. No.: 9688-62 EPA Est. No.: 9688-MO-1

Not Reviewed. Registrant claims to be in accordance with: Beregistration of Pesticide Product Guidance for Phase 2 Response, Page 2.12, Active to Inert Change In Status.