PRECAUTIONARY STATEMENTS CAUTION

Hazards to Humans and Domestic Animals Harmful if swallowed or absorbed through skin. Avoid breathing vapor and spray mist. Avoid contact with skin and eyes. Remove pets, bir is and cover fish aquariums before spraying. Do not apply directly to or around food. Cover or remove any food utensils and food processing equipment during application. Do not apply while food processing is underway. After space spraying in areas where food is handled, wash all equipment, benches, shelving, etc. where exposed food will be handled with potable water. Do not allow children to lie or sleep in treated areas until at least six hours following treatment. Statement of Practical Treatment

If Swallowed: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Repeat until vomit fluid is clear. Never induce vomiting or give anything by mouth to an unconscious person. If on Skin: Wash contaminated clothing and wash affected areas with plenty of soap and water. If in Eyes: Flush eyes with plenty of water. Call a physician if irritation persists. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. NOTE TO PHYSICIAN: This product may cause cholinesterase inhibition. Atropine is antidotal. 2-PAM may be effective as an adjunct to atropine.

Environmental Hazards

This pesticide is highly toxic to fish, birds and other wildlife. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent

Physical and Chemical Hazards

Contents under pressure. Do not use near heat or open flame. Do not puncture or incinerate. Exposure to temperatures above 130°F may cause bursting.

Storage and Disposal

Storage: Store in a coel place away from heat, direct sunlight, or open flame. Neep in original container and preferably in a locked storage area. Disposas Replace cap and discard container in trash. Do not puncture or incinerate.





AUTOMATIC INSECT FOGGER "D"

Kills Roaches and Fleas Water Based • No Oily Residue Non-Staining • Clean Fresh Scent

For Use in Apartments, Homes, Attics, Basements, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins, etc.

Active Ingredients: Chlorovilae IO O Diethyl O /3 5 6 triphlars

CHANGE TO: O-metal is O-(2'2'0-sucusous-	
2-pyridinyl) phosphorothicate]	0.5000%
d-trans Allethrin	0.0536%
Inert Ingredients *	99.4464%
TOTAL 1	00.0000%

* Contains xylene range aromatic solvent and alphatic petroleum hydrocarbons.

Keep Out of Reach of Children

CAUTION

See Back Panel for Additional Precautionary Statements

Net Wt. 6 oz.

One unit treats an entire room (up to 25' x 30' with an 8' cailing) with an effective bug killing fog that leaves no unpleasant residual odor. Do not use this unit in an area less than 1500 cubic feet. Kills roaches, houseflies, mosquitoes, spiders, fleas, ticks, crickets, silverfish, small flying moths, wasps, centipedes, rice we wills, sawtoothed grain beetles, black carpet beetles, and pill

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry. SHAKE WELL BEFORE USING

To Lock Velve in Open Position for Automatic Discharge;

1. Press valve button all the way down, hooking the catch.

- 2. Then place logger on stand or table in center of room with the valve locked open, with several layers of newspaper or pad under
- 3. Leave building at once and keep building closed for two hours before siring out. Open all doors and windows and allow to air for 30 minutes.
- 4. Repeat spraying in two to four weeks if necessary, TO KILL TICKS AND FLEAS: Remove and destroy old pet bedding. Apply this product as for other insects. Put fresh bedding in pet's quarters after treatment. Treat dogs and cats with a flee and tick product registered for animal application before allowing them to re-enter the treated area. CONTROLS ADULT FLEAS AND LARVAE FOR UP TO FOUR WEEKS. NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

Manufactured in the U.S.A. by Chemsico, St. Louis, MO 63114 Form: DCI1990

EPA Reg. No. 9688-63

EPA Est. No. 9688-MO-1